EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 52285L001

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emissio	n Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
		-		
10	Drum Dryer Baghouse Stac	ck PM ₁₀	13.20	10.56
		VOC(a)	12.80	9.60
		NO_x	22.00	17.60
		SO_2	23.20	22.04
		CO	52.00	49.40
		HCl	0.08	0.07
12	Asphalt Heater Vent (4)	PM_{10}	0.02	0.04
		VOC	<0.01	<0.01
		NO_x	0.20	0.45
		SO_2	0.43	0.95
		CO	0.05	0.11
16	Lime Storage Silo (4)	PM ₁₀	0.05	0.02
11	Asphalt Storage Tank (4)	PM_{10}	<0.01	<0.01
		VOC	< 0.01	0.03
		СО	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
		_		
13	Fuel Oil Storage Tank (4)	VOC	<0.01	<0.01
14	Diesel Storage Tank (4)	VOC	<0.01	0.01
15	Antistrip Tank (4)	VOC	<0.01	<0.01
17	Storage Silo Filling (4)	PM ₁₀ VOC CO	0.20 3.41 0.33	0.16 2.73 0.26
18	Truck Load-Out	PM ₁₀ VOC CO	0.17 1.10 0.38	0.13 0.88 0.30
Fugitives	Aggregate Stockpiles (4)	PM PM ₁₀		0.82 0.39
1-3, 5-7	Material Handling (4)	PM PM ₁₀	0.88 0.38	0.71 0.31
21-24	RAP Handling and Screen	(4) PM PM ₁₀	0.29 0.18	0.23 0.14

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from a plot plan.

PM₁₀ - particulate matter equal to or less than less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1 VOC(a) - mainly asphalt vapors from standard mix

⁽²⁾ Specific point source names. For fugitive sources use area name or fugitive source name.

⁽³⁾ PM - particulate matter, suspended in the atmosphere, including PM₁₀

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissior</u>	n Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
NO _x SO ₂ CO HCI (4) Fugitive	 total oxides of nitrogen sulfur dioxide carbon monoxide hydrogen chloride emissions are an estimate only. 			
	rates are based on and the fac ule and production rates:	ilities are limited by the follo	owing maximu	ım operating
<u>24</u> Hı	rs/day <u>7</u> Days/week <u>52</u> Weel	ks/year or <u>8,760</u> Hrs/year		
Standa	rd Hot Mix: Tons/hour <u>400</u> Ton	s/year <u>600,000</u>		

Dated <u>February 3, 2003</u>