

# Emission Sources - Maximum Allowable Emission Rates

Permit Number 8865

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
BAY - 1 through 9, 11, 12, 14, 18, and 19	Tanks	VOC	615.48	15.53
WHARF 1 and 2	Ship Loading	VOC	189.72	---
BARGE 1 through 3	Barge Loading	VOC	252.96	---
WHARF 1 and 2 & BARGE 1 through 3	Ship and Barge Loading	VOC	---	8.21
TRL 1, 2, 2a, 3 through 9, 11, 14, 18, and 19	Tank Truck Loading	VOC	102.91	0.35
RCL A, AB, BC, CD, EF, and GH	Rail Car Loading	VOC	102.91	1.45
SB-3	Boiler No. 3	NOx	1.46	4.98
		VOC	0.07	0.23
		CO	0.52	1.78
		SO2	0.18	0.62
		PM/PM10/PM2.5	0.09	0.32
SB-4	Steam Boiler No. 4	NOx	1.32	5.79
		VOC	0.15	0.66
		CO	2.65	11.59
		SO2	0.54	2.37
		PM/PM10/PM2.5	0.04	0.17
FL-1	Operating Flare	NOx	110.94	1.71
		VOC	457.34	9.15

## Emission Sources - Maximum Allowable Emission Rates

		CO	148.77	12.24
		SO2	2.57	4.38
		ETO	0.10	0.01
		HCl/Br	20.00	6.00
FL-2	Breathing Flare	NOx	14.13	0.92
		VOC	38.11	1.68
		CO	8.27	5.44
		SO2	1.00	4.38
		HCl/Br	20.00	6.00
FL-3/FL-4	Propylene/Acetaldehyde Flare	NOx	16.76	1.16
		VOC	89.41	5.68
		CO	33.46	2.31
		SO2	0.51	0.01
TO-1	Thermal Oxidizer	NOx	105.00	61.82
		VOC	3.00	1.70
		CO	30.00	17.00
		SO2	20.00	24.00
		PM/PM10/PM2.5	3.00	1.70
		HCl/Br	20.00	24.90
FU-1	Equipment Leak Fugitives	VOC	3.33	11.87
FU-2	Line Clearing Fugitives	VOC	4.48	0.18
FU-3	Hose Clearing Fugitives	VOC	0.35	0.22
Bay 17	Class II Tanks 17-94, 17-95, 17-96, 17-97, and 17-98	VOC	332.00	3.92

Emission Sources - Maximum Allowable Emission Rates

T-1	Transfer	Freon 113	367.94	7.50
T-3	Transfer	Freon 11	3.04	0.57
AB-1	Purge Gas Absorbers/Adsorbers	VOC	0.01	0.01
AB-2	Transfer Absorbers/Adsorbers	VOC	21.17	0.53

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
  - NO<sub>x</sub> - total oxides of nitrogen
  - SO<sub>2</sub> - sulfur dioxide
  - PM - total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as represented
  - PM<sub>10</sub> - total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as represented
  - PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter
  - CO - carbon monoxide
  - ETO - ethylene oxide
  - HCl - hydrogen chloride
  - HBr - hydrogen bromide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

Date: March 7, 2013