#### Permit No. 2356

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission *	Source	Air Contaminant	<u>Emission</u>	<u>Rates</u>
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
CSTS66	Bunker Conveyor	РМ	0.026	0.05
CRH22	Crusher Baghouse	РМ	0.129	0.257
PST23	Storage Hopper Bagh 0.04	ouse	PM	0.02
PST24	Blender Conveyor Ba 0.04	ghouse	PM	0.02
PMTH60	PM Stack Conveyor	РМ	0.086	0.34
PMST61	PM Stack Conveyor	РМ	0.034	0.032
BBV26	Blender Fill Baghou	se PM	0.004	0.003
SFS38	FM Stack	РМ	0.069	0.27
PSE73	Stack No. 1 Conveyo	r PM	0.069	0.27
PMFH77	PM Stack Conveyor	РМ	0.02	0.03
MM1-29	PS1 Mix Baghouse	РМ	0.004	0.015
PS1TH30	PS1 Conveyor Baghou	se PM	0.021	0.04
RM1-31	PS1 Sizer Baghouse	PM	0.004	0.017

Emission	Source /	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3) 1b	/hr TPY	
MM2BV33	PS2 Mixer Baghouse	PM	0.004	0.015
RM2-34	PS2 Sizer Baghouse	PM	0.004	0.017
JSTH37	PS3 Conveyor Baghouse	e PM	0.02	0.03
S5SHA72	PS5 Conveyor	PM	0.02	0.02
S5SHB78	PS5 Conveyor	PM	0.02	0.02
S5TH75	PS5 Conveyor	PM	0.029	0.04
S5RH76	PS5 Conveyor	PM	0.018	0.027
CBFA64	Bunker Fugitives	PM	0.062	0.002
CBFB67	Bunker Fugitives	PM	0.052	0.0017
MSP79	Concrete Storage Pad	PM	**	0.168
SFH44	Sizer Baghouse	PM	0.03	0.015
PPPP48	Bulk Fill Baghouse	PM	0.002	0.001
ACM2-83	Sizer Baghouse	PM	0.06	0.12
PPBGS84	Conveyor Discharge	PM	0.093	0.21
MTS39	Conveyor Baghouse	PM	0.02	0.043
ACMD46	Sizer Baghouse	PM	0.06	0.06
TPU10	Oxidizer	VOC PM	0.001 0.033	0.003 0.12

Emission *	Source	Air Contaminant	<u>Emissio</u>	n Rates
Point No. (1)	Name (2)	Name (3)	1b/hr TPY	
		$NO_x$	0.43	0.36
		SO <sub>2</sub>	0.28	0.18
		CO	0.01	0.01
		SO <sub>3</sub>	0.01	0.017

Emission	Source	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3)	lb/hr TPY	
TPU80	Oxidizer	$VOC$ $PM$ $NO_x$ $SO_2$ $CO$ $SO_3$	0.001 0.059 0.77 0.49 0.013 0.014	0.003 0.21 0.64 0.31 0.014 0.03
TPUBS81	R and D Preconditio 0.002 Burner	ner  PM  NO <sub>x</sub> SO <sub>2</sub> CO	VOC 0.0014 0.012 0.0001 0.046	0.0005 0.005 0.046 0.0003 0.01
S1DC36	S1 Baghouse	PM	0.76	3.05
S1MT51	Storage Hopper Bagh 0.27	ouse	РМ	0.068
SILS97	Loading Station Bag 0.043	house	РМ	0.06
BFM1-17	Bake Furnace M-1	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$ $PM_{10}$	1.0 1.4 0.4 0.005 0.7 0.06 0.22 0.02	1.8 6.1 1.0 0.005 0.66 0.08 0.37 0.03
BFM2-18	Bake Furnace M-2	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$	1.0 1.4 0.4 0.005 0.7	1.8 6.1 1.0 0.005 0.66

Emission *	Source	Air Contaminant	Emission Rates
Point No. (1)	Name (2)	Name (3) 1b,	/hr TPY
BFM3-19	Bake Furnace M-3	$SO_3$ COS $PM_{10}$ $NO_x$ CO VOC $H_2S$	0.06 0.08 0.22 0.37 0.02 0.03 1.0 1.8 1.4 6.1 0.4 1.0 0.005 0.005
		$SO_2$ $SO_3$ COS $PM_{10}$	0.7 0.66 0.06 0.08 0.22 0.37 0.02 0.03
BFM4-20	Bake Furnace M-4	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$ $PM_{10}$	1.3 2.4 1.9 8.1 0.5 1.4 0.007 0.007 0.9 0.88 0.08 0.10 0.29 0.49 0.025 0.04
BFS1-21	Bake Furnace S-1	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$ $PM_{10}$	0.170.270.220.340.0170.030.000030.00130.00580.0120.0390.060.0010.00260.0750.12
BFOX2-63	Bake Furnace S-7	$NO_{x}$ $CO$ $VOC$ $H_{2}S$	0.27 0.42 0.35 0.54 0.027 0.04 0.00013 0.0013

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3)	lb/hr TPY	
		$SO_2$ $SO_3$ $COS$ $PM_{10}$	0.0092 0.062 0.001 0.12	0.016 0.10 0.0027 0.19
BFOX3-74	Bake Furnace S-5	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$ $PM_{10}$	0.27 0.35 0.027 0.00005 0.0092 0.062 0.001 0.12	0.42 0.54 0.04 0.002 0.012 0.10 0.004 0.19
BGDC4	"A" Graphitizer 0.096	Baghouse	PM	0.257
BGTVS5	"A" Graphitizer 0.001 Baghouse	Hopper	РМ	0.017
GSS3	"A" Graphitizer 0.02	Scrubber	H <sub>2</sub> S	0.11
HGTDC2	"B" Graphitizer 0.129	Baghouse	PM	0.257
HGIS6	"B" Graphitizer 8.4	Oxidizer	PM	3.8
	0.4	$SO_2$ $NO_x$ $VOC$ $CO$ $FeSO_4$	3.1 0.02 0.001 0.004 0.033	6.9 0.07 0.003 0.014 0.011

Emission *	Source /	Air Contaminan	t <u>Emissic</u>	on Rates
Point No. (1)	Name (2)	Name (3)	lb/hr TPY	
		$SO_3$ $H_2S$	2.1 0.029	3.9 0.045
CGRAPH59	"C" Graphitizer Oxid	izer	PM	5.0
		$SO_2$ $NO_x$ $VOC$ $CO$ $FeSO_4$ $SO_3$ $H_2S$	4.0 0.04 0.002 0.009 0.004 2.7 0.029	9.0 0.17 0.006 0.04 0.014 5.1 0.045
DGRAPH85	"D" Graphitizer Oxid	izer	PM	10.0
		$SO_2$ $NO_x$ $VOC$ $CO$ $FeSO_4$ $SO_3$ $H_2S$	8.1 0.08 0.004 0.018 0.008 5.38 0.058	18.0 0.34 0.012 0.08 0.028 10.26 0.09
DGDC86	"D" Graphitizer Bagho	ouse	PM	0.86
SPC12	SIC, SP, and GC Proce	esses (	Chlorine	0.14
	Scrubber	HC1	0.033	0.043
BGVH53	BG Hood	VOC	0.02	0.01
VPE54	E2, BG, and GC Vacuum	n VOC	3.2	0.64

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3) 1b	/hr TPY	
BGD056	BG Oven	VOC	0.5	1.0
E2VH55	E2 Hood	VOC	0.2	0.01
GCVH68	GC Hood	HC1	0.007	0.001
GCDH71	GC Air Dry	VOC	0.50	0.06
GCD070	GC Oven	VOC	0.96	0.69
GC69	GC Furnace	VOC	0.4	0.012

Emission *	Source	Air Contaminant	<u>Emissior</u>	n Rates
Point No. (1)	Name (2)	Name (3)	lb/hr TPY	
HBF8	Harper Furnace Oxid-	izer	P <sub>2</sub> O <sub>5</sub>	2.5
		HC1	5.1	0.87
		NO <sub>x</sub>	0.12	0.16
		SO₂	0.001	0.001
		CO VOC	0.02 0.01	0.03 0.01
		PM	0.01	0.01
SF9	Stewart Furnace	VOC	0.006	0.003
		$NO_x$	0.13	0.48
		SO <sub>2</sub>	0.0008	0.0029
		CO	0.027	0.1
		PM	0.004	0.009
IF11	SPE Furnace	VOC(Methane)	4.6	11.5
FL7	"A" Graphitizer Ven	t VOC	0.64	0.46
		$NO_x$	0.10	0.07
		SO <sub>2</sub>	0.001	0.004
		PM CO	0.01	0.004
		CO	0.02	0.014
KILNS82	SC Kilns	PM	0.08	0.31
JSDC62	East Baghouse	PM	1.5	6.2
FESDC35	South Baghouse	PM	0.64	2.6
PPNDC43	PP North Baghouse	РМ	0.21	0.21
PPWDC47	PP West Baghouse	РМ	0.29	0.29
PPSDC45	PP South Baghouse	РМ	0.26	0.26

Emission *	Source	Air Contaminant	<u>Emission Rates</u>
Point No. (1)	Name (2)	Name (3) 1	b/hr TPY
BFS2-90	Bake Furnace S-2	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$ $PM_{10}$	0.27
BFS3-91	Bake Furnace S-3	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$ $PM_{10}$	0.27 0.42 0.35 0.54 0.027 0.04 0.00005 0.0013 0.0092 0.014 0.062 0.10 0.001 0.0027 0.12 0.19
BFS6-88	Bake Furnace S-6	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$ $PM_{10}$	0.27 0.42 0.35 0.54 0.027 0.04 0.00013 0.0013 0.0092 0.016 0.062 0.10 0.001 0.0027 0.12 0.19
BFS8-89	Bake Furnace S-8	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$	0.27 0.42 0.35 0.54 0.027 0.04 0.00013 0.0013 0.0092 0.016 0.062 0.10 0.001 0.0027

Emission *	Source	Air Contaminant	<u>Emission Rates</u>
Point No. (1)	Name (2)	Name (3)	lb/hr TPY
		$PM_{10}$	0.12 0.19
BFS4-87	Bake Furnace S-4	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$ $PM_{10}$	0.27 0.42 0.35 0.54 0.027 0.04 0.00005 0.002 0.0092 0.012 0.062 0.10 0.001 0.004 0.12 0.19
BFS9-92	Bake Furnace S-9	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$ $PM_{10}$	0.27
BFS10-93	Bake Furnace S-10	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$ $PM_{10}$	0.27 0.42 0.35 0.54 0.027 0.04 0.00005 0.002 0.0092 0.016 0.062 0.10 0.001 0.004 0.12 0.19
BFS11-94	Bake Furnace S-11	$NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$	0.27 0.42 0.35 0.54 0.027 0.04 0.00005 0.002 0.0092 0.016

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3)	1b/hr TPY	
BFS12-95	Bake Furnace S-12	$SO_3$ $COS$ $PM_{10}$ $NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$	0.062 0.001 0.12 0.27 0.35 0.027 0.00005 0.0092 0.062 0.001	0.10 0.004 0.19 0.42 0.54 0.04 0.002 0.016 0.10 0.004
BFS13-96	Bake Furnace S-13	$PM_{10}$ $NO_x$ $CO$ $VOC$ $H_2S$ $SO_2$ $SO_3$ $COS$ $PM_{10}$	0.12 0.27 0.35 0.027 0.00005 0.0092 0.062 0.001 0.12	0.19 0.42 0.54 0.04 0.002 0.016 0.10 0.004 0.19
SIC98	SIC Process Scrubbe	r PM <sub>10</sub> HCl	0.072 0.35	0.09 0.44
SICF99	Exhaust System Clear Fugitives	ning HCl	1.0	0.13
SICVH100	SIC Cleaning Vent Ho	ood HC1 HNO <sub>3</sub>	0.02 0.003	0.02 0.0032
S5SHC101	PS5 Conveyor	PM	0.021	0.02
S5SHD102	PS5 Conveyor	PM	0.021	0.02

Permit No. 2356 Page 13

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3)	1b/hr TPY	_
S5SHE103	PS5 Conveyor	PM	0.021	0.02

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates		
Point No. (1)	Name (2)	Name (3) 1b/	<u>hr TPY</u>		
S5SHF104	PS5 Conveyor	PM	0.021 0.02		
S5SHG105	PS5 Conveyor	PM	0.021 0.02		
S5SHH106	PS5 Conveyor	PM	0.021 0.02		
S5SHH106  PS5 Conveyor  PM  0.021  0.02  (1)  Emission point identification - either specific equipment designation or emission point number from plot plan.  (2)  Specific point source name. For fugitive sources use area name or fugitive source name.  (3)  PM  - particulate matter, suspended in the atmosphere, including PM <sub>10</sub> PM <sub>10</sub> - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.  VOC - volatile organic compounds as defined in General Rule 101.1  NO <sub>x</sub> - total oxides of nitrogen  SO <sub>2</sub> - sulfur dioxide  CO - carbon monoxide  SO <sub>3</sub> - sulfur trioxide  H <sub>2</sub> S - hydrogen sulfide  COS - carbonyl sulfide  FeSO <sub>4</sub> - ferrous sulfate  P <sub>2</sub> O <sub>5</sub> - phosphorus pentoxide					
HCl - hydroge HNO₃ - nitric					

<sup>\*</sup> Emission rates are based on and the facilities are limited by the following maximum operating schedule:

\_\_\_\_\_24\_Hrs/day \_\_\_7\_Days/week \_\_52\_Weeks/year or \_8,760\_Hrs/year

Emission	Source	Air Contaminant	Emission Rates	<u>S</u>
<u>*</u> Point No. (1)	Name (2)	Name (3)	lb/hr TPY	

<sup>\*\*</sup> Stockpile