Permit Number 19950

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant	Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
31	Filter Pre-Coat Tank V-625		VOC	0.66	0.36
38	Tank T-444		VOC	1.31	0.41
48	Tank F-8061		VOC	0.10	0.09
57	Tank T-443		VOC	1.28	0.54
62	Tank T-426		VOC	0.02	<0.01
64	Tank T-428		VOC	0.02	<0.01
80	Tank T-445		VOC	0.48	0.10
81	Tank T-446		VOC	3.19	0.02
87	Tank T-447		VOC	1.23	0.49
94	N	ICI IO _x 'OC	CO 0.02 1.16 SO ₂ 0.90	5.94 0.09 4.85 0.30 3.85	24.73 1.36
131	Tank T-431		VOC	0.03	0.04
132	Tank T-432		VOC	0.05	<0.01
133	Tank T-433		VOC	0.03	0.04

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
134	Tank T-434		VOC	0.05	<0.01
135	Tank T-435		VOC	0.03	0.04
136	Tank T-436		VOC	0.05	<0.01
142	Filter Pre-Coat Tank T-75	70	VOC	<0.01	<0.01
143	Hydro Feed Tank V-527		VOC	0.23	0.04
146	Tank T-107R		VOC	0.14	1.15
149	Tank T-115R		VOC	0.14	1.15
172	Scrubber C-207	HCI VOC	Fluorides, BF ₃ Hyd. <0.01 8.84	<0.01 <0.01 2.67	<0.01
211	Tank V-401		VOC	<0.01	<0.01
228	Tank T-137R		VOC	0.14	1.05
230	Tank T-600		VOC	0.02	0.87
231	Tank T-129		VOC	0.02	0.86
256	Tank T-604		VOC	0.01	0.02
266	Tank T-603R	VOC	HCI 1.22	0.39 0.01	1.54
267	Tank T-601R		VOC	0.14	1.15
268	Tank T-113		VOC	0.26	0.10
271	Tank T-602		VOC	0.02	0.86

AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant	<u>Emissio</u>	n Rates *
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
			•		
323	Heater H-403	_	CO	0.14	0.62
		NO _x	0.68	2.96	
		PM_{10}		0.35	
		SO ₂	<0.01	0.02	
		VOC	0.03	0.11	
500	Tank F-7502		VOC	0.42	0.22
506	Heater H-7701		CO	1.03	4.50
			NO_x	1.44	6.32
	PM_{10}		0.19	0.84	
			SO ₂	0.01	0.04
			VOC	0.04	0.17
518	Product Storage Tank V-2	48	VOC	0.04	0.01
521	Tank F-7701		VOC	<0.01	<0.01
522	Feed Day Tank T-132		VOC	0.03	0.02
523	Solvent Day Tank T-405		VOC	0.01	0.005
524	Solvent Recycle Tank V-1	51	VOC	0.44	0.01
525	Solvent Storage Tank T-4	07	VOC	0.73	0.01
538	Tank F-7800		VOC	0.42	0.22
539	Tank F-7801		VOC	0.32	0.02
F-1	Fugitives F-1 (4)		VOC	0.25	1.08
F-2	Fugitives F-2 (4)		Fluorides, BF ₃ Hyd.	<0.01 7.56	<0.01 6.91

F-3	Fugitives F-3 (4) HCI	VOC	Fluorides, BF₃ Hyd. 0.08 1.52	<0.01 0.35 6.68	0.03
F-4	Fugitives F-4 (4)		VOC	<0.01	0.01
F-5	Fugitives F-5 (4)		VOC	0.06	0.24
F-9	Fugitives F-9 (4)		VOC	0.68	2.97
WF-10	Loading Emissions		VOC	1.7	0.19
WF-11	Fugitives F-11 (4)		BF ₃ Hyd.	0.01	0.04
F-15	Fugitives F-15 (4)		VOC	0.26	1.16

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) BF₃ Hyd. boron trifluoride in the form of hydrates

CO - carbon monoxide

HC1 - hydrogen chloride

NO_x - total oxides of nitrogen

PM₁₀ - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

SO₂ - sulfur dioxide

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code Section 101.1

AIR CONTAMINANTS DATA

Dated____

Emission		Source	Air Contaminant	Emission Rates *				
Poi	nt No. (1)	Name (2)	Name (3)	lb/hr	TPY**			
Pag	je 5		•					
(4)	(4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.							
*	Emission rates are based on and the facilities are limited by the following maximum operating schedule:							
	Hrs/day D	oays/week Weeks/y	ear or Hrs/year <u>8,76</u> 0	0				
**	Compliance with a	annual emission limits is bas	sed on a rolling 12-month perio	od.				