Permit Number 5680

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission	Emission Rates	
			lbs/hour	TPY (4)	
FUG-1	Process Fugitives (5)	VOC	0.39	1.71	
TK2301	Gasoline Tank	VOC	5.91	-	
TK2302	Gasoline Tank	VOC	5.82	-	
TK2303	Gasoline Tank	VOC	5.82	-	
TK2304	Gasoline Tank	VOC	5.82	-	
TK2301, TK2302, TK2303, TK2304	Combined Gasoline Tanks	voc	-	39.09	
TK1301	Gasoline Tank	VOC	6.17	8.94	
TK1701	Gasoline Tank	VOC	5.99	10.63	
TK801	Gasoline Tank	VOC	2.75	9.74	
TK802	Gasoline Tank	VOC	3.04	9.16	
TK1201	Gasoline Tank	VOC	5.06	5.34	
TK1202	Gasoline Tank	VOC	6.62	9.58	
TK1501	Gasoline Tank	VOC	6.31	9.52	
TK2101	Gasoline Tank	VOC	3.70	9.96	
TK2305	Distillate Tank	VOC	11.25	-	
TK3002	Distillate Tank	VOC	11.40	-	
TK2305, TK3002	Combined Distillate Tanks	voc	-	21.28	
TK3001	Distillate Tank	VOC	10.98	10.20	
TK1502	Distillate Tank	VOC	13.02	5.68	
TK1503	Distillate Tank	VOC	13.05	5.69	
TK201	Transmix Tank	VOC	1.27	3.50	
TK202	Transmix Tank	VOC	1.27	3.50	
TK101	Oily WasteWater Tank	VOC	0.98	2.91	
CADD-1, VADD-1,	Additive Tanks	VOC	11.60	1.42	

PADD-1, Red Dye, JADD-1				
PROVE	Loading Rack Meter Prover	voc	0.06	0.01
OWS-1	Oil Water Separator	VOC	0.05	0.21
SUMP	Rack Sump	VOC	0.05	0.21
VC1	Vapor Combustor Unit	VOC	20.75	-
	1	NO _x	13.86	-
		со	17.31	-
		PM/PM ₁₀ /PM _{2.5}	0.13	-
		SO ₂	0.08	-
VC2	Vapor Combustor Unit	voc	20.75	-
	2	NO _x	13.86	-
		со	17.31	-
		PM/PM ₁₀ /PM _{2.5}	0.13	-
		SO ₂	0.08	-
VC1 and VC2	Vapor Combustor Cap	voc	-	46.80
		NOx	-	31.30
		со	-	39.08
		PM/PM ₁₀ /PM _{2.5}	-	0.28
		SO ₂	-	0.15
BAY-1	Loading Bay No. 1	voc	7.09	5.93
BAY-2	Loading Bay No. 2	voc	7.09	7.55
BAY-3	Loading Bay No. 3	voc	8.24	19.29
BAY-4	Loading Bay No. 4	voc	8.26	19.30
BAY-5	Loading Bay No. 5	voc	8.27	19.33
TKVCU-1	C5+ Storage Tank	voc	14.12	-
	VCU No. 1	NO _X	1.82	-
		со	1.82	-
		H ₂ S	<0.01	-

SO2					
PM₂0 0.68 NOx 1.82 CO 1.82 PM₂5 0.68			SO ₂	0.65	-
PMzs 0.68			PM	0.68	-
TKVCU-2 C5+ Storage Tank VCU No. 2 ROX 1.82 C0 1.82 - C0 1.82 - C0 1.82 - ROx Roy Ros Ros Ros Ros Ros Ros Ros			PM ₁₀	0.68	-
VCU No. 2			PM _{2.5}	0.68	-
NOx		C5+ Storage Tank	voc	14.12	-
H ₂ S		VCU No. 2	NO _X	1.82	-
SO2			СО	1.82	-
PM 0.68 - PM₁₀ 0.68 - PM₂₅ 0.68 - TKVCU-3 C5+ Storage Tank VCU No. 3 VOC 14.12 - NO₂ 1.82 - CO 1.82 - H₂S <0.01			H ₂ S	<0.01	-
TKVCU-3 C5+ Storage Tank VCU No. 3 C5+ Storage Tank VCU No. 3 CO 14.12 - NOx 1.82 - CO 1.82 - H ₂ S <0.01 - SO ₂ 0.65 - PM 0.68 - PM ₁₀ 0.68 - PM _{2.5} TKVCU-4 C5+ Storage Tank VCU No. 4 C6+ Storage Tank VCU No. 4 C7+ Storage Tank VCU No. 4 C8+ Storage Tank VCU No. 4 NOx 1.82 - CO 1.82 - TKVCU-1, TKVCU-2, C5+ Storage Tank VCC - TKVCU-1, TKVCU-2, C5+ Storage Tank VCC - PM 0.68 - PM ₁₀ 0.68 - PM ₂₅ 0.68 - TKVCU-1, TKVCU-2, C5+ Storage Tank VCC - SO ₂ 0.68 - PM ₂₅ 0.68 -			SO ₂	0.65	-
TKVCU-3 C5+ Storage Tank VCU No. 3 C5+ Storage Tank VCU No. 3 Fig. 182 CO 1.82 CO 1.82 Fig. 182 Fig. 182 CO 1.82 Fig. 182 Fig. 183 Fig.			PM	0.68	-
TKVCU-3 C5+ Storage Tank VCU No. 3 C6+ Storage Tank VCU No. 3 Roy 1.82 C7 Roy 1.82 Roy 1.8			PM ₁₀	0.68	-
VCU No. 3 NO _X 1.82 - CO 1.82 - H ₂ S <-0.01 - SO ₂ 0.65 - PM 0.68 - PM ₂₅ 0.68 - TKVCU-4 C5+ Storage Tank VCU No. 4 VOC 14.12 - NO _X 1.82 - CO 1.82 - CO 1.82 - TKVCU-5 - NO _X 0.68 - PM 0.			PM _{2.5}	0.68	-
NO _x 1.82 -	TKVCU-3 C5+ Si	C5+ Storage Tank	VOC	14.12	-
H ₂ S < <0.01		VCO No. 3	NO _X	1.82	-
SO2 0.65 -			СО	1.82	-
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			H ₂ S	<0.01	-
PM10 0.68 - PM2.5 0.68 - TKVCU-4 C5+ Storage Tank VCU No. 4 VOC 14.12 - NOx 1.82 - CO 1.82 - FO2 0.65 - PM 0.68 - PM10 0.68 - PM2.5 0.68 - TKVCU-1, TKVCU-2, C5+ Storage Tank VOC - 9			SO ₂	0.65	-
TKVCU-4 C5+ Storage Tank VCU No. 4 VCU No. 4 VCU No. 4 NOx 1.82 - CO 1.82 - H ₂ S <0.01 - SO ₂ 0.65 - PM 0.68 - PM _{0.5} 0.68 - TKVCU-1, TKVCU-2, C5+ Storage Tank VOC - 9			PM	0.68	-
TKVCU-4 C5+ Storage Tank VCU No. 4 NO _x 1.82 - CO 1.82 - H ₂ S SO ₂ 0.65 - PM 0.68 - TKVCU-1, TKVCU-2, C5+ Storage Tank VOC 14.12 - NO _x 1.82 - 0.01 - PM 0.68 - PM _{2.5} 0.68 - 9			PM ₁₀	0.68	-
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$			PM _{2.5}	0.68	-
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	TKVCU-4 C5+ Stora VCU No.	C5+ Storage Tank	VOC	14.12	-
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		VCO No. 4	NO _x	1.82	-
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			СО	1.82	-
$\begin{array}{ c c c c c c }\hline PM & 0.68 & - \\ \hline PM_{10} & 0.68 & - \\ \hline PM_{2.5} & 0.68 & - \\ \hline TKVCU-1, TKVCU-2, & C5+ Storage Tank & VOC & - & 9 \\ \hline \end{array}$			H₂S	<0.01	-
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			SO ₂	0.65	-
PM _{2.5} 0.68 - TKVCU-1, TKVCU-2, C5+ Storage Tank VOC - 9			PM	0.68	-
TKVCU-1, TKVCU-2, C5+ Storage Tank VOC - 9			PM ₁₀	0.68	-
			PM _{2.5}	0.68	-
Project Number: 302580	TKVCU-3, TKVCU-4	C5+ Storage Tank VCU No. 1,2,3,4	VOC	-	9.50

		NOx	-	12.10
		СО	-	12.10
		H ₂ S	-	<0.01
		SO ₂	-	0.23
	PM	-	4.51	
		PM ₁₀	-	4.51
		PM _{2.5}	-	4.51
MSS Cap (C5+ Tanks)	MSS Cap (C5+ Tanks)	VOC	210.71	1.09
		NO _X	51.43	0.90
		СО	68.57	1.20
		H ₂ S	0.02	<0.01
		SO ₂	7.58	0.01
		PM	2.55	0.04
		PM ₁₀	2.55	0.04
	PM _{2.5}	2.55	0.04	
FUG	Piping Fugitives (C5+	voc	0.60	2.64
	Tanks) (5)	H ₂ S	<0.01	<0.01
L	U.	I .	<u> </u>	

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented

PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as

represented

PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter

CO - carbon monoxide

(4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.

(5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

Date:	June 21, 2019