# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# Permit Number 215

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<b>Emission</b>	Rates *
Point No. (1)	Name (2)	Name (3)lb/hr	TPY **	_
CT-1/2	Cooling Tower	VOC (5) VOC (6)	1.81 0.21	7.95 0.93
CT-3	Cooling Tower	VOC (5) VOC (6)	1.81 0.21	7.95 0.93
13	Amine Reboiler	$CO$ $NO_x$ $PM_{10}$ $SO_2$ $VOC$	3.23 3.85 0.22 0.03 0.01	14.16 16.86 0.94 0.14 0.01
14	Compressor Engine 301-A	$CO$ $NO_x$ $PM_{10}$ $SO_2$ $VOC$	3.98 51.24 0.13 0.01 1.48	17.44 224.44 0.55 0.05 6.50
15	Compressor Engine 301-B	(5) CO NO <sub>x</sub> PM <sub>10</sub> SO <sub>2</sub> VOC	3.98 51.24 0.13 0.01 1.48	17.44 224.44 0.55 0.05 6.50
	Compressor Engine 301-B	(6) CO NO <sub>x</sub> PM <sub>10</sub> SO <sub>2</sub> VOC	0.80 5.12 0.13 0.01 0.37	3.48 22.44 0.55 0.05 1.62

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)lb/hr	Emission I	Rates *
16-FL3	Flare No. 3	CO H <sub>2</sub> S NO <sub>x</sub> SO <sub>2</sub> VOC	0.90 0.02 0.11 2.10 0.01	3.96 0.10 0.46 9.20 0.04
FUG-215	Process Fugitives (4)	VOC	4.23	18.50

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) CO carbon monoxide
  - H<sub>2</sub>S hydrogen sulfide
  - NO<sub>x</sub> total oxides of nitrogen
  - $PM_{10}$  particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
  - SO<sub>2</sub> sulfur dioxide
  - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Pre-emission control
- (6) Post emission control
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day <u>2</u>	<u>4   </u> Days/we6	ek <u>/</u> we	eks/year <u>52</u>

\*\* Compliance with annual emission limits is based on a rolling 12-month period.