Permit Numbers 82303 and PSD-TX-1099

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission</u>	Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
SCENARIO 1: GE	NERAL ELECTRIC PG7121 (EA) A	AND 165 MMBTU/HR	DUCT BURNI	ER
CTDB3-A	CT/HRSG Unit 3-A,	NO _x (4)	8.6	
	75 MW Gas Turbine	CO (4)	46.6	
	165 MMBtu/hr Duct Burner	SO ₂	1.7	
		PM/PM ₁₀	12.4	
		VOC	3.5	
		H_2SO_4	0.2	
		NH_3	9.3	
		HCHO	0.4	
		Toluene	0.2	
CTDB3-B	CT/HRSG Unit 3-B,	NO _x (4)	8.6	
	75 MW Gas Turbine	CO (4)	46.6	
	165 MMBtu/hr Duct Burner	SO ₂	1.7	
		PM/PM ₁₀	12.4	
		VOC	3.5	
		H_2SO_4	0.2	
		NH_3	9.3	
		HCHO	0.4	
		Toluene	0.2	

SCENARIO 2: GENERAL ELECTRIC PG7121 (EA) OPERATING WITHOUT DUCT BURNER

CTDB3-A	CT/HRSG Unit 3-A,	NO_x (4)	7.4	
---------	-------------------	------------	-----	--

AIR CONTAMINANTS DATA

0.2

 H_2SO_4

Emission	Source	Air Contaminant	Emission Ra	ates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
	75 MW Gas Turbine	CO (4)	40.1	
	10 mm dae ransme	SO ₂	1.5	
		PM/PM ₁₀	10.4	
		VOC	1.9	
		H₂SO₄	0.2	
		NH ₃	8.0	
		HCHO	0.4	
		Toluene	0.2	
		10100110	0.2	
CTDB3-B	CT/HRSG Unit 3-B,	NO_{x} (4)	7.4	
	75 MW Gas Turbine	CO (4)	40.1	
		SO ₂	1.9	
		PM/PM ₁₀	10.4	
		VOC	1.5	
		H_2SO_4	0.2	
		NH ₃	8.0	
		HCHO	0.4	
		Toluene	0.2	
SCENARIO 3: GENERA	AL ELECTRIC PG7121 (EA) D	OURING START-UP OR	SHUTDOWN	
CTDB3-A	CT/HRSG Unit 3-A,	NO_x	600	
CIDBS-A	75 MW Gas Turbine	CO	1000	
	13 MW Cas Tarbine	VOC	60	
		SO ₂	1.7	
		PM/PM ₁₀	12.4	
		H_2SO_4	0.2	
		NH ₃	9.3	
		HCHO	0.3	
		Toluene	0.2	
		Toluctic	0.2	
CTDB3-B	CT/HRSG Unit 3-B,	NO_x	600	
	75 MW Gas Turbine	CO	1000	
		VOC	60	
		SO_2	1.7	
		PM/PM ₁₀	12.4	

Source

Emission

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Rates *

Air Contaminant

Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
	•			
		NH_3	9.3	
		HCHO	0.3	
		Toluene	0.2	
ANNUAL EMISSION DUCT BURNER	NS GENERAL ELECTRIC PG7121	(EA) WITH OR WI	THOUT 165 N	MMBTU/HR
CTDB3-A	CT/HRSG Unit 3-A,	NO _x		46.3
	75 MW Gas Turbine	CO		194.2
	165 MMBtu/hr Duct Burner	SO_2		6.2
		PM/PM ₁₀		50.5
		VOC		11.7
		H_2SO_4		0.7
		NH ₃		39.9
		HCHO		1.2
		Toluene		0.6
CTDB3-B	CT/HRSG Unit 3-B,	NO _x		46.3
	75 MW Gas Turbine	CO		194.2
	165 MMBtu/hr Duct Burner	SO_2		6.2
		PM/PM ₁₀		50.5
		VOC		11.7
		H_2SO_4		0.7
		NH_3		39.9
		HCHO		1.2
		Toluene		0.6
AUX3	Auxiliary Boiler Unit 3	NOx	0.7	1.9
	17 MMBtu/hr	CO	1.1	2.9
		SO ₂	0.02	0.07
		PM/PM ₁₀ VOC	0.2 0.3	0.5 0.8
EG3	Emergency Generator Unit 1	NO _x	27.3	1.6
		CO	7.3	0.5
		SO_2	0.5	0.1

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Ra lb/hr	tes * TPY**
		PM PM ₁₀ VOC	0.6 0.5 0.8	0.1 0.1 0.1
FWP3	Fire Water Pump Unit 3	NO_x CO SO_2 PM/PM_{10} VOC	11.3 2.5 0.2 0.8 0.9	0.7 0.2 0.1 0.1 0.1
CD13	Cooling Tower Cell 13	PM PM ₁₀	0.2 0.1	0.9 0.5
CD14	Cooling Tower Cell 14	PM PM ₁₀	0.2 0.1	0.9 0.5
CD15	Cooling Tower Cell 15	PM PM ₁₀	0.2 0.1	0.9 0.5
CD16	Cooling Tower Cell 16	PM PM ₁₀	0.2 0.1	0.9 0.5
CD17	Cooling Tower Cell 17	PM PM ₁₀	0.2 0.1	0.9 0.5
CD18	Cooling Tower Cell 18	PM PM ₁₀	0.2 0.1	0.9 0.5

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from a plot plan.

CO - carbon monoxide

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

SO₂ - sulfur dioxide

⁽²⁾ Specific point source names. For fugitive sources, use an area name or fugitive source name.

⁽³⁾ NO_x - total oxides of nitrogen

AIR CONTAMINANTS DATA

Emission Source		Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
	particulate matter, suspended in particulate matter (PM) equal to listed, it shall be assumed that r	o or less than 10 microns in dia	meter. Where	e PM is not
H_2SO_4 -	sulfuric acid			
NH ₃ -	ammonia			

- HCHO formaldehyde (4) Rolling 24-hour average
 - * Emission rates are based on and the facilities are limited by the following maximum operating schedule:
 - 24 Hrs/day 7 Days/week 52 Weeks/year or 8,760 Hrs/year
- ** Compliance with annual emission limits is based on a rolling 12-month period.

Dated April 17, 2008