

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 6257G

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source		Air Contaminant		<u>Emission Rates *</u>	
	Name (2)	Name (3)	lb/hr	TPY		
P-204	RM SCRUBBER		VOC		1.0	0.88
			NH3		1.0	0.88
P-205	GE/EA SCRUBBER		VOC		1.38	2.99
P-206	RC LOADING (R-8)		VOC		0.5	0.11
P-207	TT LOADING (T-5)		VOC		0.5	0.11
P-208	TT LOADING (T-3) (6)		VOC		0.5	0.05
P-301	ACETATES SCRUBBER (5)		VOC		<0.01	<0.02
P-303	LOADING SCRUBBER (5)		VOC		0.75	1.7
P-15	FLARE		VOC		0.04	0.16
			NOx		<0.01	0.01
			CO		<0.01	0.03
FUG-2	FUGITIVES (4)		VOC		4.67	18.9
TK-4620	RUND TANK		VOC		<0.01	0.01
TK-4621	DI RUND TANK		VOC		<0.01	0.01
TK-4622	HE TANK		VOC		<0.01	0.01
TK-4624	HB TANK		VOC		<0.01	0.01
TK-4636	FLASH RESIDUE		VOC		<0.01	<0.01
TK-4639	HHM TANK		VOC		<0.01	0.01
TK-4641	EHEG TANK		VOC		0.01	0.06
TK-4642	CHEMEX TANK		VOC		<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

TK-4644	DOT3 TANK	VOC	0.08	0.34
TK-4645	TM TANK	VOC	0.01	0.03
TK-4646	DOT3 TANK	VOC	0.08	0.33

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY
TK-4647	DOT3 TANK	VOC	<0.01	0.01
TK-4648	HM TANK	VOC	<0.01	0.01
TK-4649	TPEG TANK	VOC	0.01	0.03
TK-4650	WS-260 TANK	VOC	<0.01	0.01
TK-4651	DDB TANK	VOC	<0.01	<0.01
TK-4652	PEG-200 TANK	VOC	<0.01	0.02
TK-4653	CLUTCH FL TANK	VOC	<0.01	0.02
TK-4800	DOT4 TANK	VOC	0.02	0.07
TK-4801	DOT4 TANK	VOC	0.01	0.06
TK-4802	DOT4 TANK	VOC	0.01	0.06
TK-4803	TMBE TANK	VOC	0.04	0.20
TK-4804	DOT3/DOT4 MIX TANK	VOC	<0.01	<0.01
TK-6006	DB TANK	VOC	<0.01	0.05
TK-6009	DB TANK	VOC	<0.01	0.01

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in General Rule 101.1  
 NOx - total oxides of nitrogen  
 CO - carbon monoxide  
 NH3 - ammonia
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (5) The indicated emission rates are attributable to the loading of products from the Glycol Ethers unit authorized by this permit. This scrubber is also represented in the allowable emission rate table for Permit No. 6257H (Acetates Unit), with those emissions attributable to the loading of products from that unit. The total allowable emission rates for this scrubber (hourly and yearly) are the sum of the emission rates represented in each permit.
- (6) The indicated emission rates are attributable to the loading of products from the Glycol Ethers unit authorized by this permit. This loading point is also represented in the allowable emission rate table for Permit No. 6257H (Acetates Unit), with those emissions attributable to the loading of products from that unit. The total allowable emission rates for this loading point are the sum of the emission rates represented in each permit.
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day\_\_\_\_Days/week\_\_\_\_Weeks/year\_\_\_\_or Hrs/year 8,760

Revised \_\_\_\_\_