EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 1104

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
F-001	Truck Dump Area (4)	PM PM ₁₀	0.10 0.03	0.43 0.15
F-002	5 - Bulk Storage Area Cyclones (4)	PM PM ₁₀	0.26 0.12	1.14 0.54
B-003	Refiner/Flaker Baghouse	PM PM ₁₀	0.43 0.43	1.88 1.88
B-004	Face Dryer Inlet Baghouse	PM PM ₁₀	1.04 1.04	4.54 4.54
C-005 Core Dryer Outlet Multiclone		$\begin{array}{c} PM \\ PM_{10} \\ VOC \\ NO_X \\ SO_2 \\ CO \\ HCHO \end{array}$	31.57 31.57 22.88 13.56 0.05 30.47 1.60	75.24 75.24 52.37 52.10 0.15 126.36 3.34
C-006	Face Dryer Outlet Multiclone	$\begin{array}{c} PM \\ PM_{10} \\ VOC \\ NO_X \\ SO_2 \\ CO \\ HCHO \end{array}$	15.17 15.17 24.48 8.57 0.05 14.56 0.86	47.21 47.21 78.31 30.32 0.15 56.67 2.74
B-007	Thermal Oil Heater Fuel Silo Baghouse	PM PM ₁₀	0.04 0.04	0.19 0.19

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR

CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
B-009	Sawline Baghouse	PM PM ₁₀	0.16 0.16	0.66 0.66
B-009N	New Sawline Baghouse	PM PM ₁₀	1.54 1.54	6.74 6.74
B-010	Material Reject Bagho 0.54	use	PM	0.13
	0.54	PM_{10}	0.13	0.54
B-011	Sawtrim Baghouse	PM PM ₁₀	1.41 1.41	5.90 5.90
B-012	South Sander Baghouse	PM PM ₁₀	0.80 0.80	3.40 3.40
B-013	North Sander Baghouse	PM PM ₁₀	0.80 0.80	3.40 3.40
B-012N	New South Sander Bagh 7.29	ouse	РМ	1.66
	7.29	PM_{10}	1.66	7.29
B-013N	New North Sander Baghouse 7.29		РМ	1.66
	7.23	PM_{10}	1.66	7.29
B-024	Thermal Oil Heater Fuel Bin Baghouse	PM PM ₁₀	0.41 0.41	1.82 1.82
V-026 and V-027	Thermal Oil Heater Abort 0.81		VOC	0.39
	Vents	NO_X SO_2 CO PM PM_{10}	25.05 0.13 24.29 23.85 23.85	51.21 0.27 49.64 48.75 48.75

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission Rates *</u>	
Point No. (1)	Name (2)	Name (3)	lb/hr	<u>TPY</u>
B-034	Press Ventilation System 177.50		VOC	42.60
	Baghouse	PM PM ₁₀ HCHO	6.32 6.32 6.07	27.67 27.67 25.30
T-031	Diesel Tank	VOC	0.07	<.01

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM_{10} .
 - PM_{10} particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
 - VOC volatile organic compounds as defined in 30 TAC Section 101.1

 NO_X - total oxides of nitrogen

SO₂ - sulfur dioxide CO - carbon monoxide HCHO - formaldehyde

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

<u>24</u> Hrs/day	_7Days/v	week 52	Weeks/year	or	8,760	Hrs/year
	_ 	··· • • • • • • • • • • • • • • • • • •		•		, ,

Permit No. 1104 Page 4

Dated____