Permit No. 27935

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissio</u>	n Rates
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY
1)V-R1	Reactor No. 1	VOC	0.65	0.61
2)V-R2	Reactor No. 2	VOC	0.65	0.92
3)FSCRUBBR	Reactor No. 3 Scrubb	ber VOC	2.20	1.12
4) S-096641	Tail Gas Boiler	CO VOC	1.0 0.21	4.40 0.95
5)S-061920	Cleaver Brooks 700 I	Boiler NO _x PM SO ₂ VOC	CO 3.50 0.29 0.03 0.47	4.40
6)S-B1997	Cleaver Brooks 500 I	Boiler NO _x PM SO ₂ VOC	CO 2.50 0.21 0.03 0.34	3.14
	Cleaver Brooks 700 and 500 16.60		CO	
	Boilers (5)	NO_x PM SO_2 VOC		13.00 1.10 0.11 1.80

AIR CONTAMINANTS DATA

Emission <u>*</u>	Source	Air Contaminant	<u>Emission Rates</u>	
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY
7) PHENSTG1	Phenol Storage Ta 0.24	nk No. 1	VOC	1.10
8) PHENSTG2	Phenol Storage Ta 0.24	ink No. 2	VOC	1.10

AIR CONTAMINANTS DATA

Emission *	Source	Air (Contaminant	<u>Emissior</u>	n Rates
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY
9)METHSTG	Methanol Storage Tank	(VOC	0.23	1.02
11) FORM-RLF	Formaldehyde Plant Relief Valve		CO VOC	25.00 95.00	0.81 3.09
14)UREA-BH1	Urea Silo Baghouse No	. 1	PM	0.01	0.02
15)UREA-BH2	Urea Silo Baghouse No	. 2	PM	0.01	0.02
21)RESINSTG	Resin Storage Tank Fa	arm	VOC	0.03	0.02
FORMFUG	Formaldehyde Producti Fugitives (4)	ion	VOC	0.28	1.20
RESFUG	Resin Production Fugitives (4)		VOC	<0.01	0.03
FORMTRK	Truck Loading		VOC	0.13	<0.01
FORMRAIL	Railcar Loading		VOC	0.13	<0.01

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

 NO_x - total oxides of nitrogen

PM - suspended in the atmosphere, including PM₁₀.

 PM_{10} - particulate matter equals to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater that 10 microns is emitted.

SO₂ - sulfur dioxide

VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

⁽³⁾ CO - carbon monoxide

(4) Fugitive emis			-	and s	should	not	be
considered as a max (5) The combined a Boilers are limited	annual emission	s of the		Broo	ks 700	and	500
* Emission rates following maximum o	are based on perating schedu		cilities	are	limite	d by	the
Hrs/day_ Hrs/year <u>8,760</u>	_ Days/week		Weeks/	year_			or

Dated _____