EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

1556

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Air Contaminant E Name (2) Name (3) Ib	Emission Rates * s/hr TPY		
1	Hogger Throat (4)	PM PM10	1.9 1.1	3.3 1.9
2	Fresh Chip Storage Building (4)	PM PM10	0.147 0.071	0.33 0.159
5	Conveyor Transfer Point No. 2 (4)	PM PM10	0.042 0.02	0.11 0.053
9	Hammermill Storage Bin, Fabric Filter Vent	PM10	0.68	1.8
10	8 Cooking Vats, Load In Points (4)	PM PM10	0.62 0.35	2.6 1.5
11	Cooking Vats, Chip Dump-Vent Stack (Dryer Off)	PM PM10	0.25 0.14	1.0 0.57
11	Cooking Vats, Chip Dump-Vent Stack (Dryer On)	PM PM10 SO2 NOx CO VOC	7.29 6.10 0.15 0.66 25.7 1.39	25.2 20.8 0.49 2.24 85.1 4.62
12	Overflow Hopper (Building) (4)	PM PM10	0.004 0.0023	0.02 0.011

16

17

13A	EMISSION SOURCES - MAXIMUM ALLOV Hopper to Emission Point No. 9 via FEL (4)			WABLE EMIS PM PM10	SION RATES 1.6 0.9	0.042 0.024
15	Bin Dump/Truck Loading (4)			PM PM10	2.0 1.1	5.4 3.1
		AIR CONTAMINAN	NTS DAT	4		
Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)		n Rates * TPY		
16		s No. 4 and 5 er Off)		PM PM10 SO2 NOx CO	9.0 8.2 0.22 1.0 39	29.8 27.2 0.74 3.4 129

VOC

РМ

PM10

SO2

NOx CO

VOC

PM

PM10

SO2

NOx

CO

VOC

2.1

3.06

2.79

0.075 0.34

0.714

13.3

13.5 12.3

0.33

1.53

3.15

58.5

7

10.1

9.25 0.252

1.16

2.38

43.9

44.7

40.8

1.11

5.1

10.5

194

(1)	Emission point identification - either specific equipment designation or emission point number
	from plot plan.

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

PM10 - particulate matter less than 10 microns

Boilers No. 4 and 5

Boilers No. 6, 7 and 8

(Dryer On)

VOC - volatile organic compounds as defined in General Rule 101.1

NOx - total oxides of nitrogen

SO2 - sulfur dioxide

CO - carbon monoxide

⁽³⁾ PM - particulate matter including PM10

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum production rates and throughput rates:

18 TPH and 62,000 TPY through chipper 310 TPY FEL, see Emission Point No. 13A 12 TPH and 62,000 TPY out of fresh chip storage 7.5 TPH and 62,000 TPY, cooking vat 8 TPH and 43,000 TPY, truck loading 8 TPH and 62,000 TPY, dryer 3.75 TPH and 24,800 TPY, 5 boilers