

Emission Sources - Maximum Allowable Emission Rates

Permit Number 17001

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
1	Dryer Baghouse Stack	PM	16.50	11.10
		PM ₁₀	11.50	7.95
		PM _{2.5}	1.49	< 0.01
		VOC	16.00	9.60
		VOC (cold mix)	103.70	1.14
		VOC (rubber)	90.40	9.04
		NO _x	27.50	19.00
		CO	65.00	44.92
		SO ₂	29.00	20.04
8	Hot Oil Heater	PM	0.17	0.47
		PM ₁₀	0.17	0.47
		PM _{2.5}	0.17	0.47
		VOC	0.01	0.03
		NO _x	1.03	2.87
		CO	0.06	0.17
		SO ₂	4.37	12.23
2	Silo Filling (5)	PM	0.25	0.18
		PM ₁₀	0.25	0.18

Emission Sources - Maximum Allowable Emission Rates

		PM _{2.5}	0.25	0.18
		VOC	4.27	2.90
		CO	0.41	0.29
3	Truck Loadout (5)	PM	0.21	0.15
		PM ₁₀	0.21	0.15
		PM _{2.5}	0.21	0.15
		VOC	1.37	0.93
		CO	0.47	0.33
7	Lime Silo Baghouse	PM	0.04	0.04
		PM ₁₀	0.04	0.04
		PM _{2.5}	< 0.01	< 0.01
4A, 4B, 4C	Liquid Asphalt Tanks	VOC	< 0.01	< 0.01
5A, 5B	Diesel Tanks	VOC	< 0.01	< 0.01
6	Anti-Strip Tank	VOC	< 0.01	< 0.01
MTL	Material Handling (5)(6)	PM	2.24	0.28
		PM ₁₀	0.74	0.09
		PM _{2.5}	0.21	0.03
STK	Stockpiles (5)	PM	--	1.57
		PM ₁₀	--	0.79
		PM _{2.5}	--	0.12
		VOC (cold mix)	0.53	0.29

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

Emission Sources - Maximum Allowable Emission Rates

(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

- (3)
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
 - PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
 - PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
 - VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - NO_x - total oxides of nitrogen
 - CO - carbon monoxide
 - SO₂ - sulfur dioxide

(4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.

(5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

(6) Material Handling includes rail unloading station for aggregates, Thiopave, and Sarawax (hopper, conveyors, and radial stacker).

Date: _____