Permit Number 3509A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

| Emission | Source | Air | Contaminant | Emission Rates * | |
|---------------|-------------------------------|------------------|---|--|--------------|
| Point No. (1) | Name (2) | | Name (3) | lb/hr | TPY |
| PIT-1 | Receiving Pit No. 1 | | PM PM ₁₀ | 4.25 0.63 | |
| PIT-2 | Receiving Pit No. 2 | | PM PM ₁₀ | 4.59 0.68 | |
| PIT-3 | Receiving Pit No. 3 | | PM PM ₁₀ | 4.25 0.63 | |
| RR-1 | Rail Receiving | PM ₁₀ | PM 2.25 | 15.30 | |
| | Total Receiving Operations | | PM PM ₁₀ | | 6.16 0.91 |
| CY-1 | Aspirator | | PM_{10} | 5.40 | |
| CY-2 | Aspirator | | PM_{10} | 5.40 | |
| CY-3 | Aspirator | | PM_{10} | 5.40 | |
| CY-4 | Aspirator | | PM_{10} | 2.20 | |
| | Total Aspirator Throughput | | PM ₁₀ | | 25.12 |
| D1-1 | Complex 1-Dryer 1 | | $\begin{array}{c} PM \\ PM_{10} \\ VOC \\ NO_x \\ CO \\ SO_2 \end{array}$ | 1.88 0.50 0.05 2.24 0.56 0.01 | |

| Emission | Source | Air Contaminant | Emission Rates * | |
|---------------|-------------------|---|---|--|
| Point No. (1) | Name (2) | Name (3) | lb/hr TPY | |
| D1-2 | Complex 1-Dryer 2 | PM PM ₁₀ VOC NO _x CO SO ₂ | 1.88 0.50 0.05 2.24 0.56 0.01 | |
| D2-1 | Complex 2-Dryer 1 | $\begin{array}{c} PM \\ PM_{10} \\ VOC \\ NO_{x} \\ CO \\ SO_{2} \end{array}$ | 1.88 0.50 0.05 2.24 0.56 0.01 | |
| D2-2 | Complex 2-Dryer 2 | $\begin{array}{c} PM \\ PM_{10} \\ VOC \\ NO_{x} \\ CO \\ SO_{2} \end{array}$ | 1.88 0.50 0.05 2.24 0.56 0.01 | |
| D3-1 | Complex 3-Dryer 1 | $\begin{array}{c} PM \\ PM_{10} \\ VOC \\ NO_{x} \\ CO \\ SO_{2} \end{array}$ | 25.23 6.33 0.11 5.46 1.37 0.02 | |
| D3-2 | Complex 3-Dryer 2 | $\begin{array}{c} PM \\ PM_{10} \\ VOC \\ NO_{x} \\ CO \\ SO_2 \end{array}$ | 25.23 6.33 0.11 5.46 1.37 0.02 | |

| Emission | Source | Air Contaminant | Emission Rates * | |
|---------------|--|---|------------------|---|
| Point No. (1) | Name (2) | Name (3) | lb/hr | TPY |
| | Total Drying Operations | $\begin{array}{c} PM \\ PM_{10} \\ VOC \\ NO_{x} \\ CO \\ SO_2 \end{array}$ | | 15.20 3.89 1.76 87.06 21.76 0.36 |
| CY-5 | Main Tunnel Conveying | PM PM ₁₀ | 11.14 2.70 | 3.89 0.94 |
| CY-C1 | Gravity Separator Tables | PM PM ₁₀ | 2.23 0.54 | 3.09 0.75 |
| CY-C2 | Gravity Separator Tables | PM PM ₁₀ | 1.49 0.36 | 2.06 0.50 |
| CY-C3 | Gravity Separator Tables | PM PM ₁₀ | 1.49 0.36 | 2.06 0.50 |
| CY-C4 | Stoner and Gravity Separator Tables | PM PM ₁₀ | 2.23 0.54 | 3.09 0.75 |
| CY-C5 | Gravity Separator Tables | PM PM ₁₀ | 1.49 0.36 | 2.06 0.50 |
| CY-C6 | Receiving Leg | PM PM ₁₀ | 7.43 1.80 | 10.31 2.50 |
| CY-C7 | Receiving Shaker | PM PM ₁₀ | 7.43 1.80 | 10.31 2.50 |
| CY-C8 | Shipping Leg | PM PM ₁₀ | 7.43 1.80 | 10.31 2.50 |

| Emission | Source | Air | Contaminant | Emission Rates * | |
|---------------|--|------------------|------------------------|------------------|--------------|
| Point No. (1) | Name (2) | | Name (3) | lb/hr | TPY |
| SHIP-1 | Shipping Area No. 1 (Product Bagging) | | PM PM ₁₀ | 0.26 0.06 | |
| SHIP-2 | Shipping Area No. 2 (Wheat Cracks) | | PM PM ₁₀ | 0.37 0.10 | |
| SHIP-3 | Shipping Area No. 3 (Corn Cracks) | | PM PM ₁₀ | 0.93 0.25 | |
| TS-1 | Truck Loadout | PM ₁₀ | PM 2.18 | 6.45 | |
| | Total Loadout Operations | | PM PM ₁₀ | | 6.24 2.10 |
| BAG-A | Bag Filter System A | | PM ₁₀ | 1.67 | 7.31 |

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM₁₀
 - PM₁₀ particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
 - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - NO_x total oxides of nitrogen
 - CO carbon monoxide
 - SO₂ sulfur dioxide
- * Refer to Special Condition No. 1 for throughput limitations and basis of emission rates.