

Emission Sources - Maximum Allowable Emission Rates

Permit Number 2937

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
Emission Caps (7)		SO ₂	160.8	702.3
		VOC	1,790	1,118
		NO _x	218.9	833.9
		CO	357.5	1,433
		PM ₁₀	45.39	173.1
		H ₂ S	2.72	11.91
		HCl	0.21	0.06
		Cl ₂	0.06	0.02
		Benzene	37.2	25.15
		Ammonia	0.17	0.75
MSS Caps (6)		CO	4290.4	52.83
		NO _x	149.3	2.03
		VOC	1,713	48.5
		SO ₂	1087.5	37.12
		H ₂ S	6.45	0.19
		PM	76.7	0.4
		Sulfuric Acid	10.95	0.26
		Ammonia	4.41	0.09
		Exempt Solvents	1.76	0.6
REFFUG	Refinery Fugitives Subcap	VOC	73.88	323.59

Emission Sources - Maximum Allowable Emission Rates

Various	Tanks Subcap	VOC	392.49	263.40
TK-85, TK-91, TK-93, TK-96	Crude/Condensate Tanks (8)	VOC	25.27	24.57
EP-B-1	Boiler - C8 Boiler No. 1 (EP-B-1)	NO _x	5.90	18.05
		VOC	0.91	3.24
		SO ₂	4.39	5.80
		CO	14.32	25.53
		PM	1.26	4.48
		PM ₁₀	1.26	4.48
		PM _{2.5}	1.26	4.48
EP-B-2	Boiler - C8 Boiler No. 2 (EP-B-2)	NO _x	5.90	18.05
		VOC	0.91	3.24
		SO ₂	4.39	5.80
		CO	14.32	25.53
		PM	1.26	4.48
		PM ₁₀	1.26	4.48
		PM _{2.5}	1.26	4.48
B-4	Boiler - C6B Boiler No. 4 (West) (169-B-4)	NO _x	2.70	11.83
		VOC	0.49	2.13
		SO ₂	2.90	4.70
		CO	7.39	25.26
		PM	0.67	2.94
		PM ₁₀	0.67	2.94
		PM _{2.5}	0.67	2.94
EP-B-5	Boiler - C8 Boiler No. 5 (EP-B-5)	NO _x	8.45	31.73
		VOC	1.30	5.19

Emission Sources - Maximum Allowable Emission Rates

		SO ₂	6.29	10.20
		CO	20.50	89.78
		PM	1.80	7.17
		PM ₁₀	1.80	7.17
		PM _{2.5}	1.80	7.17
B-5	Boiler - C6B Boiler No. 5 (East) (169-B-5)	NO _x	2.70	11.83
		VOC	0.49	2.13
		SO ₂	2.90	4.70
		CO	7.39	25.26
		PM	0.67	2.94
		PM ₁₀	0.67	2.94
		PM _{2.5}	0.67	2.94
QH-125	No. 2 Reformer Heaters	NO _x	3.60	15.27
		VOC	0.55	2.35
		SO ₂	3.31	3.77
		CO	7.58	10.62
		PM	0.77	3.25
		PM ₁₀	0.77	3.25
		PM _{2.5}	0.77	3.25

Emission Sources - Maximum Allowable Emission Rates

27-H-1	Heater - C8 BTX Clay Twr (127-H-1)	NO _x	0.68	2.58
		VOC	0.03	0.12
		SO ₂	0.15	0.21
		CO	0.48	0.91
		PM	0.04	0.16
		PM ₁₀	0.04	0.16
		PM _{2.5}	0.04	0.16
44-H-1	Heater - C7 GOT Chrg. (144-H-1)	NO _x	4.18	16.10
		VOC	0.64	2.48
		SO ₂	2.79	3.97
		CO	9.61	14.24
		PM	0.89	3.43
		PM ₁₀	0.89	3.43
		PM _{2.5}	0.89	3.43
37-H-1	Heater - C7 Kero HDS Chrg. (137-H-1)	NO _x	1.98	8.65
		VOC	0.11	0.47
		SO ₂	0.46	0.65
		CO	1.06	1.81
		PM	0.15	0.64
		PM ₁₀	0.15	0.64
		PM _{2.5}	0.15	0.64

Emission Sources - Maximum Allowable Emission Rates

39-H-1	Heater - C7 No. 4 Hydrobon Charge (139-H-1)	NO _x	3.99	17.48
		VOC	0.22	0.94
		SO ₂	0.93	1.51
		CO	3.47	7.61
		PM	0.30	1.30
		PM ₁₀	0.30	1.30
		PM _{2.5}	0.30	1.30
Q10-H-1	Heater - C6B SMR Heater (129-H-1) Hydrobon Chrg. (139-H-1)	NO _x	8.28	36.26
		VOC	1.28	4.88
		SO ₂	7.62	12.36
		CO	18.48	34.09
		PM	1.76	6.74
		PM ₁₀	1.76	6.74
		PM _{2.5}	1.76	6.74
7-H-2	Heater - C7 Coker Chrg. (107-H-2)	NO _x	9.10	31.54
		VOC	0.82	2.83
		SO ₂	3.53	4.54
		CO	13.19	22.87
		PM	1.13	3.92
		PM ₁₀	1.13	3.92
		PM _{2.5}	1.13	3.92

Emission Sources - Maximum Allowable Emission Rates

44-H-2	Heater - C7 GOT Frac. Reb. (144-H-2)	NO _x	4.79	20.97
		VOC	0.22	0.94
		SO ₂	0.93	1.51
		CO	3.47	7.61
		PM	0.30	1.30
		PM ₁₀	0.30	1.30
		PM _{2.5}	0.30	1.30
37-H-2	Heater - C7 Kero HDS Frac.Reb. (137-H-2)	NO _x	1.37	5.34
		VOC	0.07	0.28
		SO ₂	0.32	0.52
		CO	1.08	1.74
		PM	0.10	0.38
		PM ₁₀	0.10	0.38
		PM _{2.5}	0.10	0.38
39-H-2	Heater - C7 No. 4 Hydrobon Reb. (139-H-2)	NO _x	3.78	16.57
		VOC	0.20	0.89
		SO ₂	0.88	1.43
		CO	3.29	7.21
		PM	0.28	1.23
		PM ₁₀	0.28	1.23
		PM _{2.5}	0.28	1.23

Emission Sources - Maximum Allowable Emission Rates

Q11-H-3001	Heater - C6B HCU Deb. Reb. (129-H-3001)	NO _x	3.84	16.82
		VOC	0.17	0.76
		SO ₂	1.03	1.67
		CO	3.15	6.89
		PM	0.24	1.04
		PM ₁₀	0.24	1.04
		PM _{2.5}	0.24	1.04
Q11-H-3002	Heater - C6B HCU Fract.Reb. (129-H-3002)	NO _x	3.84	16.82
		VOC	0.17	0.76
		SO ₂	1.03	1.67
		CO	3.15	6.89
		PM	0.24	1.04
		PM ₁₀	0.24	1.04
		PM _{2.5}	0.24	1.04
Q11-H-301	Heater - C6B HCU Rx Chrg. (129-H-301)	NO _x	2.25	6.47
		VOC	0.49	1.40
		SO ₂	2.90	3.09
		CO	8.85	12.72
		PM	0.67	1.93
		PM ₁₀	0.67	1.93
		PM _{2.5}	0.67	1.93
44-H-3	Heater - C7 GOT Stabilizer (144-H-3)	NO _x	1.7432	6.28
		VOC	0.14	0.54
		SO ₂	0.62	0.85
		CO	1.81	2.32

Emission Sources - Maximum Allowable Emission Rates

		PM	0.20	0.74
		PM ₁₀	0.20	0.74
		PM _{2.5}	0.20	0.74
Q3-H-3	No. 2 Reformer HDS Heaters	NO _x	7.30	25.43
		VOC	0.39	1.37
		SO ₂	2.35	2.83
		CO	5.31	7.80
		PM	0.54	1.89
		PM ₁₀	0.54	1.89
		PM _{2.5}	0.54	1.89
39-H-3A	Heater - C7 No. 4 Plat. Charge (139-H-3A)	NO _x	4.09	10.64
		VOC	0.63	1.64
		SO ₂	2.73	2.62
		CO	9.34	14.94
		PM	0.87	2.26
		PM ₁₀	0.87	2.26
		PM _{2.5}	0.87	2.26
39-H-3B	Heater - C7 No. 4 Plat. IntHtr. (139-H-3B)	NO _x	2.62	11.47
		VOC	0.40	1.49
		SO ₂	1.74	2.34
		CO	4.62	6.89
		PM	0.56	2.44
		PM ₁₀	0.56	2.44
		PM _{2.5}	0.56	2.44
39-H-3C	C7 No. 4 Plat. IntHtr. (139-H-3C/D)	NO _x	8.90	21.39

Emission Sources - Maximum Allowable Emission Rates

		VOC	0.48	1.15
		SO ₂	2.07	1.85
		CO	7.10	10.74
		PM	0.66	1.59
		PM ₁₀	0.66	1.59
		PM _{2.5}	0.66	1.59
8-H-3	Heater - C7 No. 4 Vacuum Chrg. (108-H-3)	NO _x	3.47	11.99
		VOC	0.19	0.55
		SO ₂	0.82	1.30
		CO	2.16	4.04
		PM	0.26	0.76
		PM ₁₀	0.26	0.76
		PM _{2.5}	0.26	0.76
8-H-4	Heater - C7 No. 4 Crude Chrg. (108-H-4)	NO _x (9)	19.37	54.75
		NO _x (10)	6.78	19.16
		VOC	1.04	2.95
		SO ₂	4.52	4.73
		CO	16.86	23.82
		PM	1.44	4.08
		PM ₁₀	1.44	4.08
		PM _{2.5}	1.44	4.08
Q3-H-4A/B	Heater - C6B No. 2 Ref. Split. (116-H-4A/B)	NO _x	3.99	17.28
		VOC	0.78	3.41
		SO ₂	1.28	1.94
		CO	3.68	5.56

Emission Sources - Maximum Allowable Emission Rates

		PM	0.30	1.30
		PM ₁₀	0.30	1.30
		PM _{2.5}	0.30	1.30
8-H-5	Heater - C7 No. 4 Vacuum Chrg. (108-H-5)	NO _x	1.72	7.53
		VOC	0.37	1.62
		SO ₂	1.60	2.60
		CO	5.99	13.11
		PM	0.51	2.25
		PM ₁₀	0.51	2.25
		PM _{2.5}	0.51	2.25
8-H-6	Heater - C7 No. 4 Crude Chrg. (108-H-6)	NO _x	10.01	21.90
		VOC	1.54	4.72
		SO ₂	6.67	7.56
		CO	24.89	38.12
		PM	2.13	6.53
		PM ₁₀	2.13	6.53
		PM _{2.5}	2.13	6.53
39-H-7	Heater - C7 No. 4 Plat.Stab.Reb. (139-H-7)	NO _x	1.27	4.55
		VOC	0.19	0.70
		SO ₂	0.84	1.12
		CO	2.94	5.30
		PM	0.27	0.97
		PM ₁₀	0.27	0.97
		PM _{2.5}	0.27	0.97
H-TK-54	Heater - Tank TK-54 Heater	NO _x	0.40	0.86

Emission Sources - Maximum Allowable Emission Rates

		VOC	0.02	0.05
		SO ₂	0.05	0.06
		CO	0.32	0.73
		PM	0.03	0.06
		PM ₁₀	0.03	0.06
		PM _{2.5}	0.03	0.06
H-TK-70	Heater - Tank TK-70 Heater	NO _x	0.40	0.86
		VOC	0.02	0.05
		SO ₂	0.05	0.06
		CO	0.32	0.73
		PM	0.03	0.06
		PM ₁₀	0.03	0.06
		PM _{2.5}	0.03	0.06
H-TK-83	Heater - Tank TK-83 Heater	NO _x	0.40	0.86
		VOC	0.02	0.05
		SO ₂	0.05	0.06
		CO	0.32	0.73
		PM	0.03	0.06
		PM ₁₀	0.03	0.06
		PM _{2.5}	0.03	0.06
QL-10	Heater - C6B No. 4 Plat. Splitter (154-H-10)	NO _x	2.93	8.13
		VOC	1.49	5.81
		SO ₂	2.70	2.71
		CO	6.87	6.20
		PM	0.62	1.73

Emission Sources - Maximum Allowable Emission Rates

		PM ₁₀	0.62	1.73
		PM _{2.5}	0.62	1.73
148H-01-02	ULSD Heaters	NO _x	4.13	17.48
		VOC	0.64	2.69
		SO ₂	2.75	4.31
		CO	7.90	19.90
		PM	0.88	3.72
		PM ₁₀	0.88	3.72
		PM _{2.5}	0.88	3.72
SMR2	SMR2 Heater	NO _x	23.59	103.32
		VOC	3.63	15.92
		SO ₂	15.71	25.49
		CO	43.72	104.71
		PM	5.02	22.00
		PM ₁₀	5.02	22.00
		PM _{2.5}	5.02	22.00
83-CT1	Cooling Tower - Complex 8	VOC	2.52	7.36
		PM	3.02	12.24
		PM ₁₀	3.02	12.24
		PM _{2.5}	3.02	12.24
88-CT7	Cooling Tower - Complex 7	VOC	2.53	7.66
		PM	4.78	19.05
		PM ₁₀	4.78	19.05
		PM _{2.5}	4.78	19.05

Emission Sources - Maximum Allowable Emission Rates

Q-CT4	Cooling Tower - Hydrocracker	VOC	0.67	2.76
		PM	1.10	4.46
		PM ₁₀	1.10	4.46
		PM _{2.5}	1.10	4.46
Q-CT5	Cooling Tower - No. 2 Reformer	VOC	0.46	3.31
		PM	0.77	3.13
		PM ₁₀	0.77	3.13
		PM _{2.5}	0.77	3.13
Q-CT8	Cooling Tower - BTX	VOC	0.50	1.47
		PM	0.80	3.26
		PM ₁₀	0.80	3.26
		PM _{2.5}	0.80	3.26
ASPH-RCLDG	Asphalt	VOC	0.31	0.01
ASPH-TLDG	Asphalt	VOC	0.31	0.01
LATEX-TLDG	Latex	VOC	0.31	0.01
RC-RACK1	Railcar Loading Rack 1	VOC	0.37	0.01
SULF-RCLDG	Sulfur	VOC	0.02	0.01
SULF-TLDG	Sulfur	VOC	0.02	0.01
MARINE-LDG	Marine Loading	VOC	478.01	63.41
PD-6	Loading - Dock 6	VOC	77.50	7.04
TO-3	Dock Combustor TO-3	NO _x	15.68	18.29
		VOC	69.90	23.53
		SO ₂	0.06	0.23
		CO	11.18	9.75
		PM	0.75	0.91

Emission Sources - Maximum Allowable Emission Rates

		PM ₁₀	0.75	0.91
		PM _{2.5}	0.75	0.91
PMA-LOAD	Loading - PMA Asphalt	VOC	0.07	0.16
TT-RACK1	Loading - Truck Rack	VOC	4.33	2.01
TO-2	Truck Rack Thermal Oxidizer	NO _x	3.25	8.83
		VOC	9.69	7.88
		SO ₂	0.01	0.04
		CO	1.74	4.71
		PM	0.16	0.44
		PM ₁₀	0.16	0.44
		PM _{2.5}	0.16	0.44
Flare-1, HCU-FL1, REF2-FL1, WP-FLARE1, SRU1-FLARE, SRU2-FLARE, SWS-FLARE	Flares Subcap	NO _x	4.48	19.64
		VOC	26.88	117.75
		SO ₂	1.62	7.09
		CO	23.17	101.47
SRU1-INCIN, SRU2-INCIN	SRUs Subcap	NO _x	5.35	23.44
		VOC	0.29	1.26
		SO ₂	66.77	292.47
		CO	4.41	19.30
		PM	0.40	1.75
		PM ₁₀	0.40	1.75
		PM _{2.5}	0.40	1.75
FU-1	DCU Coke Handling Fugitives	PM	0.62	2.52
		PM ₁₀	0.62	2.52
		PM _{2.5}	0.62	2.52

Emission Sources - Maximum Allowable Emission Rates

2REGENVENT	2REGENVENT	VOC	0.01	0.01
4REGENVENT	4REGENVENT	VOC	0.02	0.07
91-D-1	Slurry Tank (Sludge Conc)	VOC	0.01	0.01
91-D-2	Make-Up Tk (Sludge Conc)	VOC	0.01	0.01
91-D-3	Charge Tank (Sludge Conc)	VOC	0.01	0.01
LS-1	WWTP Lift Station (Covered)	VOC	0.08	0.36
SUMP-1	WWTP Sump	VOC	0.01	0.01
WWS-EP	EP CPI Separator (covered)	VOC	0.13	0.55
91-D-4	WP Sludge Concentration Tank	VOC	0.06	0.28
91-D-5	WP Sludge Concentration Tank	VOC	0.06	0.28
SUMP-2	WWTP DAF Float & Bottoms Collection Pump sump	VOC	0.01	0.01
SUMP-3	EP CPI Inlet Sump and Excess Inflow Pump	VOC	0.01	0.01
90-TK-61	Sludge Holding Tank	VOC	0.01	0.01
90-TK-65	DAF Tank	VOC	1.09	4.77
90-TK-66	Bioreactor Tank	VOC	2.14	9.37
90-TK-67	Bioreactor Tank	VOC	1.94	8.51
90-TK-68	Clarifier Tank	VOC	0.01	0.03
90-TK-69	Clarifier Tank	VOC	0.01	0.03
90-TK-85	DAF Tank	VOC	1.09	4.77
90-TK-64	WWTP Biosludge Thickener	VOC	0.01	0.01
90-TK-78	WWTP Clarified Activated Biosludge Skimmings Tank	VOC	0.01	0.01

Emission Sources - Maximum Allowable Emission Rates

90-TK-60	Aerobic digester	VOC	0.34	1.49
T-109	Tank 109	VOC	0.01	0.01
QP-SUMP1	QP Oily Water System Collection Sump & Pump Out System	VOC	0.01	0.01
SUMP-4	WP Oily Water System Collection Sump and Pump Out System	VOC	0.01	0.01

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) Exempt Solvent - Those carbon compounds or mixtures of carbon compounds used as solvents which have been excluded from the definition of volatile organic compound.
 - VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - NO_x - total oxides of nitrogen
 - SO₂ - sulfur dioxide
 - PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
 - PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
 - PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
 - CO - carbon monoxide
 - NH₃ - ammonia
 - Cl₂ - chlorine
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) The annual limits (TPY) apply to the period from August 1, 2010 through July 31, 2011 and for each rolling 12-month period thereafter. The maintenance, startup, and shutdown (MSS) emission caps are independent of the routine operating emission caps. Authorized emissions of a pollutant from facilities in this permit are the sum of the emission cap and the MSS emission cap. The emission points and activities authorized under these emission caps are identified in Attachment 4 to this permit.
- (7) These emission caps have been carried forward from the flexible permit and do not include MSS emissions. The only emission cap that is limiting (lower than the sum of the subcaps and individual emission rate limits for that air contaminant) is the hourly cap for CO.
- (8) Tanks TK-85, TK-91, TK-93, and TK-96 are subject to the listed subcap only, and do not contribute to the Tanks Subcap.
- (9) Emission rate prior to December 31, 2017.
- (10) Emission rate after December 31, 2017.

Date: December 13, 2013

ATTACHMENT 1

Permit Numbers 2937 and PSDTX1023M2

Contaminants, Emission Point Numbers, And Source Names

This table lists the facility identification numbers, emission point numbers, source names, and emission cap contaminants emitted for all emission points on the applicant's property covered by this permit.

Facility Identification Number	Emission Point Number (1)	Source Name (2)	Emission Cap Contaminants Emitted							
			SO ₂	VOC	NO _x	CO	PM	H ₂ S	NH ₃	other
B-4A	B-4	COMPLEX 6 WEST BOILER	X	X	X	X	X			
B-5A	B-5	COMPLEX 6 EAST BOILER	X	X	X	X	X			
B-1	EP-B-1	COMPLEX 8 BOILER No. 1	X	X	X	X	X			
B-2	EP-B-2	COMPLEX 8 BOILER No. 2	X	X	X	X	X			
B-5	EP-B-5	COMPLEX 8 BOILER No. 5	X	X	X	X	X			
CT1	83-CT1	COMPLEX 8 MAIN COOLING TOWER		X				X		
CT2	84-CT2	ALKY. COOLING TOWER		X				X		
CT7	88-CT7	COMPLEX 7 MAIN COOLING TOWER		X				X		
CT4	Q-CT4	H.C.U. COOLING TOWER		X				X		
CT5	Q-CT5	No. 2 REFORMER COOLING TOWER		X				X		
CT8	Q-CT8	TBA., SULFO., & BTX. COOLING TOWER		X				X		
BLR-HSE	BLRHSE-FE	BOILER HOUSE FUGITIVES		X					X	
BTX1	BTX1-FE	SULFOLANE BTX. UNIT FUGITIVES		X						B
COKER1	COKER1-FE	DELAYED COKER UNIT FUGITIVES		X				X	X	B
CRU4&VAC4	CRUVAC4-FE	No. 4 CRUDE & VACUUM UNIT FUGITIVES		X				X	X	B
DEOCT	DEOCT-FE	No. 4 PLAT. SPLT. FUGITIVES		X						B
DIST1	DIST1-FE	KEROSENE HDS FUGITIVES		X				X	X	B
DCOK-11	DOCK11-FE	MARINE LOADING (DOCK 11) FUGITIVES		X						B
DOCK-3	DOCK3-FE	MARINE LOADING (DOCK 3) FUGITIVES		X						B
DOCK-4	DOCK4-FE	MARINE LOADING (DOCK 4) FUGITIVES		X						B
DOCK-6	DOCK6-FE	MARINE LOADING (DOCK 6) FUGITIVES		X						
DOCK-7	DOCK7-FE	MARINE LOADING (DOCK 7) FUGITIVES		X						B
EP-FLR-CVS	EP-FLR-FE	COMPLEX 8 FLARE FUGITIVES		X				X		B
FCCU1	FCCU1-FE	F.C.C.U. FUGITIVES		X				X	X	B
GOT1	GOT1-FE	DIESEL HDS FUGITIVES		X				X	X	B
HCU	HCU-FE	HYDROCRACKER UNIT FUGITIVES		X				X	X	B
HCUFLR-CVS	HCU-FLR-FE	HYDROCRACKER FLARE HEADER FUGITIVES		X				X		
KERO1	KERO1-FE	KEROSENE H.D.S. FUGITIVES		X				X	X	B
LEF1	LEF1-FE	No. 1 L.E.F. @ S.S. (XYLENE		X						

ATTACHMENT 1

Permit Numbers 2937 and PSDTX1023M2

Page 2

TOWER FUGITIVES									
LEU1	LEU1-FE	No. 1 L.E.U. FUGITIVES	X				X	X	B
LEU2	LEU2-FE	No. 2 L.E.U. FUGITIVES	X				X	X	B
MEROX-WP	MEROXWP-FE	F.C.C. GASOLINE MERO _x FUGITIVES	X				X		
NEWBZ-FE	NEWBZ-FE	BENZENE SWS FUGITIVES	X				X	X	B
NEWSWS-FE	NEWSWS-FE	SOUR WATER STRIPPER FUGITIVES	X				X	X	B
NONENE1	NONENE1-FE	NONENE UNIT FUGITIVES	X						
PSA-FE	PSA-FE	PRESSURE SWING ABSORBER	X						B
Q-BTX	QBTX-FE	SULFOLANE & BTX. UNIT FUGITIVES	X						B
Q-NAPHDS2	QHDS2-FE	No. 2 NAPHTHA H.D.S. FUGITIVES	X				X		
Q-NAP SPLT	QNAPSPL-FE	No. 2 NAPHTHA (No. 2 REFORMER). SPLITTER FUGITIVES	X				X		
Q-REF2	QREF2-FE	No. 2 REFORMER FUGITIVES	X						
Q-SULFO	QSULFO-FE	SULFOCANE FUGITIVES	X						B
RAFF1	RAFF1-FE	No. 1 RAFFINATE SPLITTER	X						
RAFF2	RAFF2-FE	No. 2 RAFFINATE SPLITTER	X						
REF2FL-CVS	REF2-FL-FE	No. 2 REFORMER FLARE HEADER	X				X		B
REF4	REF4-FE	No. 4 HYDROBON & PLATFORMER FUGITIVES	X				X	X	B
SMR	SMR-FE	HYDROGEN PRODUCTION (S.M.R.) FUGITIVES	X				X	X	B
SRU1	SRU1-FE	SRU No. 1 FUGITIVES	X				X	X	B
SUR2-FE	SRU2-FE	SRU No. 2 FUGITIVES	X				X	X	B
SULFO1	SULFO1-FE	SULFOLANE FUGITIVES	X						B
SWS1	SWS1-FE	S.W.S. UNIT FUGITIVES	X				X	X	B
SWS2-FE	SWS2-FE	BENZENE S.W.S. FUGITIVES	X				X	X	B
TKFM-EPN	TKFMEPN-FE	COMPLEX 8 NORTH TANK FARM FUGITIVES	X						B
TKFM-EPS	TKFMEPS-FE	COMPLEX 8 SOUTH TANK FARM FUGITIVES	X						B
TKFM-QPN	TKFMQPN-FE	COMPLEX 6 NORTH TANK FARM FUGITIVES	X						B
TKFM-WP	TKFMWP-FE	COMPLEX 7 TANK FARM FUGITIVES	X						B
TRUCKRK	TRUCKRK-FE	TRUCK LOADING RACK FUGITIVES	X						
WP-FLR-CVS	WP-FLR-FE	COMPLEX 7 FLARE FUGITIVES	X				X		
H-1FCCU1	12-H-1	F.C.C.U. RAW OIL CHARGE HEATER	X	X	X	X	X		
H-1BTX1	27-H-1	BTX. CLAY TWR. CHARGE HEATER	X	X	X	X	X		
H-1KERO1	37-H-1	KERO. H.D.S. CHARGE HEATER	X	X	X	X	X		
H-2KERO1	37-H-2	KERO. H.D.S. FRAC. REBOILER	X	X	X	X	X		
H-1REF4	39-H-1	No. 4 HYDROCARBON CHRGE. HEATER	X	X	X	X	X		
H-2REF4	39-H-2	No. 4 HYDROBON. STRIPPER	X	X	X	X	X		

ATTACHMENT 1

Permit Numbers 2937 and PSDTX1023M2

Page 3

REBOILER										
H-3REF4A	39-H-3A	No. 4 PLATFORMER CHARGE HEATER	X	X	X	X	X			
H-3REF4B	39-H-3B	No. 4 PLATFORMER CHARGE HEATER	X	X	X	X	X			
H-3REF4C	39-H-3C	No. 4 PLATFORMER CHARGE HEATER	X	X	X	X	X			
H-3REF4D	39-H-3C	No. 4 PLATFORMER CHARGE HEATER	X	X	X	X	X			
H-7REF4	39-H-7	No. 4 PLATFORMER STAB. REBOILER	X	X	X	X	X			
H-1GOT1	44-H-1	DIESEL HDS HEATER	X	X	X	X	X			
H-2GOT1	44-H-2	DIESEL HDS HEATER	X	X	X	X	X			
H-3GOT1	44-H-3	DIESEL HDS HEATER	X	X	X	X	X			
H-2COKE1	7-H-2	DELAYED COKER CHARGE HEATER	X	X	X	X	X			
H-3VAC4	8-H-3	No. 4 VACUUM CHARGE HEATER	X	X	X	X	X			
H-4CRU4	8-H-4	No. 4 CRUDE CHARGE HEATER	X	X	X	X	X			
H-5VAC4	8-H-5	No. 4 VACUUM CHARGE HEATER	X	X	X	X	X			
H-6CRU4	8-H-6	No. 4 CRUDE CHARGE HEATER	X	X	X	X	X			
H-TK-47	H-TK-47	TANK 47 HEATER	X	X	X	X	X			
H-TK-48	H-TK-48	TANK 48 HEATER	X	X	X	X	X			
H-TK-54	H-TK-54	TANK 54 HEATER	X	X	X	X	X			
H-TK-70	H-TK-70	TANK 70 HEATER	X	X	X	X	X			
H-TK-83	H-TK-83	TANK 83 HEATER	X	X	X	X	X			
H-4QNAPSPL	Q3-H-4A/B	NAPHTHA SPLT. REBOILER	X	X	X	X	X			
H-3HDS2A	Q3-H-3	No. 2 NAPHTHA H.D.S. HEATER	X	X	X	X	X			
H-3HDS2B	Q3-H-3	S.M.R. HEATER	X	X	X	X	X			
H-3HDS2C	Q3-H-3	H.C.U. DEBUT REBOILER	X	X	X	X	X			
H-1SMR	Q10-H-1	S.M.R. HEATER	X	X	X	X	X			
H-3001HCU	Q11-H-3001	H.C.U. DEBUT REBOILER	X	X	X	X	X			
H-3002HCU	Q11-H-3002	H.C.U. FRAC. REBOILER	X	X	X	X	X			
H-301HCU	Q11-H-301	H.C.U. RX. CHARGE HEATER	X	X	X	X	X			
H-125QREF2A	QH-125	No. 2 REFORMER HEATER	X	X	X	X	X			
H-125QREF2B	QH-125	No. 2 REFORMER HEATER	X	X	X	X	X			
H-125QREF2C	QH-125	No. 2 REFORMER HEATER	X	X	X	X	X			
L-10QHDA	QL-10	No. 4 PLATFORMER SPLITTER HEATER	X	X	X	X	X			
SRU1-INCIN	SRU1-INCIN	SRU No. 1 INCINERATOR	X	X	X	X	X	X		
SRU2-INCIN	SRU2-INCIN	SRU No. 2 INCINERATOR	X	X	X	X	X	X		
ASPH-RCLDG	ASPH-RCLDG	ASPHALT & LATEX RAILCAR LOADING		X						
ASPH-TLDG	ASPH-TLDG	ASPHALT TRUCK LOADING		X						
DOCK-6	PD-6	MARINE LOADING (DOCK 6) FUGITIVES		X						
LATEX-TLDG	LATEX-TLDG	LATEX TRUCK LOADING		X						
MARINE-LDG	MARINE-LDG	MARINE LOADING		X						B

Page 4

Project Number: 173113

Page 5

Project Number: 173113

ATTACHMENT 1

Permit Numbers 2937 and PSDTX1023M2

Page 6

T-323	TK-323	TANK 323		
T-324	TK-324	TANK 324	X	B
T-325	TK-325	TANK 325	X	
T-326	TK-326	TANK 326	X	B
T-327	TK-327	TANK 327	X	
T-328	TK-328	TANK 328	X	
T-329	TK-329	TANK 329	X	B
T-330	TK-330	TANK 330	X	B
T-331	TK-331	TANK 331	X	B
T-332	TK-332	TANK 332	X	
T-333	TK-333	TANK 333	X	B
T-334	TK-334	TANK 334	X	
T-335	TK-335	TANK 335	X	
T-336	TK-336	TANK 336	X	
T-350	TK-350	TANK 350	X	B
T-351	TK-351	TANK 351	X	B
T-352	TK-352	TANK 352	X	B
T-353	TK-353	TANK 353	X	
T-354	TK-354	TANK 354	X	
T-355	TK-355	TANK 355	X	B
T-356	TK-356	TANK 356	X	B
T-357	TK-357	TANK 357	X	B
T-358	TK-358	TANK 358	X	B
T-359	TK-359	TANK 359	X	
T-360	TK-360	TANK 360	X	
T-370	TK-370	TANK 370	X	B
T-371	TK-371	TANK 371	X	B
T-47	TK-47	TANK 47	X	
T-48	TK-48	TANK 48	X	
T-50	TK-50	TANK 50	X	
T-500	TK-500	TANK 500	X	
T-501	TK-501	TANK 501	X	
T-502	TK-502	TANK 502	X	
T-503	TK-503	TANK 503	X	
T-504	TK-504	TANK 504	X	
T-505	TK-505	TANK 505	X	B
T-506	TK-506	TANK 506	X	B
T-507	TK-507	TANK 507	X	B
T-508	TK-508	TANK 508	X	
T-509	TK-509	TANK 509	X	B
T-51	TK-51	TANK 51	X	
T-510	TK-510	TANK 510	X	B
T-52	TK-52	TANK 52	X	
T-53	TK-53	TANK 53	X	
T-54	TK-54	TANK 54	X	
T-55	TK-55	TANK 55	X	

ATTACHMENT 1

Permit Numbers 2937 and PSDTX1023M2

Page 7

T-57	TK-57	TANK 57		X							
T-58	TK-58	TANK 58		X							B
T-7	TK-7	TANK 7		X							
T-70	TK-70	TANK 70		X							
T-71	TK-71	TANK 71		X							
T-72	TK-72	TANK 72		X							B
T-73	TK-73	TANK 73		X							B
T-74	TK-74	TANK 74		X							B
T-75	TK-75	TANK 75		X							
T-76	TK-76	TANK 76		X							B
T-77	TK-77	TANK 77		X							
T-79	TK-79	TANK 79		X							B
T-80	TK-80	TANK 80		X							
T-81	TK-81	TANK 81		X							
T-82	TK-82	TANK 82		X							B
T-83	TK-83	TANK 83		X							
T-84	TK-84	TANK 84		X							B
T-85	TK-85	TANK 85		X							B
T-86	TK-86	TANK 86		X							
T-87	TK-87	TANK 87		X							
T-88	TK-88	TANK 88		X							B
T-89	TK-89	TANK 89		X							B
T-9	TK-9	TANK 9		X							B
T-90	TK-90	TANK 90		X							B
T-91	TK-91	TANK 91		X							B
T-92	TK-92	TANK 92		X							B
T-93	TK-93	TANK 93		X							B
T-94	TK-94	TANK 94		X							B
T-95	TK-95	TANK 95		X							B
T-96	TK-96	TANK 96		X							B
T-97	TK-97	TANK 97		X							B
T-98	TK-98	TANK 98		X							B
T-99	TK-99	TANK 99		X							B
T-108	TO-2	TANK 108		X							B
T-141	TO-2	TANK 141		X							
T-143	TO-2	TANK 143		X							B
T-144	TO-2	TANK 144		X							B
T-145	TO-2	TANK 145		X							B
E.P. FLARE	EP-FLARE1	COMPLEX 8 FLARE	X	X	X	X		X			B
ALKY-V1	EP-FLARE1	COMPLEX 8 FLARE		X							
BTX1-V1	EP-FLARE1	COMPLEX 8 FLARE		X							B
PPBBMER-V1	EP-FLARE1	COMPLEX 8 FLARE		X							
HCU-FLARE	HCU-FL1	H.C.U. AREA FLARE	X	X	X	X					
REF2-FLARE	REF2-FL1	No. 2 REFORMER AREA FLARE	X	X	X	X		X			B
QBTX-V1	REF2-FL1	No. 2 REFORMER AREA FLARE		X							B
QPSULF-V1	REF2-FL1	No. 2 REFORMER AREA FLARE		X							B

ATTACHMENT 1

Permit Numbers 2937 and PSDTX1023M2

Page 8

SRU1-FLARE	SRU1-FLARE	SRU No. 1 FLARE	X	X	X	X	X	
SRU2-FLARE	SRU2-FLARE	SRU No. 2 FLARE	X	X	X	X	X	
SWS-FLARE	SWS-FLARE	SOUR H2O STRIP FLARE	X	X	X	X	X	
WP-FLARE	WP-FLARE1	COMPLEX 7 FLARE	X	X	X	X		
SWS1-V2	WP-FLARE1	COMPLEX 7 FLARE	X	X			X	X
SWS2-V1	WP-FLARE1	COMPLEX 7 FLARE	X	X			X	X B
ARU1-V1	WP-FLARE1	COMPLEX 7 FLARE	X	X			X	X
ARU2-V1	WP-FLARE1	COMPLEX 7 FLARE	X	X			X	X
WP-FLARE2	WP-FLARE2	COMPLEX 7 FLARE	X	X	X	X		
148-H-01	148-H-01	No. 2 DHT CHARGE HEATER	X	X	X	X	X	
148-H-02	148-H-02	No. 2 DHT REBOILER	X	X	X	X	X	
SMR2	SMR2	No. 2 SMR HEATERS 1, 2, AND 3	X	X	X	X	X	
PMA-FE	PMA-FE	ASPHALT BLENDING UNIT FUGITIVES		X				
175-TK-001	175-TK-001	ASPHALT BLENDING UNIT WETTING TANK		X				
175-TK-002	175-TK-002	ASPHALT BLENDING UNIT MIXING TANK		X				
175-TK-003	175-TK-003	ASPHALT BLENDING UNIT MIXING TANK		X				
PMA-LOAD	PMA-LOAD	ASPHALT BLENDING UNIT LOADING		X			X	
DIST2-FE	DIST2-FE	DISTILLATE HYDROTREATER FUGITVES		X			X	X B
SMR2-FE	SMR2-FE	SMR ₂ FUGITIVES		X			X	X B
WWTP	90-TK-61	SLUDGE HOLDING TANK		X				B
WWTP	90-TK-65	DAF TANK		X				B
WWTP	90-TK-66	BIOREACTOR TANK		X				B
WWTP	90-TK-67	BIOREACTOR TANK		X				B
WWTP	90-TK-68	CLARIFIER TANK		X				B
WWTP	90-TK-69	CLARIFIER TANK		X				B
WWTP	90-TK-85	DAF TANK		X				B
WWTP	91-D-1	SLURRY TANK (SLUDGE CONC)		X				B
WWTP	91-D-2	MAKE-UP TK (SLUDGE CONC)		X				B
WWTP	91-D-3	CHARGE TANK (SLUDGE CONC)		X				B
WWTP	LS-1	WWTP LIFT STATION (COVERED)		X				B
WWTP	SUMP-1	WWTP SUMP		X				B
WWTP	T-109	TANK 109		X				B
WWTP	WWS-EP	EP CPI SEPARATOR (COVERED)		X				B
WWTP	91-D-4	WP SLUDGE CONCENTRATION TANK		X				B
WWTP	91-D-5	WP SLUDGE CONCENTRATION TANK		X				B
WWTP	QP-SUMP1	QP OILY WATER SYSTEM COLL. SUMP/PUMP OUT SYS.		X				B
WWTP	SUMP-2	WWTP DAF FLOAT/BOTTOMS COLL. PUMP SUMP		X				B
WWTP	SUMP-3	EP CPI INLET SUMP AND EXCESS		X				B

ATTACHMENT 1

Permit Numbers 2937 and PSDTX1023M2

Page 9

		INFLOW PUMP									
WWTP	SUMP-4	WP OILY WATER SYSTEM COLL. SUMP/PUMP OUT SYS.		X							B
WWTP	90-TK-64	WWTP BIOSLUDGE THICKENER		X							B
WWTP	90-TK-78	WWTP CLARIFIED ACT. BIOSLUDGE SKIM TANK		X							B
WWTP	90-TK-60	AEROBIC DIGESTER		X							B
CH1	CH1	TRUCK DUMP FUG.							X		
CH2	CH2	HOPPER & CONVEYOR FUGITIVES							X		
CH3	CH3	COKE STOCKPILE FUGITIVES							X		
NH3REF	NH3REF-FE	AMMONIA FUGITIVES								X	
V116T202	Q3-H-4	VENT/HEATER		X							B
FU-1	FU-1	COKE DRUM & CLAM SHELL FUGITIVES							X		
V154T010	QL-10	VENT/HEADEER			X						B

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3)
 - SO₂ - sulfur dioxide
 - VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - NO_x - total oxides of nitrogen
 - CO - carbon monoxide
 - PM - particulate matter, suspended in the atmosphere, including PM₁₀
 - PM₁₀ - particulate matter equal to or less than 10microns in diameter
 - NH₃ - ammonia
 - H₂S - hydrogen sulfide
 - A - sulfuric acid
 - B - benzene
 - C - chlorine and hydrogen chloride