EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 5171

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant=s property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission Point No. (1)	SourceAir Contaminant Name (2)		ssion Ra Name (3)		lb/hr	TPY**
FL-1	Marine Flare No.	N S	O NO _x SO ₂ /OC	17.38 4.68	0.02 34.40	
FL-2	Marine Flare No.	N S	O NO _x SO ₂ /OC	17.38 4.68	0.02 34.40	
FL-1 and FL-2	Annual Emissions Marine Fla 10.63	are Cap)		СО	
	10.00	5	NO _x SO ₂ /OC	1.36		0.01 15.78
MARINE	Marine Loading Losses - No 5.09	Contro	I	`	VOC	89.23
MARINE BD3	Marine Loading Losses - No 8.66	Contro	I	`	VOC	4.04
SUMP-1Wastewater S	Sumps VOC 9.24 9.41	-				
TK-ATMDEGAS	Uncontrolled Tank Degassin	g (7) \	/OC		103.35	
TK-DEGASTank Dega	assing CO 6.64 7.02	2				

Emission Point No. (1)	Source Name (2)	eAir Contaminant	Emission Rate Name (3)	<u>s *</u> lb/hr	TPY**
			NO _x	3.33	3.52
			SO ₂ VOC (6)	0.01 120.58	0.01
VCU-1	Vapor Combustion NO _x 42.53		n Unit No. 1	CO84.90	
			SO ₂ VOC	0.15 12.78	
VCU-2	Vapor Combustion		n Unit No. 2	CO84.90	
		SO ₂ VOC	0.15 12.78		
	VCU No. 1 Emission	and No. 2 Annual Cap	CO NO _x SO ₂ VOC		59.34 29.72 0.06 26.90
T5-11	Tank 5-11		VOC	13.66	
T5-12	Tank 5-1	2	VOC	1.51	
T5-15	Tank 5-1	5	VOC	13.66	
T5-16	Tank 5-1	6	VOC	13.66	
T10-1	Tank 10-	1	VOC	1.75	
T10-2	Tank 10-	2	VOC	13.66	
T10-4	Tank 10-	4	VOC	1.29	
T10-6	Tank 10-	6	VOC	1.75	

Emission Point No. (1)	Sour Name (2)	ceAir Contaminant	Emission Rates * Name (3)	lb/hr	TPY**
T10-7	Tank 10		VOC	1.38	
T10-8	Tank 10)-8	VOC	1.75	
T10-9	Tank 10)-9	VOC	1.75	
T10-10 T10-11	Tank 10 Tank 10		VOC VOC	1.75 1.75	
T12-1	Tank 12	2-1	VOC	2.08	
T12-2 T15-1	Tank 12 Tank 15		VOC VOC	2.08 0.67	
T17-1	Tank 17	7-1	VOC	0.14	
T17-2	Tank 17	7-2	VOC	0.14	
T27-1	Tank 27-1	VOC 2.20			
T27-2	Tank 27-2	VOC 2.20			
T27-3	Tank 27	7-3	VOC	1.81	
T27-4	Tank 27	7-4	VOC	1.81	
T30-1	Tank 30)-1	VOC	0.16	
T30-2	Tank 30)-2	VOC	0.16	
T55-2	Tank 55	5-2	VOC	13.75	
T55-3	Tank 55	5-3	VOC	13.75	
T55-4	Tank 55-4	VOC 2.92			
T55-5	Tank 55	5-5	VOC	1.62	
T75-1	Tank 75	5-1	VOC	1.69	

Emission Point No. (1)	SourceAir Contaminant Name (2)	Emission Rates * Name (3)	lb/hr	TPY**
T130-1	Tank 130-1	VOC	6.06	
T130-2	Tank 130-2	VOC	10.39	
T130-3 T130-4	Tank 130-3 Tank 130-4	VOC VOC	10.39 7.93	
T130-5	Tank 130-5	VOC	10.39	
T130-6 T130-7	Tank 130-6 Tank 130-7	VOC VOC	4.60 4.60	
T130-8	Tank 130-8	VOC	10.39	
T130-9	Tank 130-9	VOC	10.39	
T130-10	Tank 130-10	VOC	10.39	
T130-11	Tank 130-11	VOC	4.60	
T130-12	Tank 130-12	VOC	10.39	
T130-13	Tank 130-13	VOC	3.59	
T130-14	Tank 130-14	VOC	31.63	
T130-15	Tank 130-15	VOC	3.59	
T150-1	Tank 150-1	VOC	10.57	
T150-2	Tank 150-2	VOC	4.78	
T150-3	Tank 150-3	VOC	10.57	
T150-4	Tank 150-4	VOC	10.57	
T150-5	Tank 150-5	VOC	10.57	

Emission Point No. (1)	SourceAir Contaminant Name (2)	Emission Rates * Name (3)	lb/hr	TPY**
T150-6	Tank 150-6	VOC	10.57	
T150-7	Tank 150-7	VOC	10.57	
T150-8 T150-9	Tank 150-8 Tank 150-9	VOC VOC	4.78 10.57	
T150-10	Tank 150-10	VOC	10.57	
T150-11	Tank 150-11	VOC	10.57	
T150-12	Tank 150-12	VOC	10.47	
T150-13	Tank 150-13	VOC	10.47	
T150-14	Tank 150-14	VOC	10.47	
T150-15	Tank 150-15	VOC	10.47	
T150-16	Tank 150-16	VOC	10.47	
T150-17	Tank 150-17	VOC	10.47	
T150-18	Tank 150-18	VOC	4.68	
T150-19	Tank 150-19	VOC	10.47	
T150-20	Tank 150-20	VOC	10.47	
T150-21	Tank 150-21	VOC	4.88	
T150-22	Tank 150-22	VOC	4.88	
T150-23	Tank 150-23	VOC	4.88	
T150-24	Tank 150-24	VOC	4.88	

Emission Point No. (1)	SourceAir Contaminant Name (2)	Emission Rates * Name (3)	lb/hr	TPY**
T150-25	Tank 150-25	VOC	4.88	
T150-26	Tank 150-26	VOC	4.88	
T150-27	Tank 150-27	VOC	4.88	
T150-28	Tank 150-28	VOC	4.88	
T150-29	Tank 150-29	VOC	4.99	
T150-30	Tank 150-30	VOC	4.99	
T150-31	Tank 150-31	VOC	4.99	
T150-32	Tank 150-32	VOC	4.99	
T150-33	Tank 150-33	VOC	4.99	
T150-34	Tank 150-34	VOC	4.99	
T150-35	Tank 150-35	VOC	4.99	
T150-36	Tank 150-36	VOC	4.99	
T150-37	Tank 150-37	VOC	4.99	
T150-38	Tank 150-38	VOC	4.99	
T150-39	Tank 150-39	VOC	4.99	
T150-40	Tank 150-40	VOC	4.99	
T150-41	Tank 150-41	VOC	4.99	
T150-42	Tank 150-42	VOC	4.99	
T150-43	Tank 150-43	VOC	4.99	

Emission Point No. (1		urceAir Contaminant	Emission Rates * Name (3)	lb/hr	TPY**
T150-44	•	150-44	VOC	31.52	
T150-45	Tank	150-45	VOC	31.52	
T150-46	Tank	150-46	VOC	31.52	
T150-47	Tank	150-47	VOC	6.05	
T150-48	Tank	150-48	VOC	6.05	
T150-49	Tank	150-49	VOC	4.58	
T150-50	Tank	150-50	VOC	4.58	
T150-51	Tank	150-51	VOC	4.58	
T150-52	Tank	150-52	VOC	4.58	
T150-53	Tank	150-53	VOC	4.58	
T150-54	Tank	150-54	VOC	4.58	
T150-55	Tank 150-55	VOC 4.58			
T150-56	Tank 150-56	VOC 4.58			
T150-57	Tank 150-57	VOC 4.58			
T150-58	Tank 150-58	VOC 4.58			
T150-59	Tank 150-59		VOC	4.71	
T150-60	Tank	150-60	VOC	4.71	
T150-61	Tank	150-61	VOC	4.71	
T150-62	Tank	150-62	VOC	4.71	

Emission Point No. (1) T150-63	SourceAir Contaminant Name (2) Tank 150-63	Emission Rates * Name (3) VOC	<u>lb/hr</u> 4.71	TPY**
T150-64	Tank 150-64	VOC	4.71	
T150-65	Tank 150-65	VOC	4.71	
T150-66	Tank 150-66	VOC	4.71	
T150-67	Tank 150-67	VOC	4.71	
T150-68	Tank 150-68	VOC	4.71	
T150-69	Tank 150-69	VOC	4.71	
T150-70	Tank 150-70	VOC	4.71	
T150-71	Tank 150-71	VOC	4.71	
T150-72	Tank 150-72	VOC	4.71	
T150-73	Tank 150-73	VOC	4.71	
T150-74	Tank 150-74	VOC	4.69	
T150-75	Tank 150-75	VOC	4.69	
T150-76	Tank 150-76	VOC	4.69	
T150-77	Tank 150-77	VOC	4.69	
T150-78	Tank 150-78	VOC	4.69	
T170-1	Tank 170-1	VOC	31.67	
T170-2	Tank 170-2	VOC	31.67	
T170-3	Tank 170-3	VOC	31.67	

Emission Point No. (1)	SourceAir Contaminant Name (2)	Emission Rates * Name (3)	 lb/hr	TPY**		
T170-4	Tank 170-4	VOC	31.67			
T170-5	Tank 170-5	VOC	10.52			
T170-6	Tank 170-6	VOC	10.52			
T170-7	Tank 170-7	VOC	10.52			
T200-1	Tank 200-1	VOC	10.43			
T200-2	Tank 200-2	VOC	10.43			
T200-3	Tank 200-3	VOC	10.43			
T250-1	Tank 250-1	VOC	10.40			
T250-2	Tank 250-2	VOC	10.40			
T300-1	Tank 300-1	VOC	10.42			
T300-2	Tank 300-2	VOC	31.89			
T300-3	Tank 300-3	VOC	10.37			
Landed RoofAny 10 Tanks (5) VOC5,564.43 Refill Cap						
Annual Emission Cap	All Tanks (6)	VOC	1,199.96			
FUG+FUG MEntire Process Fugitives (4)VOC 7.61 32.18						
TKFUG-PIT9	Pit 9 Tank Process Fugitives	s (4) VOC	0.56	2.47		

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.

SO₂ - sulfur dioxide

VOC -volatile organic compounds as defined in Title 30 Texas
Administrative Code ' 101.1

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Hourly emissions cap covers simultaneous re-filling of tanks pursuant to Special Condition No. 17.
- (6) Annual emissions cap for tanks covers routine emissions, tank roof landings and degassing.
- (7) These are maximum VOC emissions during one hour of tank degassing. Annual tank degassing emissions are authorized under the annual emission cap for all tanks.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:
 - 24 Hrs/day 7 Days/week 52 Weeks/year

Permit Number 5171

Page 11
** Co

** Compliance with annual emission limits is based on a rolling 12-month period.

Date <u>August 6, 2008</u>