Permit No. 1105 and PSD-TX-185M1

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

| Emission * | Source | Air Contaminant | <u>Emission</u> | Rates |
|---------------|--------------|-----------------|-----------------|-------|
| Point No. (1) | Name (2) | Name (3) | 1b/hr | TPY |
| 004T308R | Storage Tank | VOC | <0.1 | <0.1 |
| 004T330 | Storage Tank | VOC | <0.1 | <0.1 |
| 004T331 | Storage Tank | VOC | <0.1 | <0.1 |
| 004T332 | Storage Tank | VOC | <0.1 | <0.1 |
| 004T333 | Storage Tank | VOC | <0.1 | <0.1 |
| 022T109 | Storage Tank | VOC | 0.3 | <0.1 |
| 022T113 | Storage Tank | VOC | 3.3 | 0.2 |
| 022T114 | Storage Tank | VOC | 0.4 | 1.2 |
| 026T194 | Storage Tank | VOC | 0.7 | 0.2 |
| 026T303 | Storage Tank | VOC | 0.7 | 0.2 |
| 050T403 | Storage Tank | VOC | 6.8 | 0.1 |
| 050T405 | Storage Tank | VOC | 0.1 | <0.1 |
| 050T412 | Storage Tank | VOC | 2.7 | 0.1 |
| 053T285R | Storage Tank | VOC | <0.1 | <0.1 |
| 100T33 | Storage Tank | VOC | 0.2 | 0.7 |
| 100T34 | Storage Tank | VOC | 0.3 | 1.0 |

| Emission | Source | Air Contaminant | <u>Emission</u> | Rates |
|---------------|----------|-----------------|-----------------|-------|
| <u>*</u> | | | | |
| Point No. (1) | Name (2) | Name (3) | lb/hr | TPY |

Permit No. 1105 and PSD-TX-185M1 Page 3

| Emission | Source | Air Contaminant | <u>Emission</u> | Rates |
|---------------------------------------|-------------------------|---|---|--|
| <u>*</u> Point No. (1) | Name (2) | Name (3) | lb/hr | TPY |
| 008LR1, or 022LT51 | Solvent B-624 Loading | VOC | 0.3 | <0.1 |
| 008LR1, or 022LT51 | Solvent B-38 Loading | VOC | 4.5 | 0.1 |
| 027FL1 | Flare | NO_x CO SO_2 VOC | 0.6 1.1 <0.1 22.8 | 0.2 0.3 <0.1 3.1 |
| 050FL1 Service | Emergency Flare | VOC | Emergenc | У |
| 061D100 | Quench Water System | CO | 7.1 | 31.1 |
| 062CD18A, 062CD18B, or 062CD18C | Reformer Furnace No. 17 | NO _x CO SO ₂ PM NMHC MEA | 7.8 2.0 0.1 0.3 0.2 3.3 | 28.3 7.1 0.1 1.0 0.6 14.5 |
| 062CD26, or 062CD28 | Reformer Furnace No. 18 | NO _x CO SO ₂ PM NMHC MEA | 7.8 2.0 0.03 0.02 0.16 2.6 | 28.3 7.1 0.1 0.1 0.6 11.4 |
| 062CD28, or 062CD26 | Reformer Furnace No. 19 | NO _x (5) CO SO ₂ PM NMHC | 12.1 2.0 0.02 0.02 0.16 | 43.8 7.1 0.1 0.1 0.6 |

Permit No. 1105 and PSD-TX-185M1 Page 4

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

| Emission * | Source | Air Contaminant | <u>Emission</u> | Rates |
|---------------|----------|-----------------|-----------------|-------|
| Point No. (1) | Name (2) | Name (3) | 1b/hr | TPY |
| | | MEA | 2.6 | 11.4 |

Permit No. 1105 and PSD-TX-185M1 Page 5

| Emission * | Source | Air Contaminant | Emission Rates | |
|------------------------|-------------------------|---|--|--|
| <u> </u> | Name (2) | Name (3) | lb/hr | TPY |
| 062CD32, or 062CD26 | Reformer Furnace No. 20 | (6) NO _x CO SO ₂ PM NMHC MEA | 11.0 3.2 0.02 0.03 0.26 2.1 | 48.2 14.0 0.1 0.2 1.2 9.1 |
| 062H21 | Reformer Furnace No. 21 | NO _x CO SO ₂ PM VOC | 3.5 1.5 <0.1 0.4 <0.1 | 15.3 6.6 <0.1 1.9 <0.1 |
| 062C17 | Compressor Engine | NO_{\times} CO SO_{2} VOC | 58.6 5.9 0.02 0.92 | 243.3 24.3 0.1 3.8 |
| 062C19 | Compressor Engine | NO_{x} (5) CO SO_{2} VOC | 55.5 6.3 0.02 1.80 | 243.1 26.1 0.1 7.5 |
| 062C20 | Compressor Engine | NO_{x} (5) CO SO_{2} VOC | 55.5 6.3 0.02 1.80 | 243.1 26.1 0.1 7.5 |
| 062C22 | Compressor Engine | NO_{\times} CO SO_{2} VOC | 20.9 16.8 0.02 0.50 | 86.8 69.5 0.1 2.1 |
| F053WW1 | Wastewater Fugitives | VOC | <0.1 | <0.1 |

| Emission * | Source | Air Contaminant | <u>Emissio</u> | n Rates |
|---------------|-------------------------|-----------------|----------------|--------------|
| Point No. (1) | Name (2) | Name (3) | lb/hr | TPY |
| F053WW2 | Wastewater Fugitives | VOC | 2.3 | 10.2 |
| F063CT3 | Cooling Tower Fugitives | VOC | 0.9 | 3.7 |
| F053FG1 | Fugitives (4) | CO VOC | 2.1 29.0 | 9.2 127.0 |
| F062FG1 | Fugitives (4) | CO MEA | 10.7 2.8 | 47.0 12.1 |
| F062GA20 | Analyzer Vents | CO | 0.3 | 1.5 |

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1
 - NO_x total oxides of nitrogen
 - CO carbon monoxide
 - SO₂ sulfur dioxide
 - PM particulate matter
 - MEA monoethanolamine
 - NMHC nonmethane hydrocarbons
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) These are the Permit PSD-TX-185M1 emissions.
- (6) Emission rates include contributions from Cell Nos. 18 and 19.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

| | Hr | s/day | Days/week | Weeks/year |
|----|-------|----------|-----------|------------|
| or | 8,760 | Hrs/year | | |

| Emission | Source | Air Contaminant | <u>Emission</u> | Rates |
|---------------|----------|-----------------|-----------------|----------|
| <u>*</u> | | | | |
| Point No. (1) | Nama (2) | Nama (2) | lb/hr | TPY |
| POINT NO. (I) | Name (2) | Name (3) | 10/111 | <u> </u> |