## Emission Sources - Maximum Allowable Emission Rates

# Permit Number 7286 and PSD-TX-892

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

# Air Contaminants Data

| Emission Point No. (1)       | Source Name (2)                                | Air Contaminant   | Emission Rates (9) |         |
|------------------------------|--|-------------------|--------------------|---------|
|                              |  | Name (3)          | lbs/hour           | TPY (4) |
| Boiler-1                     | Wood-fired Boiler                              | NO <sub>x</sub>   | 18.00              | 78.84   |
|                              |  | SO <sub>2</sub>   | 2.40               | 10.51   |
|                              |  | СО                | 100.78             | 441.40  |
|                              |  | PM <sub>10</sub>  | 9.47               | 41.47   |
|                              |  | PM <sub>2.5</sub> | 9.35               | 40.97   |
|                              |  | VOC               | 3.26               | 14.30   |
| Planer-1                     | Planer Mill Cyclone                            | PM                | 9.00               | 39.42   |
|                              |  | PM <sub>10</sub>  | 6.27               | 27.46   |
|                              |  | PM <sub>2.5</sub> | 2.49               | 10.90   |
| CKiln-1                      | Continuous Wood Drying Kiln<br>No. 1 (6)       | voc               | 57.29              | 210.90  |
| CKiln-2                      | Continuous Wood Drying Kiln<br>No. 2 (6)       | voc               | 57.29              | 210.90  |
| Kiln-3                       | Batch Wood Drying Kiln (6)                     | VOC               | 15.40              | 59.50   |
| CKiln-1, CKiln-2, and Kiln-3 | Total Annual Emissions from all Kilns (6)      | voc               | -                  | 481.25  |
| Debark-1                     | Log Debarker No. 1 (7)                         | PM                | 0.15               | 0.66    |
|                              |  | PM <sub>10</sub>  | 0.04               | 0.20    |
| Debark-2                     | Log Debarker No. 2 (7)                         | PM                | 0.73               | 0.66    |
|                              |  | PM <sub>10</sub>  | 0.22               | 0.20    |
| Debark-1 and Debark-2        | Total Annual Emissions from both Debarkers (7) | PM                | -                  | 1.32    |
|                              |  | PM <sub>10</sub>  | -                  | 0.40    |
| Saw-1                        | Cutup Saw Line No. 1 (8)                       | PM                | 0.47               | 0.43    |
|                              |  | PM <sub>10</sub>  | 0.17               | 0.16    |
| Saw-2                        | Cutup Saw Line No. 2 (8)                       | PM                | 0.47               | 0.43    |
|                              |  | PM <sub>10</sub>  | 0.17               | 0.16    |

## Emission Sources - Maximum Allowable Emission Rates

| Saw-1 and Saw-2 | Total Annual Emissions from both Saw Lines (8) | РМ                | -     | 0.85  |
|-----------------|--|-------------------|-------|-------|
|                 |  | PM <sub>10</sub>  | -     | 0.31  |
| Chipbin-1       | Truck Loadout No. 1                            | PM                | 0.07  | 0.04  |
|                 |  | PM <sub>10</sub>  | 0.03  | 0.02  |
|                 |  | PM <sub>2.5</sub> | <0.01 | <0.01 |
| Chipbin-2       | Truck Loadout No. 2                            | PM                | 0.09  | 0.10  |
|                 |  | PM <sub>10</sub>  | 0.04  | 0.05  |
|                 |  | PM <sub>2.5</sub> | <0.01 | <0.01 |
| Chipbin-3       | Truck Loadout No. 3                            | PM                | 0.03  | 0.02  |
|                 |  | PM <sub>10</sub>  | 0.02  | 0.01  |
|                 |  | PM <sub>2.5</sub> | <0.01 | <0.01 |
| HR-FUG          | Haul Road Fugitives (5)                        | PM                |       | 7.37  |
|                 |  | PM <sub>10</sub>  |       | 1.62  |
|                 |  | PM <sub>2.5</sub> |       | 0.33  |
| TP-FUG          | Transfer Point Fugitives (5)                   | PM                | 0.17  | 0.64  |
|                 |  | PM <sub>10</sub>  | 0.08  | 0.30  |
|                 |  | PM <sub>2.5</sub> | 0.02  | 0.05  |

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.

NO<sub>x</sub> - total oxides of nitrogen

SO<sub>2</sub> - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM10 and PM2.5, as

represented

 $PM_{10}$  - total particulate matter equal to or less than 10 microns in diameter, including  $PM_{2.5}$ , as

represented

PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter

CO - carbon monoxide

- hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40

Code of Federal Regulations Part 63, Subpart C

- (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Annual compliance will be maintained on the sum of the emissions from the three lumber kilns. West Fraser will maintain records of production for each kiln to verify that the annual total limit is not exceeded.
- (7) Annual compliance will be maintained on the sum of the emissions from the two debarkers. West Fraser will maintain records of total tons of logs processed through both debarkers (aggregate) to verify that the annual total limit is not exceeded.

| Permit Number | 7286 | and | PSD-TX | -892 |
|---------------|------|-----|--------|------|
| Page 3        |      |     |        |      |

# Emission Sources - Maximum Allowable Emission Rates

- (8) Annual compliance will be maintained on the sum of the emissions from the two saw lines. West Fraser will maintain records of tons of logs processed for each saw line to verify that the annual total limit is not exceeded.
- (9) Planned startup and shutdown emissions are included, as well as planned maintenance activities identified as part of the permit alteration issued April 5, 2013.

| Date: | April 5, 2013 |
|-------|---------------|