#### Flexible Permit Number 6308 and PSD-TX-137M2

This table lists the maximum allowable emission caps and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### NO<sub>x</sub> EMISSION CAP

Facility/Emission Point Categories	Year	lb/hr	TPY **
Fired Units Fired Units, Boilers	2000 through 2005 2006	425.24 448.84	921.00 1024.00
СО	EMISSION CAP		
Facility/Emission Point Categories	Year	lb/hr	<u>TPY</u> **
Fired Units Fired Units, Boilers	2000 through 2005 2006	272.15 300.45	479.12 603.02
SO <sub>2</sub>	EMISSION CAP		
Facility/Emission Point Categories	Year	lb/hr	<u>TPY</u> **
Fired Units Fired Units, Boilers	2000 through 2005 2006	277.09 289.08	160.20 191.80
РМ	EMISSION CAP		
Facility/Emission Point Categories	Year	lb/hr	<u>TPY</u> **
Fired Units Fired Units, Boilers	2000 through 2005 2006	50.30 53.20	190.58 203.38

## **VOC EMISSION CAP**

Facility/Emission Source Categories	Year	lb/hr	TPY **
Fired Units, Cooling Towers, Tanks, Fugitives, Wastewater, Miscellaneous (4)	2000 through 2005	654.32	605.77
Fired Units, Cooling Towers, Tanks, Fugitives, Wastewater, Miscellaneous, Boilers (4)	2006	647.92	577.87
Toluene E	EMISSION CAP		
Facility/Emission Point Categories	Year	lb/hr	<u>TPY</u> **
Tanks E11TKS23, E11TKR17, and E11TKR18	2000	0.96	2.53
Xylene E	MISSION CAP		
Facility/Emission Point Categories	Year	lb/hr	<u>TPY</u> **
Tanks E11TKS32, E11TKR9, and E11TKR11	2000	11.92	13.06
Benzene I	EMISSION CAP		
Facility/Emission Point Categories	Year	lb/hr	<u>TPY</u> **
Tanks E11TKS22, E11TKR5, E11TKR7, and Tank E11TKS21	2000	1.34	2.77
Cyclohexan	e EMISSION CAP		
Facility/Emission Point Categories	Year	lb/hr	<u>TPY</u> **
Tanks E11TKS21, E11TKR34, and E11TKR40	2000	0.78	2.67

### MTBE EMISSION CAP

Facility/Emission Point Categories	Year	lb/hr	TPY **
Tanks E12TK146, E18TK125 and E18TK140	2000	3.79	6.16

### INDIVIDUAL EMISSION LIMITATIONS

#### AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant	Emission Rat	
Point No. (1)	Name (2)		Name (3)	lb/hr	<u>TPY **</u>
FL-27	East Flare	NO <sub>x</sub>	VOC 2.34	23.51 7.15	71.49
		CO	12.10	36.82	
		SO <sub>2</sub> H <sub>2</sub> S	0.59 0.01	1.79 0.02	
22	Boiler No. HA-5 (5)	NO <sub>x</sub>	VOC 33.0	0.65 145.0	2.84
		CO SO <sub>2</sub>	9.90 3.68	43.40 9.67	
		$PM_{10}$	0.90	3.92	
23	Boiler No. HA-6 (5)	NO <sub>x</sub>	VOC 33.0 9.90	0.65 145.0 43.40	2.84
		SO <sub>2</sub> PM <sub>10</sub>	3.68 0.90	9.67 3.92	
24	Boiler No. HA-7 (5)	$NO_x$ $CO$ $SO_2$ $PM_{10}$	VOC 33.0 9.90 3.68 0.90	0.65 145.0 43.40 9.67 3.92	2.84

AIR CONTAMINANTS DATA

	Air Contaminant	Emission Ra	aics
Name (2)	Name (3)	lb/hr	<u>TPY **</u>
1 (6)			
SRU No. 1 Heater	VOC	0.02 NO <sub>x</sub> 0.58 CO 0.31 PM 0.03 SO <sub>2</sub> 0.12	0.09 2.53 1.36 0.12 0.31
SRU No. 1 Fugitives	(4) VOC	0.05 CO 0.03 H <sub>2</sub> S 0.05	0.21 0.13 0.20
ARU No 1 Fugitives	(4) VOC	0.07 CO 0.01 H <sub>2</sub> S 0.02	0.31 0.03 0.09
SRU No. 1 Flare	Emergency and	Maintenance Only VOC $0.10$ NO $_{\times}$ $0.08$ CO $0.71$ SO $_{2}$ < $0.01$	0.22 0.18 1.55 0.01
		0.13 NO <sub>x</sub> 10.60 CO 61.20 PM 0.18 SO <sub>2</sub> 39.04 H <sub>2</sub> S 0.42	0.58 2.41 14.00 0.80 171.01 1.82
	1 (6)  SRU No. 1 Heater  SRU No. 1 Fugitives  ARU No 1 Fugitives  SRU No. 1 Flare  SRU No. 1 and	1 (6)  SRU No. 1 Heater VOC  SRU No. 1 Fugitives (4) VOC  ARU No 1 Fugitives (4) VOC  SRU No. 1 Flare Emergency and  SRU No. 1 and VOC	1 (6)  SRU No. 1 Heater

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates lb/hr	* TPY **
Sulfur Recovery Unit No.	. 2			
ARU2SUMP	ARU No. 2 Sump	VOC	0.02	<0.01
F-SRU2	SRU No. 2 Fugitives C H	VOC O 0.03 ₂S 0.05	0.05 0.13 0.20	0.21
F-AMINE2	ARU No. 2 Fugitives C H	VOC O 0.01 ₂S 0.02	0.07 0.03 0.09	0.31
FL-88	С	O <sub>x</sub> 0.08	0.10 0.18 1.55 <0.01	0.22
SRU2SUMP	SRU No. 2 Sump	VOC	0.02	<0.01

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO<sub>x</sub> - total oxides of nitrogen

SO<sub>2</sub> - sulfur dioxide

PM - particulate matter, suspended in the atmosphere, including PM<sub>10</sub>

 $PM_{10}$  - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

CO - carbon monoxide

MTBE - methyl-tert-butyl ether

H<sub>2</sub>S - hydrogen sulfide

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Boilers HA-5, HA-6, and HA-7 emission rates are valid through 2005 or until Low-NO<sub>x</sub> burners

(6)	have been installed. After 2005, the boilers are in the emission caps. Permit No. 1413 which authorized SRU No. 1 was consolidated into Permit No. 6308 in August 2002.
*	Emission rates are based on and the facilities are limited by the following maximum operating

*	schedule:
	Hrs/dayDays/weekWeeks/year or <u>8,760</u> Hrs/year
**	Compliance with annual emission limits is based on a rolling 12-calendar-month period.

Dated