## Emission Sources - Maximum Allowable Emission Rates

## Permit Number 36879

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Primary Crusher (5)	PM PM <sub>10</sub>	lbs/hour  0.38	<b>TPY (4)</b>
T		0.38	0.72
Primary Crusher (5)		0.38	0.72
	PM <sub>10</sub>		0.12
		0.17	0.32
	PM <sub>2.5</sub>	0.03	0.06
Primary Screen (5)	РМ	0.55	1.03
	PM <sub>10</sub>	0.19	0.35
	PM <sub>2.5</sub>	0.01	0.02
Secondary Screen (5)	РМ	0.28	0.52
	PM <sub>10</sub>	0.09	0.17
	PM <sub>2.5</sub>	0.01	0.01
Material Handling Fugitives (5)	РМ	0.25	0.46
	PM <sub>10</sub>	0.08	0.15
	PM <sub>2.5</sub>	0.02	0.04
Mobile Crusher Stockpiles (5)	РМ		0.22
	PM <sub>10</sub>		0.11
	PM <sub>2.5</sub>		0.02
Primary Crusher Engine	РМ	0.02	0.04
	PM <sub>10</sub>	0.02	0.04
	PM <sub>2.5</sub>	0.02	0.04
	NO <sub>x</sub>	0.34	0.82
	voc	0.16	0.39
	со	2.93	7.19
	SO <sub>2</sub>	0.01	0.02
	Secondary Screen (5)  Material Handling Fugitives (5)  Mobile Crusher Stockpiles (5)	Primary Screen (5)       PM         PM₂₅       PM         Secondary Screen (5)       PM         PM₂₅       PM₂₅         Material Handling Fugitives (5)       PM         PM₂₅       PM₂₅         Mobile Crusher Stockpiles (5)       PM         PM₂₅       PM₂₅         PM₁₀       PM₂₅         PM₂₅       PM         PM₂₅       PM₂₅         PM₁₀       PM₂₅         PM₂₅       PM₂₅         PM₂₅       PM₂₅         PM₂₅       PM₂₅         PO√₂₅       PO√₂ѕ         NOҳ       VOC         CO       CO	Primary Screen (5)       PM       0.55         PM₁0       0.19         PM2.5       0.01         Secondary Screen (5)       PM       0.28         PM₁0       0.09         PM₂5       0.01         Material Handling Fugitives (5)       PM       0.25         PM₁0       0.08         PM₂5       0.02         Mobile Crusher Stockpiles (5)       PM          PM₂5          PM₁0          PM₂5          PM₁0       0.02         PM₁0       0.02         PM₂5       0.02         PM₂6       0.02         PM₂6       0.02         PM₂6       0.02         PM₂6       0.02

Emission Sources - Maximum Allowable Emission Rates

SC-ENG	Secondary Screen Engine	PM	<0.01	0.01
	Liigine	PM <sub>10</sub>	<0.01	0.01
		PM <sub>2.5</sub>	<0.01	0.01
		NO <sub>x</sub>	0.09	0.21
		voc	0.04	0.10
		со	1.07	2.62
		SO <sub>2</sub>	<0.01	<0.01
ST-ENGX	Stacker Engines	РМ	0.01	0.02
		PM <sub>10</sub>	0.01	0.02
		PM <sub>2.5</sub>	0.01	0.02
		NO <sub>x</sub>	1.05	2.57
		VOC	0.50	1.22
		СО	1.64	4.03
		SO <sub>2</sub>	<0.01	0.01
Crushing Plant 1				
C-01	Horizontal Rotor Crusher (4)	РМ	0.02	0.03
	Ordoner (4)	PM <sub>10</sub>	0.01	0.02
		PM <sub>2.5</sub>	<0.01	<0.01
B-01	Storage Piles (4)	РМ		1.01
		PM <sub>10</sub>		0.50
		PM <sub>2.5</sub>		0.09
D-01	Drop to Hopper (4)	РМ	<0.01	0.01
		PM <sub>10</sub>	<0.01	<0.01
		PM <sub>2.5</sub>	<0.01	<0.01
D-02	Hopper Drop to Belt (4)	РМ	<0.01	0.01
	(-)	PM <sub>10</sub>	<0.01	<0.01
		PM <sub>2.5</sub>	<0.01	<0.01
EPN 4	Caterpillar 3306 260- HP Diesel Engine	PM	0.57	1.07

Project Number: 334950

## Emission Sources - Maximum Allowable Emission Rates

		PM <sub>10</sub>	0.57	1.07
	PM <sub>2.5</sub>	0.57	1.07	
	VOCs	0.65	1.22	
		NOx	8.06	15.09
		SO <sub>2</sub>	0.53	1.00
		со	1.74	3.25

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO<sub>x</sub> - total oxides of nitrogen

SO<sub>2</sub> - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as represented

PM<sub>10</sub> - total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as

represented

PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter

CO - carbon monoxide

- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date: December 15, 2021