## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit No. 40172

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissior</u>	n Rates
<u>*</u>				
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
1	Drum/Dryer Baghouse	V0C	17.70	15.93
		$NO_{x}$	10.80	9.72
		CO	11.4	10.26
		SO <sub>2</sub>	15.08	15.61
		$PM_{10}$	9.17	8.25
2	Lime Silo Vent	$PM_{10}$	0.10	<0.01
3	Material Screening	PM	23.03	21.70
	and Handling (4)	$PM_{10}$	0.84	0.78
4	Stockpiles (4)	PM	*	1.92
	, , ,	$PM_{10}$	*	0.94

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in TNRCC General Rule 101.1
  - NO<sub>x</sub> nitrogen oxide
  - CO carbon monoxide
  - SO<sub>2</sub> sulfur dioxide
  - PM -particulate matter, suspended in the atmosphere, including  $PM_{10}$ .  $PM_{10}$  particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

(4) Fugitive emissions are an estimate only.

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

* Emission rates are based on and the factoring asphalt concrete production rates	
tons/hour	tons/year
Standard hot mix asphalt concrete	300 540,000
<u>24</u> hours/day <u>7</u> days/week <u></u> hours/year	<u>52</u> weeks/year <u>4,000</u>
	Dated