

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Numbers 1302 and PSDTX1085

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
PH2	Start-Up Flare Interim until 12/31/2011	VOC	577.88	15.60
		CO	322.44	16.82
		NO _x	60.74	4.86
		NH ₃	393.16	25.02
		SO ₂	0.12	0.01
PH2	Start-Up Flare After 12/31/2011	VOC	165.11	5.17
		CO	214.52	15.16
		NO _x	60.74	4.86
		NH ₃	80.34	4.83
		SO ₂	0.12	0.01
PH3	ADN Operating Flare	VOC	614.45	92.42
		CO	521.74	307.75
		NO _x	139.52	22.60
		SO ₂	1.23	2.91
		HCl	0.07	0.19
PH70	Ammonia Flare	VOC	4.68	0.34
		CO	64.88	4.24
		NO _x	64.41	3.91
		NH ₃	112.67	6.76
		SO ₂	0.01	0.01
PH63	HCN Loading Flare	VOC	0.34	0.77
		CO	1.59	4.07

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
		NO _x	0.20	0.49
		NH ₃	0.01	0.01
		SO ₂	0.01	0.01
PA403	Building 3056 Fugitive (4)	VOC	0.45	1.99
PA404	Building 3040 Fugitive (4)	VOC	4.95	21.68
PA405	Building 3050 Fugitive (4)	VOC	5.27	23.09
PA406	Building 3092 Fugitive (4)	VOC	0.08	0.37
PA407	Building 3045/3055 Fugitive (4)	VOC	0.61	2.66
		HCl	0.01	0.01
PC408	Building 3065/3099 Fugitive (4)	VOC	2.36	10.37
		HCl	0.03	0.13
PC409	Building 3068 Fugitive (4)	VOC	0.86	3.77
		HCl	0.01	0.01
PF410	311 Tank Farm Fugitive (4)	VOC	0.13	0.55
PF414	3047 Rail Rack Fugitive (4)	VOC	0.19	0.82
PH401	Building 3030/3032 Fugitive (4)	VOC	3.09	13.56
		NH ₃	3.60	15.75
PH402	Building 3090 Fugitive (4)	VOC	0.02	0.10
PH601	E HCN OD Stack	VOC	0.01	0.01
		NH ₃	0.01	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
PH602	W HCN OD Stack	VOC	0.01	0.01
		NH ₃	0.01	0.01
PC82	Dust Collector	PM	0.03	0.01
PT301	Tank	INORGANIC	0.01	0.01
PT302	Tank	INORGANIC	0.01	0.01
PT303	Tank	INORGANIC	0.01	0.01
PT304	Tank	VOC	0.01	0.01
PT305	Decanter	VOC	0.01	0.01
PT60	Absorber	VOC	3.21	2.91
PA39	Fume Abator (Incinerator)	VOC	0.48	1.05
		CO	0.01	0.01
		NO _x	2.00	5.12
		SO ₂	0.01	0.01
		NH ₃	0.01	0.01
PT326	Tank	VOC	0.01	0.01
PT329	Tank	VOC	2.51	0.24
PT335	Tank	VOC	0.03	0.01
PT308	Tank	VOC	1.88	0.36
PT10	HCL Scrubber/Tank	HCl	0.17	0.02

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
PT341	Tank	VOC	0.01	0.01
PT342	Tank	VOC	0.13	--
PT343	Tank	VOC	0.13	--
PT342, PT343	Tanks	VOC	--	0.08
PT344	Tank	VOC	0.02	0.01
PT345	Tank	VOC	0.01	0.01
PT347	Tank	VOC	0.01	0.01
PT349	Tank	VOC	0.02	0.01
PT369	Tank	VOC	0.01	0.01
PT370	Tank	VOC	0.01	0.01
PT371	Tank	VOC	0.01	0.01
PT379	Tank	VOC	0.01	0.01
PT380	Tank	VOC	0.01	0.01
PT383	Tank	VOC	11.30	--
PT384	Tank	VOC	11.30	--
PT383, PT384	Tanks	VOC	--	3.85

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
PT387	Tank	VOC	0.01	0.01
PT388	Tank	VOC	0.01	0.01
PC83	Building Vent	PM	6.00	0.75
PN628	ADN Analyzer Vent	VOC	0.01	0.01
PN601	NG Plant KO Pot	VOC	0.05	0.22
PH627	HCN Analyzer Vent	VOC	0.01	0.01
PN301	Tank	VOC	0.01	0.01
PN302	Tank	VOC	0.01	0.01
PT353	Tank	VOC	0.01	--
PT354	Tank	VOC	0.01	--
PT355	Tank	VOC	0.01	--
PT353, PT354, PT355	Tanks	VOC	--	0.01
PT381	Tank	VOC	5.31	--
PT382	Tank	VOC	5.30	--
PT381, PT382	Tanks	VOC	--	2.08
PN447	Gas Plant Fugitive (4)	VOC	0.57	2.49

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
PF412	513 Tank Farm Fugitive (4)	VOC	0.01	0.02
PF413A	Cooling Tower Fugitive (4)	INORGANIC	0.08	0.32
PF413	ADN Cooling Tower	PM	0.38	1.65
PF415	3058 Tank Farm Fugitive (4)	VOC	0.23	1.01
PF900	Parts Degreaser	VOC	0.025	0.01
PF901	Dust Collector	PM	0.55	0.10
PF40	South ADN Boiler	VOC	1.79***	--
		CO	56.68***	--
		NO _x	490.00***	--
		PM	13.69***	--
		HCl	2.96***	--
		Cl ₂	0.72***	--
		SO ₂	0.23***	--
PF41	North ADN Boiler	VOC	1.79***	--
		CO	69.38***	--
		NO _x	637.00***	--
		PM	13.69***	--
		HCl	2.96***	--
		Cl ₂	0.72***	--
		SO ₂	0.23***	--
PF40/PF41	South and North ADN Boilers	VOC	--	5.26
		CO	--	151.34
		NO _x	--	2407.04

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
		PM	--	15.39
		HCl	--	4.38
		Cl ₂	--	1.06
		SO ₂	--	1.00
PF416	Boiler Fugitive (4)	VOC	0.07	0.31
PT399	Misc Tanks	VOC	0.01	0.01
PW450	Wastewater Fugitive (4)	VOC	0.05	0.01
PC22	Carbon Drum	VOC	0.01	0.01
PC425	Drum	VOC	0.03	0.01
PC426	Drum	VOC	0.01	0.01
PC23	Carbon Drum	VOC	0.01	0.01
PF601	North ADN Boiler Analyzer Vent	VOC	0.01	0.01
		CO	0.01	0.04
		NO _x	0.08	0.35
		PM	0.01	0.01
		HCl	0.01	0.01
		Cl ₂	0.01	0.01
		SO ₂	0.01	0.01
PF600	South ADN Boiler Analyzer Vent	VOC	0.01	0.01
		CO	0.01	0.03
		NO _x	0.06	0.27
		PM	0.01	0.01
		HCl	0.01	0.01
		Cl ₂	0.01	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY **
		SO ₂	0.01	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
CO - carbon monoxide
NO_x - total oxides of nitrogen
NH₃ - ammonia
SO₂ - sulfur dioxide
HCl - hydrogen chloride
Cl₂ - chlorine
PM - particulate matter, suspended in the atmosphere, including PM₁₀
PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
- (4) Emission rate is an estimate and compliance is demonstrated by meeting the requirements of the applicable special conditions and permit application representations.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760

** Compliance with annual emission limits is based on a rolling 12-month period.

*** lb/hr limits for North and South ADN Boilers are based on a 30-day rolling average

Dated January 24, 2011