EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 25232

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Air Contaminant <u>Em</u> Name (2) Name (3) lbs/h			
E1	BATCHING AND GRINDING STACK	РМ	1.82	7.94
E2	SPRAY DRIER STACK	NO_x SO_2 CO PM VOC	1.62 <0.01 0.41 1.69 0.07	6.08 0.03 1.52 6.35 0.26
E3	POWDER STORAGE STACK	РМ	0.87	3.8
E4	PRESSING STACK	РМ	2.05	8.97
E5	NORMAL PIECES DRIER STACK	NO_x SO_2 CO PM VOC	0.12 <0.01 0.03 <0.01 <0.01	0.51 <0.01 0.11 0.03 0.05
E5A	NORMAL PIECES DRIER STACK	NO _x SO ₂ CO PM VOC	0.12 <0.01 0.03 <0.01 <0.01	0.51 <0.01 0.11 0.03 0.05
E6	NORMAL PIECES DRIER STACK	NOx SO ₂ CO PM VOC	0.12 <0.01 0.03 <0.01 <0.01	0.51 <0.01 0.11 0.03 0.05

Page 2

E6A	EMISSION SOURCES - MAXIMUM A NORMAL PIECES DRIER STACK	ALLOWABLE EMIS NO _x SO ₂ CO PM VOC	0.12 <0.01 0.03 <0.01 <0.01	0.51 <0.01 0.11 0.03 0.05
	AIR CONTAMINANTS	DATA		
Emission Point No. (1)	_	mission Rates * s/hr TPY		
E7	TRIM PIECES DRIER STACK	NO _x SO₂ CO PM VOC	0.08 <0.01 0.02 <0.01 <0.01	0.34 <0.01 0.07 0.02 0.03
E8	TRIM PIECES DRIER STACK	NO _x SO₂ CO PM VOC	0.08 <0.01 0.02 <0.01 <0.01	0.34 <0.01 0.07 0.02 0.03
E9	GLAZING STACK	PM	0.61	2.66
E10	FAST FIRING STACK (NORMAL PIECES)	NO _x SO₂ CO PM VOC	0.88 <0.01 0.18 0.05 0.07	3.84 0.03 0.77 0.20 0.31
E12	PREHEATING	NO _x SO₂ CO PM VOC	0.04 <0.01 0.01 <0.01 <0.01	0.17 <0.01 0.04 <0.01 0.02
E13	FAST FIRING STACK (TRIM PIECES)	NO_x SO_2 CO PM	0.41 <0.01 0.09 0.02	1.79 0.02 0.36 0.09

Permit No. 25232

Page 3

	EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES			
		VOC	0.04	0.15
E15	GLAZE AND WEIGHING AND GRINDING STACK	PM	0.09	0.38
E16	AREA COLLECTOR STACK	PM	0.08	0.35

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Air Contaminant <u>Er</u> Name (2) Name (3) Ibs	mission Rates * /hr TPY		
E17	20 KVA EMERGENCY GENER 0.10	RATOR	NO_x	0.71
		SO ₂ CO PM VOC	0.05 0.16 0.05 0.06	<0.01 0.03 <0.01 <0.01
E18	12 KVA EMERGENCY GENER 0.06	RATOR	NO_x	0.43
		SO ₂ CO PM VOC	0.03 0.10 0.03 0.04	<0.01 0.02 <0.01 <0.01
E21	PRESSING II	РМ	2.05	8.97
E22	NORMAL PIECES DRIER STACK II	NO_x SO_2 CO PM VOC	0.12 <0.01 0.03 <0.01 <0.01	0.51 <0.01 0.11 0.03 0.05
E22A	NORMAL PIECES DRIER STACK II	NO_x SO_2 CO PM VOC	0.12 <0.01 0.03 <0.01 <0.01	0.51 <0.01 0.11 0.03 0.05
E23	NORMAL PIECES DRIER STACK II	NO _x SO ₂ CO PM VOC	0.12 <0.01 0.03 <0.01 <0.01	0.51 <0.01 0.11 0.03 0.05
E23A	NORMAL PIECES DRIER STACK II	NO _x SO ₂ CO	0.12 <0.01 0.03	0.51 <0.01 0.11

	EMISSION SOURCES - MAXIM	IUM ALLOWABLE EMISS PM VOC	ION RATES <0.01 <0.01	0.03 0.05
E24	TRIM PIECES DRIER STACK II	NO _x SO ₂ CO PM VOC	0.08 <0.01 0.02 <0.01 <0.01	0.34 <0.01 0.07 0.02 0.03
	AIR CONTAMINA	ANTS DATA		
Emission Point No. (1)	Source Air Contaminar Name (2) Name (3)	nt <u>Emission Rates *</u> lbs/hr TPY		
E25	TRIM PIECES DRIER STACK II	NO _x SO ₂ CO PM VOC	0.08 <0.01 0.02 <0.01 <0.01	0.34 <0.01 0.07 0.02 0.03
E26	PREHEATING II	NO _x SO ₂ CO PM VOC	0.08 <0.01 0.02 <0.01 <0.01	0.34 <0.01 0.07 0.02 0.03
E27	PREHEATING II	NO _x SO ₂ CO PM VOC	0.04 <0.01 <0.01 <0.01 <0.01	0.17 <0.01 0.04 <0.01 0.02
E28	PREHEATING II	NO _x SO ₂ CO PM VOC	0.08 <0.01 0.02 <0.01 <0.01	0.34 <0.01 0.07 0.02 0.03
E29	FAST FIRING STACK II (TRIM PIECES)	NO _x SO ₂ CO	0.41 <0.01 0.09	1.79 0.02 0.36

		PM VOC	0.02 0.04	0.09 0.15
E31	FAST FIRING STACK II (NORMAL PIECES)	NO _x SO₂ CO PM VOC	0.88 <0.01 0.18 0.05 0.07	3.84 0.03 0.77 0.20 0.31
E33	12 KVA EMERGENCY GENERATOR II	NOx SO₂ CO PM VOC	0.43 0.03 0.10 0.05 0.06	0.06 <0.01 0.02 <0.01 <0.01

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * Ibs/hr TPY		
E34	_	A EMERGENCY ERATOR II	NO _x SO₂ CO PM VOC	0.71 0.05 0.15 0.05 0.06	0.10 0.01 0.02 0.01 0.01
E35	GLAZI	NG STACK II	РМ	0.61	2.66

- (1) Emission point identification emission point number from plot plan.
- (2) Specific point source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

PM - particulate matter

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

All emission points except Emission Point Numbers E2, E17, E18, E33, and E34 have the following operating schedule: Hrs/year_8,760_

Emission Point Number E2 has the following operating schedule: Hrs/year 7,506

Emission Points Number E17, E18, E33, and E34 have the following operating schedule: Hrs/year___275_

D	ated	
-	aica	