

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Nos. 6308 and PSD-TX-137M1

## EMISSION CAP TABLE

This table lists the maximum allowable emission caps and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### NO<sub>x</sub> EMISSION CAP

<u>Source Name</u>	<u>Year</u>	<u>lb/hr</u>	<u>TPY</u>
Fired Units	2000 through 2005	433.22	938.96
Fired Units, Boilers	2006	456.82	1041.96

### CO EMISSION CAP

<u>Source Name</u>	<u>Year</u>	<u>lb/hr</u>	<u>TPY</u>
Fired Units	2000 through 2005	272.84	482.12
Fired Units, Boilers	2006	301.14	606.02

### SO<sub>2</sub> EMISSION CAP

<u>Source Name</u>	<u>Year</u>	<u>lb/hr</u>	<u>TPY</u>
Fired Units	2000 through 2005	282.48	273.29
Fired Units, Boilers	2006	294.48	304.89

### PM EMISSION CAP

<u>Source Name</u>	<u>Year</u>	<u>lb/hr</u>	<u>TPY</u>
Fired Units	2000 through 2005	50.74	192.53
Fired Units, Boilers	2006	53.64	205.33

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

EMISSION CAP TABLE EMISSION SOURCES

VOC EMISSION CAP

<u>Source Name</u>	<u>Year</u>	<u>lb/hr</u>	<u>TPY</u>
Fired Units, Cooling Towers, Tanks, Fugitives, Wastewater, Miscellaneous (4)	2000 through 2005	702.17	681.27
Fired Units, Cooling Towers, Tanks, Fugitives, Wastewater, Miscellaneous, Boilers (4)	2006	695.77	653.37

Toluene EMISSION CAP

<u>Source Name</u>	<u>Year</u>	<u>lb/hr</u>	<u>TPY</u>
Tanks E11TKS23, E11TKR17, and E11TKR18	2000	0.96	2.53

Xylene EMISSION CAP

<u>Source Name</u>	<u>Year</u>	<u>lb/hr</u>	<u>TPY</u>
Tanks E11TKS32, E11TKR9, and E11TKR11	2000	11.92	13.06

Benzene EMISSION CAP

<u>Source Name</u>	<u>Year</u>	<u>lb/hr</u>	<u>TPY</u>
Tanks E11TKS22, E11TKR5, and E11TKR7	2000	1.34	2.77

Cyclohexane EMISSION CAP

<u>Source Name</u>	<u>Year</u>	<u>lb/hr</u>	<u>TPY</u>
Tanks E11TKS21, E11TKR34, and E11TKR40	2000	0.86	2.94

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

EMISSION CAP TABLE EMISSION SOURCES

MTBE EMISSION CAP

Source Name	Year	lb/hr	TPY
Tanks E12TK146 and E18TK125	2000	2.11	4.28

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
FL-27	East Flare	VOC	23.51	71.49
		NO <sub>x</sub> 2.34	7.15	
		CO 12.10	36.82	
		SO <sub>2</sub> 0.59	1.79	
		H <sub>2</sub> S 0.01	0.02	
22	Boiler No. HA-5 (5)	VOC	0.65	2.84
		NO <sub>x</sub> 33.0	145.0	
		CO 9.90	43.40	
		SO <sub>2</sub> 3.68	9.67	
		PM <sub>10</sub> 0.90	3.92	
23	Boiler No. HA-6 (5)	VOC	0.65	2.84
		NO <sub>x</sub> 33.0	145.0	
		CO 9.90	43.40	
		SO <sub>2</sub> 3.68	9.67	
		PM <sub>10</sub> 0.90	3.92	
24	Boiler No. HA-7 (5)	VOC	0.65	2.84
		NO <sub>x</sub> 33.0	145.0	
		CO 9.90	43.40	
		SO <sub>2</sub> 3.68	9.67	
		PM <sub>10</sub> 0.90	3.92	

EMISSION SOURCES - FINAL EMISSION CAPS

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1  
NO<sub>x</sub> - total oxides of nitrogen  
SO<sub>2</sub> - sulfur dioxide  
PM - particulate matter, suspended in the atmosphere, including PM<sub>10</sub>  
PM<sub>10</sub> - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.  
CO - carbon monoxide  
MTBE - methyl-tert-butyl ether  
H<sub>2</sub>S - hydrogen sulfide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Boilers HA-5, HA-6, and HA-7 emission rates are valid through 2005 or until Low-NO<sub>x</sub> burners have been installed. After 2005, the boilers are in the emission caps.

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

\_\_\_\_\_Hrs/day \_\_\_\_\_Days/week \_\_\_\_\_Weeks/year or 8,760 Hrs/year

Dated \_\_\_\_\_