

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 9958

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
01	Konus Oil Heaters Nos. 1 and 2 Stack	VOC	--	--
		NO _x	--	--
		SO ₂	--	--
		PM	--	--
		PM ₁₀	--	--
		CO	--	--
03	Trim Saw Baghouse Stack	VOC	--	--
		PM	--	--
		PM ₁₀	--	--
		Wood Dust*	--	--
		HCHO**	0.05	0.20
		MeOH**	0.48	1.87
		Total HAP	--	2.07
04	T and G Sanders Baghouse Stack	VOC	--	--
		PM	--	--
		PM ₁₀	--	--
		Wood Dust*	--	--
		HCHO**	0.03	0.11
		MeOH**	0.16	0.63
		Total HAP	--	0.74

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

05	Dry Fuel Baghouse Stack	VOC	--	--
		PM	--	--
		PM ₁₀	--	--
		Wood Dust*	--	--
		HCHO**	0.01	0.04
		MeOH**	0.04	0.15
		Total HAP	--	0.19
10	Wood Yard Fugitives (5)	PM	--	--
		PM ₁₀	--	--
15	Konus Ash (5)	PM	--	--
		PM ₁₀	--	--
17	Fines Baghouse Stack	PM	0.20	0.89
		PM ₁₀	0.20	0.89
18	EFB Auxiliary Baghouse Stack	PM	--	--
		PM ₁₀	--	--
19	Press RTO Stack	VOC	--	--
		NO _x	--	--
		SO ₂	--	--
		PM	--	--
		PM ₁₀	--	--
		HCHO**	1.20	4.65
		MeOH**	0.70	2.72
		CH ₃ CHO**	0.05	0.19
		C ₆ H ₅ OH**(6)	0.70	0.57

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

		Total HAP	---	8.13
20A and 20B	RTOs Bypass Stack	VOC	66.10	7.69
		PM	6.50	0.76
		PM ₁₀	5.40	0.63
		HCHO**	3.03	0.35
		MeOH**	7.01	0.92
		CH ₃ CHO**	0.50	0.06
		C ₆ H ₅ OH**(6)	1.46	0.17
		Total HAP	--	1.50
21	Dryer Nos. 1, 2, and 3 RTO Stack	VOC	--	--
		NO _x	--	---
		SO ₂	--	--
		PM	--	--
		PM ₁₀	--	--
		HCHO**	0.83	3.20
		MeOH**	0.68	2.65
		CH ₃ CHO**	0.66	2.56
		C ₆ H ₅ OH**(6)	1.00	3.86
		Total HAP	--	12.27
22	Emergency Generator (Diesel) Stack	VOC	--	
		NO _x	--	--
		SO ₂	--	--
		PM	--	--
		PM ₁₀	--	--

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

		HCHO**	<0.01	<0.01
		CH ₃ CHO**	<0.01	<0.01
		C ₆ H ₅ OH**(6)	<0.01	<0.01
		Total HAP	--	<0.01
23	Emergency Fire Pump (Diesel) Stack	VOC	--	--
		NO _x	--	--
		SO ₂	--	--
		PM	--	--
		PM ₁₀	--	--
		HCHO**	<0.01	<0.01
		CH ₃ CHO**	<0.01	<0.01
		C ₆ H ₅ OH**(6)	<0.01	<0.01
		Total HAP	--	<0.01
24	Edge Seal/Stenciling	VOC	--	--
ALI	Sitewide Emissions	VOC	128	246
		NO _x	74	247
		SO ₂	7	27
		PM	47	162
		PM ₁₀	45	157
		CO	77	249
		HCHO**	--	8.56
		MeOH**	--	8.94
		C ₆ H ₅ OH**(6)	--	4.61
		CH ₃ CHO**	--	2.82
		Total HAP	--	24.93

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
 - (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
 - (3)

VOC	-	volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
NO _x	-	total oxides of nitrogen
SO ₂	-	sulfur dioxide
PM	-	total particulate matter, suspended in the atmosphere, including PM ₁₀ and PM _{2.5} , as represented
PM ₁₀	-	total particulate matter equal to or less than 10 microns in diameter, including PM _{2.5} , as represented
CO	-	carbon monoxide
HCHO	-	formaldehyde
MeOH	-	methanol
C ₆ H ₅ OH	-	phenol
CH ₃ CHO	-	acetaldehyde
HAP	-	hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of Federal Regulations Part 63, Subpart C
 - (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
 - (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
 - (6) Includes other HAPs
- * Also counted as PM₁₀
- ** Also counted as total VOC

Dated _____