

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 9402

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
FCC-46	Main Bag Filter	NO _x	2.6	11.5
		CO	0.2	0.9
		NH ₃	2.0	8.8
		PM ₁₀	1.2	5.3
FCC-50	Crude Unloading Bag Filter	PM ₁₀	<0.01	<0.01
FCC-51	Crude Product Bag Filter	PM ₁₀	<0.01	<0.01
FCC-52	Crude Product Bag Filter	PM ₁₀	<0.01	<0.01
FCC-53	Crude Product Bag Filter	PM ₁₀	<0.01	<0.01
FCC-54	Crude Product Bag Filter	PM ₁₀	<0.01	<0.01
FCC-55	Ventilation Air Bag Filter	PM ₁₀	<0.01	<0.01
FCC-58	Crude and Product Bag Filter 1.82		PM ₁₀	0.42
FCC-60	Vent Hood	NH ₃	5.0	21.9
FCC-61	Product Air Slide Bag Filter 0.38		PM ₁₀	0.09
FCC-62	Product Air Slide Bag Filter 0.38		PM ₁₀	0.09

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
FCC-63	Product Vacuum Bag Filter	PM ₁₀	0.26	0.55
FCC-64	Blending Silo Bag Filter	PM ₁₀	0.24	0.51
FCC-65	Bulk Loading Station Vent Stack 0.62	PM ₁₀		0.30
FCC-66	Portable Bag Filter	PM ₁₀	0.09	0.19
FCC-67	Diesel Engine	NO _x	2.86	5.96
		CO	0.44	0.92
		PM ₁₀	0.32	0.67
		SO ₂	0.14	0.30
		VOC	0.22	0.46
FCC-3A	Feed Hopper Bag Filter	PM	<0.1	0.2
FCC-5A	Calciner	VOC	0.46	2.02
		NO _x	1.85	8.09
		SO ₂	0.01	0.04
		PM	0.08	0.34
		CO	0.54	2.36
FCC-8	Flash Dryer Bag Filter	VOC	0.05	0.22
		NO _x	1.39	6.08
		SO ₂	0.01	0.03
		PM	1.0	4.4
		CO	0.19	0.85
FCC-9	Molsieve Calciner	VOC	0.03	0.11
		NO _x	0.69	3.01
		SO ₂	<0.01	<0.01
		PM	0.02	0.11
		CO	0.10	0.42

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
FCC-9A	Final Product Bag Filter	PM	1.6	7.2
FCC-10	Flash Dryer Bag Filter	VOC	0.05	0.22
		NO _x	1.39	6.08
		SO ₂	<0.01	0.03
		PM	1.0	4.4
		CO	0.19	0.85
FCC-11	Reslurry Tank Bag Filter	PM	0.3	1.2
FCC-11A	Calciner Scrubber	NH ₃	2.4	10.5
		PM	<0.10	<0.10
		NO _x	5.48	4.93
		N ₂ O	40.00	24.56
FCC-12	Molsieve Calciner	VOC	0.03	0.11
		NO _x	0.69	3.01
		SO ₂	<0.01	0.01
		PM	0.02	0.11
		CO	0.10	0.42
FCC-14	HCl Scrubber	HCl	<0.10	<0.10
FCC-15	Ammonia Scrubber	NH ₃	1.96	8.58
FCC-16	Portaclay/Reslurry Bag Filter 0.24		PM	0.05
FCC-17	Sulfuric Acid Storage Tank	H ₂ SO ₄	<0.01	<0.01
		SO ₃	<0.01	<0.01
FCC-18	Strike Tanks Vent	PM ₁₀	0.46	0.63
FCC-19	Kaolin Dosing Bag Hopper	PM	0.3	1.3

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
FCC-20	Kaolin Silo Bag Filter	PM ₁₀	0.26	0.28
FCC-21	Spray Dryer Scrubbers (Five)	VOC	0.34	1.50
		NO _x	15.80	69.40
		SO ₂	0.04	0.30
		PM ₁₀	12.92	56.60
		CO	3.81	16.70
21.1-21.3 FCC-23	Crude Product Bag Filter	PM	0.1	0.6
	Separator Fines Bag Filter	PM	0.2	0.8
FCC-27	Steam Boiler	VOC	0.2	0.8
		NO _x	7.3	32.2
		SO ₂	<0.1	0.2
		PM	0.3	1.3
		CO	2.1	9.4
FCC-34	Ammonia Absorber	NH ₃	<0.01	0.03
FCC-40	Kaolin Unloading Bag Filter 0.19		PM ₁₀	0.13
FCC-41	Sulfuric Acid Storage Tank	H ₂ SO ₄	<0.01	<0.01
		SO ₃	<0.01	<0.01
FCC-42	Filter Hoods Vent (4)	NH ₃	0.08	0.35
FCC-43	Ammonium Chloride Tank (4)	NH ₃	<0.01	0.02

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) NO_x - total oxides of nitrogen

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

CO - carbon monoxide
NH₃ - ammonia
PM - particulate matter, suspended in the atmosphere, including PM₁₀
PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
SO₂ - sulfur dioxide
VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1
HCl - hydrochloric acid
N₂O - nitrous oxide
H₂SO₄ - sulfuric acid
SO₃ - sulfur trioxide

(4) Emission points incorporated into permit from Exemption Registration No. 26870.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

_____Hrs/day _____Days/week _____Weeks/year or _____8,760
Hrs/year

Dated_____