#### Permit Number 19200 and PSDTX1237

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	urce Name (2) Air Contaminant Name (3)		Emission Rates	
(1)			lbs/hour	TPY (4)	
1018/1067	Olefins I and II Flares (6)	со	14.31	44.65	
		CO MSS	513.53	26.27	
		NO <sub>x</sub>	2.81	8.76	
		NO <sub>x</sub> MSS	71.24	3.55	
		SO <sub>2</sub>	0.02	0.07	
		voc	10.39	15.40	
		VOC MSS	949.97	39.05	
B-231	Co-Catalyst Area Dip Pot	voc	0.03	0.01	
B-242	Co-Catalyst Area Dip Pot	voc	0.03	0.01	
B-292A	Peroxide Dip Pot	voc	0.05	0.01	
B-292B	Peroxide Dip Pot	voc	0.05	0.01	
B-360	Pellet Buffer Vessel	PM	0.01	0.06	
B-406	Catalyst Slurry Prep System Dip Pot	voc	0.05	0.01	
B-460	Pellet Buffer Vessel	PM	0.01	0.06	
B-560	Pellet Buffer Vessel	РМ	0.01	0.06	
B-760	Pellet Buffer Vessel	РМ	0.01	0.06	
F-343	Powder Vent Gas Filter	РМ	0.04	0.07	
		voc	0.01	0.01	

F-346	Additive Feed	PM	0.02	0.01
	Conveying Gas Filter	voc	0.01	0.01
F-367	Pellet Water Preseparator Sieve	PM	0.03	0.14
F-368	Classifier	РМ	0.03	0.14
F-387	Silo Air Filters Train No. 1	РМ	0.57	2.40
F-387A	Silos Cyclone Separator, Train No. 1	РМ	0.47	1.26
F-443	Powder Vent Gas Filter	РМ	0.04	0.07
	i iitei	voc	0.01	0.01
F-446	Additive Feed Conveying Gas	РМ	0.02	0.01
	Filter	voc	0.01	0.01
F-467	Pellet Water Preseparator Sieve	РМ	0.03	0.14
F-468	Classifier	РМ	0.03	0.14
F-487	Silo Air Filters Train No. 2	РМ	0.57	2.40
F-487A	Silos Cyclone Separator, Train No. 2	РМ	0.47	1.26
F-541	500 Line-Off Spec Silo Bag Filter	РМ	0.20	0.85
F-543	Powder Vent Gas Filter	РМ	0.04	0.07
	T IIICI	voc	0.01	0.01
F-546	Additive Feed Conveying Gas	РМ	0.02	0.01
	Filter	voc	0.01	0.01
F-567	Pellet Water Preseparator Sieve	РМ	0.03	0.14
F-568	Classifier	РМ	0.03	0.14

F-575	300/400 Line - Off Spec Silo Bag Filter	PM	0.58	2.25
F-587	Silo Air Filters Train No. 3	PM	0.57	2.40
F-587A	Silos Cyclone Separator, Train No. 3	PM	0.47	1.26
F-705	Auto Packer Cyclone	РМ	0.14	0.59
F-706A	Truck Silo Cyclone	PM	0.14	0.59
F-706B	Auto Packer Cyclone	РМ	0.14	0.59
F-711A	Hopper Silo Cyclone Train No. 1	PM	0.14	0.59
F-711B	Hopper Silo Cyclone Train No. 2	PM	0.14	0.59
F-711G	Streamer Remover Bag Filter, Train No. 4	PM	0.40	1.59
F-741	700 Line Off Spec Silo Bag Filter	PM	0.12	0.47
F-743	Additive Vent Gas Filter	PM	0.01	0.01
F-743A	Powder Vent Bag Filter	РМ	0.01	0.01
	T III.O.	voc	0.01	0.01
F-746	Additive Feed Conveying Gas	РМ	0.02	0.01
	Filter	voc	0.01	0.01
F-747A	Bag Dumping Unit	РМ	0.01	0.01
F-747B	Bag Dumping Unit	РМ	0.01	0.01
F-747C	Bag Dumping Unit	РМ	0.01	0.01
F-767	Pellet Water Preseparator Sieve	PM	0.03	0.14
F-768	Classifier	РМ	0.03	0.14
F-781A	Product Silo Cyclone Train No. 1	PM	0.38	1.65

F-781B	Product Silo Cyclone Train No. 2	РМ	0.38	1.65
F-781C	Product Silo Cyclone Train No. 3	РМ	0.38	1.65
F-787	Silo Air Filters Train No. 4	РМ	0.48	1.87
F-787A	Silos Cyclone Separator, Train No. 4	РМ	0.47	1.26
F-975	C Train Loading Station Cyclone Separator	РМ	0.30	0.61
F-981	Product Silo Air Cyclone Train No. 4	РМ	1.01	3.98
H-371	Pellet Metering Rotary Feeder	РМ	0.01	0.01
H-471	Pellet Metering Rotary Feeder	РМ	0.01	0.01
H-571	Pellet Metering Rotary Feeder	РМ	0.01	0.01
H-769	Pellet Rotafeeder	РМ	0.01	0.01
H-773	Pellet Rotafeeder	РМ	0.01	0.01
PO-CT	Cooling Tower	VOC	0.88	3.86
PP1-300	Downstream Pellet Handling PP-1, Train No. 1 (7)	voc	2.75	3.03
PP1-400	Downstream Pellet Handling PP-1, Train No. 2 (8)	VOC	2.88	3.14
PP1-500	Downstream Pellet Handling PP-1, Train No. 3 (9)	VOC	2.39	3.16
PP1-700	Downstream Pellet Handling PP-1, Train No. 4 (10)	voc	1.06	2.96
PP1-CT	Cooling Tower	voc	0.44	1.93
PP1-FUG	Fugitives PP-1 Unit (5)	РМ	0.05	0.27

# Permit Number 19200 and PSDTX1237 Page 5

## Emission Sources - Maximum Allowable Emission Rates

		voc	3.72	16.28
T-367	Dryer Train No. 1	РМ	0.34	1.25
T-467	Dryer Train No. 2	РМ	0.41	1.76
T-567	Dryer Train No. 3	РМ	0.34	1.25
T-767	Dryer Train No. 4	РМ	0.41	1.76
Maintenance, Startup, and Shutdown (MSS)				
PPI-MAINT	MSS to Atmosphere	voc	102.27	1.81
		РМ	3.19	0.42

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1 NO<sub>x</sub> total oxides of nitrogen
  - SO<sub>2</sub> sulfur dioxide
  - PM total particulate matter, suspended in the atmosphere, including  $PM_{10}$  and  $PM_{2.5}$ , as represented CO carbon monoxide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) PP I vents shall all be routed to one flare or the other.
- (7) Total VOC emissions from the following emissions points: B-360, F-367, F-368, F-387, F-387A, F-575, F-705, F-706A, F-706B, F-781A, F-711A, F-711G, F-711B, F-975, and T-367.
- (8) Total VOC emissions from the following emissions points: B-460, F-467, F-468, F-487, F-487A, F-575, F-705, F-706A, F-706B, F-711A, F-711B, F-711G, F-781B, F-975, and T-467.
- (9) Total VOC emissions from the following emissions points: B-560, F-541, F-567, F-568, F-587A, F-705, F-706A, F-706B, F-711A, F-711B, F-711G, F-587, F-781C, F-975, and T-567.
- (10) Total VOC emissions from the following emissions points:

  B-760, F-705, F-706A, F-706B, F-711A, F-711B, F-711G, F-741, F-767, F-768, F-787, F-787A, F-975, F-981, and T-767.

Date:	November 30, 2012	
Daic.	NOVCITIBLE 30, ZUIZ	