EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 946A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * Ib/hr TPY		
1/2	Line No Collec	o. 92 etor - Stacks	PM VOC NO _x SO ₂ CO NH ₃ Formaldehyde Phenol Methyl Alcohol PHMP	14.00 0.01 0.37 <0.01 0.08 7.50 3.00 2.00 1.80 19.90	61.32 0.06 1.63 0.01 0.34 32.84 13.14 8.76 7.88 87.16
3/6	High I	o. 92/93 Oven Energy Air ion (HEAF)	PM ₁₀ VOC NO _x SO ₂ CO NH ₃ Formaldehyde Phenol Methyl Alcohol PHMP	5.50 0.13 6.72 0.03 1.68 4.67 2.50 0.12 0.09 1.03	24.09 0.59 29.43 0.13 7.36 20.45 10.95 0.53 0.39 4.51
4/5	Line No Colled	o. 93 etor - Stacks	PM VOC NO _x SO ₂ CO NH ₃ Formaldehyde Phenol Methyl Alcohol PHMP	14.00 0.01 0.37 <0.01 0.08 7.50 3.00 2.00 1.80 19.90	61.32 0.06 1.63 0.01 0.34 32.84 13.14 8.76 7.88 87.16

	EMISSION S	SOURCES - MAXIMU	JM ALLOWABLE EMIS	SSION RATES	
9	Line No HEAF	. 95 Oven ·Stack	PM ₁₀ VOC NO _x SO ₂ CO AIR CONTAMI	0.50 0.01 0.35 <0.01 0.07 NANTS DATA	2.19 0.06 1.53 0.01 0.32
Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr TPY		
10		. 95 North g Stack	PM VOC NH ₃	0.25 0.10 0.01	1.10 0.44 0.04
11		. 95 South g Stack	PM VOC NH₃	0.25 0.10 0.01	1.10 0.44 0.04
12		. 95 Center g Stack	PM VOC NH₃	0.25 0.10 0.01	1.10 0.44 0.04
15A	Glass F ESP-S	urnaces stack	PM_{10} VOC NO_x SO_2 CO	10.00 0.24 12.25 0.05 3.06	43.80 1.07 53.66 0.23 13.41
16		. 91 tion Wet oer No. 1 -	PM ₁₀ VOC NO _x SO ₂ CO NH ₃ Formaldehyde Phenol	3.75 0.01 0.12 <0.01 0.03 1.25 0.75	16.43 0.02 0.53 <0.01 0.11 5.48 3.29 3.29
17		. 91 tion Wet per No. 2 -	PM_{10} VOC NO_x SO_2	3.75 0.01 0.12 <0.01	16.43 0.02 0.53 <0.01

	EMISSION SOURCES - MAXI	MUM ALLOWABLE EMISSI	ON RATES	
		CO	0.03	0.11
		NH₃	1.25	5.48
		Formaldehyde	0.75	3.29
		Phenol	0.75	3.29
18	Line No. 91	PM_{10}	3.75	16.43
	Collection Wet	VOC	0.01	0.02
	Scrubber No. 3 -	NO_x	0.12	0.53
	Stack	SO ₂	< 0.01	< 0.01
		CO	0.03	0.11
		NH₃	1.25	5.48
		Formaldehyde	0.75	3.29
		Phenol	0.75	3.29

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * Ib/hr TPY		
19		ction Wet ber No. 4 -	PM ₁₀ VOC NO _x SO ₂ CO NH ₃ Formaldehyde Phenol	3.75 0.01 0.12 <0.01 0.03 1.25 0.75	16.43 0.02 0.53 <0.01 0.11 5.48 3.29 3.29
20	Line No Oven Scrub		PM_{10} VOC NO_x SO_2 CO NH_3 Formaldehyde $Phenol$	3.75 0.03 0.90 0.01 0.19 3.00 1.75 1.00	16.43 0.15 3.94 0.02 0.83 13.14 7.67 4.38
21	Baghoi Stack	use No. 1 -	PM_{10} VOC NO_x SO_2 CO Boron Oxide	0.34 0.01 0.33 <0.01 0.07 0.40	1.49 0.06 1.45 0.01 0.30 1.75
22	Baghoi Stack	use No. 2 -	PM_{10}	0.06	0.26
23	Baghoi Stack	use No. 3 -	PM ₁₀	0.03	0.13
24	Baghoi Stack	use No. 4 -	PM_{10}	0.03	0.13
25	Baghoi Stack	use No. 5 -	PM ₁₀	0.03	0.13

Permit No. 946A Page 5

26	EMISSION SOURCES - MAXII Baghouse No. 6 - Stack	MUM ALLOWABLE EMI PM ₁₀	SSION RATES 0.03	0.13
27	Baghouse No. 7 - Stack	PM ₁₀	0.03	0.13

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr TPY		
28	Baghou Stack	se No. 8 -	PM ₁₀	0.03	0.13
29	Baghou Stack	se No. 9 -	PM ₁₀	0.03	0.13
30	Line No Zone S	. 90 Infrared Stack	PM VOC NO _x SO ₂ CO NH ₃ Formaldehyde Phenol	0.50 0.01 0.69 <0.01 0.17 0.13 0.13 0.01	2.19 0.06 3.03 0.01 0.76 0.57 0.57
31		. 90 Oven L Stack	PM VOC NO _x SO ₂ CO NH₃ Formaldehyde Phenol	0.50 0.01 0.69 <0.01 0.17 0.13 0.13 0.01	2.19 0.06 3.03 0.01 0.76 0.57 0.57
32		. 90 Oven 2 Stack	PM VOC NO _x SO ₂ CO NH₃ Formaldehyde Phenol	0.50 0.01 0.69 <0.01 0.17 0.13 0.13 0.01	2.19 0.06 3.03 0.01 0.76 0.57 0.57
33		. 90 Oven 3 Stack	$\begin{array}{c} PM \\ VOC \\ NO_{x} \\ SO_{2} \\ CO \end{array}$	0.50 0.01 0.69 <0.01 0.17	2.19 0.06 3.03 0.01 0.76

	EMISSION SOURCES - MAXIM	UM ALLOWABLE EMISSION	N RATES	
		NH_3	0.13	0.57
		Formaldehyde	0.13	0.57
		Phenol	0.01	0.06
35**	South Trim Waste Re-Feed Baghouse	PM ₁₀	0.03	0.12

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emis</u> lb/hr	ssion Rates * TPY		
36**		Trim Waste Feed Baghouse		PM ₁₀	0.03	0.12
37**	_	ne Trim Waste Feed Baghouse		PM ₁₀	0.08	0.36

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter
 - PM_{10} particulate matter less than 10 microns in diameter
 - VOC volatile organic compounds as defined in General Rule 101.1
 - NO_x total oxides of nitrogen
 - SO₂ sulfur dioxide
 - CO carbon monoxide
 - NH₃ ammonia
 - PHMP Poly(Hydroxymethyl)Phenol
- 4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum hourly production rates for each of the following lines:

Line 92	1,800 lbs/hr
Line 93	1,800 lbs/hr
Line 91	6,000 lbs/hr

* Annual emission rates are based on the following continuous operation schedule:

|--|

** Emission Point is exempted under Standard Exemption No. 118.

Dated	