# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit No. 18072

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

| Emission                  | Source                  | Air Contaminant | Emission | Rates |
|---------------------------|-------------------------|-----------------|----------|-------|
| <u>^</u><br>Point No. (1) | Name (2)                | Name (3)        | lb/hr    | TPY   |
| D-1521V                   | Process Carbon Adsorber | VOC             | 0.89     | 1.95  |
| D-1521BV                  | Process Carbon Adsorber | VOC             | 0.83     | 1.82  |
| D-1221V                   | Hydrogen Carbon Adsorbe | · VOC           | 0.03     | 0.05  |
| D-1221BV                  | Hydrogen Carbon Absorbe | · VOC           | 0.03     | 0.05  |
| ACC-1101V                 | Dissolver Adsorber      | VOC             | 0.21     | 0.13  |
| ACC-1430V                 | Slurry Surge Tank       | VOC             | 0.001    | 0.006 |
| ACC-1411AV                | Heavy Reclaimer Adsorbe | · VOC           | 1.19     | 0.007 |
| ACC-1201V                 | Catalyst Make-up Adsorb | er VOC          | 0.05     | 0.005 |
| ACC-1505V                 | Fines Tank Adsorber     | VOC             | 0.21     | 0.79  |
| ACC-1202V                 | H2 Vent Cooler Adsorber | VOC             | 0.10     | 0.02  |
| ACC-1101BV                | D-1101B Carbon Adsorber | VOC             | 0.21     | 0.13  |
| E-2000AV                  | Cooling Tower Fan A     | VOC             | 0.08     | 0.34  |
| E-2000BV                  | Cooling Tower Fan B     | VOC             | 0.08     | 0.34  |
| E-2000CV                  | Cooling Tower Fan C     | VOC             | 0.08     | 0.34  |

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### AIR CONTAMINANTS DATA

| Emission  | Source                  | Air Contaminant                                 | <u>Emission</u>               | Rates                        |  |  |
|---|-------------------------|---|-------------------------------|------------------------------|--|--|
| <u>*</u>  |                         |   |                               |                              |  |  |
| Point No. (1)   | Name (2)                | Name (3)  | <u>lb/hr</u>                  | <u>TPY</u>                   |  |  |
| E-2000DV  | Cooling Tower Fan D     | VOC   | 0.08                          | 0.34                         |  |  |
| E-2000EV  | Cooling Tower Fan E     | VOC   | 0.08                          | 0.34                         |  |  |
| E-2000FV  | Cooling Tower Fan F     | VOC   | 0.08                          | 0.34                         |  |  |
| FLARE1  | Flare                   | VOC<br>CO<br>NO <sub>x</sub><br>SO <sub>2</sub> | 0.67<br>0.28<br>0.06<br><0.01 | 2.94<br>1.23<br>0.24<br>0.04 |  |  |
| FUG-COMP  | Equipment Fugitives (4) | VOC<br>NH₃                                      | 1.30<br>0.11                  | 5.70<br>0.48                 |  |  |
| D-1206V   | H2 Relief Knockout Drum | Emergency Use                                   | Only                          |                              |  |  |
| (1) Emission point identification - either specific equipment designation or emission point number from plot plan.  (2) Specific point source name. For fugitive sources use area name or fugitive source name.  (3) VOC - volatile organic compounds as defined in General Rule 101.1  CO - carbon monoxide  NO <sub>x</sub> - total oxides of nitrogen  SO <sub>2</sub> - sulfur dioxide  NH <sub>3</sub> - ammonia |                         |   |                               |                              |  |  |
| (4) Fugitive  | emissions are an es     | timate only and                                 | should r                      | not be                       |  |  |

\* Emission rates are based on and the facilities are limited by the

Hrs/day\_\_\_\_\_Days/week\_\_\_\_Weeks/year\_\_\_\_ or Hrs/year <u>8.760</u>

considered as a maximum allowable emission rate.

following maximum operating schedule:

