Permit No. 2590

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

#### **AIR CONTAMINANTS**

Emission Point No. (1)	Source Name (2)	Air Contamina Name (3)	ant <u>Emission R</u> lb/hr TPY	ates *	
INCIN1	Incinerator	No. 1	NO <sub>x</sub> CO SO <sub>2</sub> VOC PM	2.70 0.54 0.02 5.14 0.14	11.83 2.37 0.07 0.90 0.59
INCIN2	Incinerator	No. 2	NO <sub>x</sub> CO SO <sub>2</sub> VOC PM	2.70 0.54 0.02 5.14 0.14	11.83 2.37 0.07 0.90 0.59
TNK-1	WW Collec	tion Tank	VOC	0.23	1.00
TNK-2	WW Collec	tion Tank	VOC	0.23	1.00
BIO-TNK	Bio Treat T	ank	VOC	0.23	1.00
CL-1	Clarifier		VOC	0.01	0.02
R-104	Reactor		VOC	5.29	0.03
M-203	Blender		VOC	4.83	0.04
M-205	Blender		VOC	9.66	0.47
M-214	Blender		VOC	19.32	0.12
M-215	Blender		VOC	6.75	0.08
M-216	Blender		VOC	16.94	0.23
M-226	Blender (5)		VOC	12.20	0.12

#### **AIR CONTAMINANTS**

Emission Point No. (1)	Source Air Co Name (2) Name (3	ontaminant <u>Emission Rates*</u> 3) lb/hr TPY		
FUG	Plant Fugitives (4)	VOC	3.31	14.52
AREA-1	Loading	VOC	6.00	2.24
AREA-2	Loading	VOC	6.00	0.08
AREA-3	Loading	VOC	6.000	4.17
AREA-4	Loading	VOC	6.00	2.84
AREA-5	Loading	VOC	7.80	6.11
AREA-6	Loading	VOC	6.00	2.02
AREA-7	Loading	VOC	6.00	17.22
AREA-8	Loading	VOC	6.00	3.67
AREA-9	Loading	VOC	6.00	3.92
CS-1	Carbon Loading	РМ	<0.01	<0.01
S-144	Storage Tank	VOC	1.95	0.03
S-145	Storage Tank	VOC	1.95	0.12
M-222	Storage Tank (6)	VOC	21.46	0.21
M-224	Storage Tank (6)	VOC	21.46	0.09
S-602	Storage Tank	VOC	<0.01	0.03
S-603	Storage Tank	VOC	1.95	0.36
S-604	Storage Tank	VOC	15.59	0.62
S-605	Storage Tank	VOC	16.75	0.02

### **AIR CONTAMINANTS**

Emission Point No. (1)	Source Air Cor Name (2) Name (3)	ntaminant <u>Emission Rates*</u> lb/hr TPY		
S-606	Storage Tank	VOC	0.59	0.46
S-608	Storage Tank	VOC	69.21	<0.01
S-610	Storage Tank	VOC	0.30	<0.01
S-611	Storage Tank	VOC	0.05	<0.01
S-612	Storage Tank	VOC	<0.01	<0.01
S-613	Storage Tank	VOC	<0.01	<0.01
S-618	Storage Tank	VOC	1.25	0.02
S-619	Storage Tank	VOC	<0.01	<0.01
S-621	Storage Tank	VOC	<0.01	<0.01
S-622	Storage Tank	VOC	<0.01	<0.01
S-623	Storage Tank	VOC	1.29	0.01
S-624	Storage Tank	VOC	1.29	0.01
S-625	Storage Tank	VOC	0.71	0.01
S-626	Storage Tank	VOC	1.27	0.01
S-627	Storage Tank	VOC	0.21	<0.01
S-628	Storage Tank	VOC	0.74	0.01
S-629	Storage Tank	VOC	0.76	0.01
S-630	Storage Tank	VOC	0.79	0.01
S-631	Storage Tank	VOC	0.36	<0.01

### **AIR CONTAMINANTS**

Emission Point No. (1)	Source Air Cont Name (2) Name (3)	aminant <u>Emission Rates*</u> lb/hr TPY		
		<del></del>	0.01	<b>~</b> 0.01
S-632	Storage Tank	VOC	0.01	<0.01
S-633	Storage Tank	VOC	0.42	<0.01
S-634	Storage Tank	VOC	0.23	<0.01
S-635	Storage Tank	VOC	0.17	<0.01
S-636	Storage Tank	VOC	1.38	0.02
S-637	Storage Tank	VOC	0.66	0.01
S-638	Storage Tank	VOC	0.95	0.01
S-639	Storage Tank	VOC	0.95	0.01
S-640	Storage Tank	VOC	0.84	0.01
S-641	Storage Tank	VOC	1.56	0.01
S-642	Storage Tank	VOC	9.96	0.15
S-643	Storage Tank	VOC	15.13	0.21
S-644	Storage Tank	aq. AlCl3	3.47	0.08
S-645	Storage Tank	VOC	4.75	1.51
S-646	Storage Tank (6)	VOC	21.57	0.13
S-647	Storage Tank	aq.NaOH	0.58	0.03
S-655	Storage Tank	VOC	8.07	0.26
S-656	Storage Tank	VOC	8.07	0.29
S-663	Storage Tank	VOC	0.04	0.01

### **AIR CONTAMINANTS**

Emission Point No. (1)	Source Air Con Name (2) Name (3)	taminant <u>Emission Rates*</u> lb/hr TPY		
S-665	Storage Tank	VOC	0.04	<0.01
	· ·			
S-666	Storage Tank	VOC	0.04	<0.01
S-669	Storage Tank	VOC	2.88	0.10
S-670	Storage Tank	VOC	0.56	0.01
S-671	Storage Tank	VOC	1.77	0.03
S-672	Storage Tank	VOC	0.95	0.02
S-673	Storage Tank	VOC	1.18	0.04
S-676	Storage Tank	VOC	<0.01	<0.01
S-680	Storage Tank	VOC	32.09	0.24
S-686	Storage Tank	VOC	1.65	0.01
S-690	Storage Tank	VOC	20.83	0.29
S-691	Storage Tank	VOC	13.44	0.17
S-692	Storage Tank	VOC	0.85	0.01
S-693	Storage Tank	VOC	0.03	<0.01
S-694	Storage Tank	aq. ZnCl2	1.13	0.02
S-695	Storage Tank	VOC	0.45	0.01
S-696	Storage Tank	aq. NH₃	0.03	<0.01
S-698	Storage Tank (6)	VOC	10.96	0.24
S-699	Storage Tank	VOC	13.15	0.22

### **AIR CONTAMINANTS**

Emission Point No. (1)	Source Air Cor Name (2) Name (3)	ntaminant <u>Emission Rates*</u> lb/hr TPY		
S-701	Storage Tank	VOC	21.57	0.09
S-703	Storage Tank	VOC	21.57	0.13
S-704	Storage Tank	VOC	<0.01	0.04
S-705	Storage Tank	VOC	4.85	0.04
S-706	Storage Tank	VOC	2.48	0.05
S-707	Storage Tank	VOC	6.68	0.02
S-708	Storage Tank	aq. HCl	2.51	0.04
S-710	Storage Tank	VOC	0.42	0.01
S-711	Storage Tank	VOC	6.10	0.03
S-712	Storage Tank	VOC	0.04	<0.01
S-713	Storage Tank	VOC	5.43	0.04
S-714	Storage Tank	VOC	4.75	0.82
S-715	Storage Tank	VOC	0.56	0.01
S-716	Storage Tank	VOC	0.37	<0.01
S-717	Storage Tank	VOC	0.75	0.02
S-718	Storage Tank	VOC	<0.01	<0.01
S-719	Storage Tank	VOC	1.78	0.02
S-720	Storage Tank	VOC	1.99	0.02
S-721	Storage Tank	VOC	1.73	0.03

#### **AIR CONTAMINANTS**

Emission Point No. (1) Name	Source e (2) N	Air Contaminant ame (3) lb/hr	Emission Rates* TPY		
S-722	Storage Tank		VOC	0.54	0.02
S-723	Storage Tank		VOC	1.25	0.03
S-724	Storage Tank		VOC	32.59	0.99
S-725	Storage Tank		VOC	2.75	0.02
S-726	Storage Tank		VOC	19.20	0.27
S-727	Storage Tank		VOC	1.23	0.03
S-728	Storage Tank		VOC	1.03	0.02
S-729	Storage Tank		VOC	5.00	0.04
S-730	Storage Tank		VOC	<0.01	<0.01
S-731	Storage Tank		VOC	1.21	0.01
S-732	Storage Tank		VOC	5.73	0.03
S-733	Storage Tank		VOC	0.41	0.03
S-734	Storage Tank		aq. NaHSO3	<0.01	<0.01
S-735	Storage Tank		VOC	1.42	0.05
S-736	Storage Tank		VOC	2.24	0.02
S-737	Storage Tank		VOC	0.66	0.01
S-741A	Storage Tank		VOC	0.92	0.02
S-741B	Storage Tank		VOC	0.07	<0.01
S-741C	Storage Tank		VOC	<0.01	<0.01

### **AIR CONTAMINANTS**

Emission Point No. (1)	Source Air Co Name (2) Name (3)	ntaminant <u>Emission Rates*</u> <u>Ib/hr TPY</u>		
S-742A	Storage Tank	VOC	1.79	0.03
S-742B	Storage Tank	VOC	0.04	<0.01
S-742C	Storage Tank	VOC	<0.01	<0.01
S-743A	Storage Tank	VOC	0.80	0.02
S-743B	Storage Tank	VOC	0.80	0.02
S-743C	Storage Tank	VOC	0.80	0.02
S-744A	Storage Tank	VOC	0.71	0.02
S-744B	Storage Tank	VOC	0.58	0.01
S-744C	Storage Tank	VOC	0.88	0.01
S-745A	Storage Tank	VOC	1.12	0.01
S-745B	Storage Tank	VOC	1.08	0.01
S-745C	Storage Tank	VOC	0.56	0.01
S-746A	Storage Tank	VOC	0.66	0.01
S-746B	Storage Tank	VOC	<0.01	<0.01
S-746C	Storage Tank	VOC	0.80	0.02
S-747A	Storage Tank	VOC	1.95	0.03
S-747B	Storage Tank	VOC	0.64	0.01
S-747C	Storage Tank	VOC	0.64	0.01
S-748A	Storage Tank	VOC	0.66	0.01

### **AIR CONTAMINANTS**

Emission Point No. (1)	Source Air Cont Name (2) Name (3)	aminant <u>Emission Rates*</u> Ib/hr TPY		
			0.66	0.01
S-748B	Storage Tank	VOC	0.66	0.01
S-748C	Storage Tank	VOC	0.37	0.01
S-749	Storage Tank	aq. NaOH	0.63	0.04
S-750	Storage Tank	VOC	4.58	0.35
S-751	Storage Tank	VOC	<0.01	<0.01
S-752	Storage Tank	VOC	1.05	0.07
S-753	Storage Tank	VOC	0.74	0.03
S-754	Storage Tank	VOC	0.47	0.02
S-760	Storage Tank	VOC	1.92	0.02
S-761	Storage Tank	VOC	0.42	0.01
S-762	Storage Tank	VOC	0.11	0.01
S-767	Storage Tank (6)	VOC	4.86	0.60
S-768	Storage Tank (6)	VOC	4.75	0.91
S-769	Storage Tank	VOC	4.75	0.68
S-773	Storage Tank	VOC	1.64	0.02
S-774	Storage Tank	VOC	0.71	0.02
S-775	Storage Tank	VOC	1.32	0.02
S-776	Storage Tank	VOC	1.14	0.01
S-777	Storage Tank	VOC	0.90	0.02

### **AIR CONTAMINANTS**

Emission Point No. (1)	Source Air Co Name (2) Name (3)	ntaminant <u>Emission Rates*</u> lb/hr TPY		
S-778	Storage Tank	VOC	1.12	0.02
S-779	Storage Tank	VOC	1.13	0.02
S-780	Storage Tank	VOC	1.25	0.06
S-781	Storage Tank	VOC	1.95	0.01
S-785	Storage Tank	VOC	2.18	0.02
S-786	Storage Tank	VOC	0.42	0.01
S-789	Storage Tank	VOC	5.61	0.02
S-790	Storage Tank	VOC	0.07	<0.01
S-791	Storage Tank	VOC	5.61	0.02
S-792	Storage Tank	VOC	<0.01	<0.01
S-793	Storage Tank	VOC	0.04	<0.01
S-794	Storage Tank	VOC	1.73	0.02
S-795	Storage Tank	VOC	1.73	0.02
S-796	Storage Tank	VOC	1.21	0.03
S-797	Storage Tank	VOC	<0.01	<0.01
S-798	Storage Tank	VOC	<0.01	<0.01
S-799	Storage Tank	VOC	0.42	0.01
S-801	Storage Tank	VOC	0.84	0.01
S-802	Storage Tank	VOC	17.96	0.19

### **AIR CONTAMINANTS**

Emission Point No. (1)	Source Air Con Name (2) Name (3)	taminant <u>Emission Rates*</u> Ib/hr TPY		
S-803	Storage Tank	VOC	1.20	0.03
S-804	Storage Tank	VOC	0.66	0.02
S-810	Storage Tank	VOC	1.05	0.02
S-811	Storage Tank	VOC	4.56	0.95
S-812	Storage Tank	VOC	5.33	0.87
S-813	Storage Tank	VOC	4.86	0.26
S-815	Storage Tank	aq. H3PO4	0.33	0.02
S-816	Storage Tank	VOC	1.95	0.10
S-817	Storage Tank	aq. H3PO3	<0.01	<0.01
S-818	Storage Tank	aq. H3PO4	1.56	0.04
S-820	Storage Tank	VOC	2.13	0.17
S-821	Storage Tank	VOC	1.00	0.02
S-822	Storage Tank	VOC	<0.01	<0.01
S-823	Storage Tank	VOC	6.04	0.05
S-824	Storage Tank	VOC	1.95	0.34
S-825	Storage Tank	VOC	4.75	0.93
S-836	Storage Tank	aq. H3PO3	<0.01	<0.01
S-837	Storage Tank	aq. AICI3	1.10	0.07
S-838	Storage Tank	aq. AICI3	1.10	0.07

#### **AIR CONTAMINANTS**

Emission Point No. (1)	Source Air Con Jame (2) Name (3)	taminant <u>Emission Rates*</u> lb/hr TPY		
S-844	Storage Tank	VOC	2.29	0.02
S-845	Storage Tank	VOC	1.87	0.02
S-846	Storage Tank	VOC	0.04	<0.01
S-847	Storage Tank	VOC	<0.01	<0.01
S-848	Storage Tank	VOC	0.25	0.01
CAS	Carbon Adsorber	VOC	0.01	0.04
BOILER	Boiler	PM SO <sub>2</sub> NO <sub>x</sub> CO VOC	0.05 0.01 1.47 0.37 0.03	0.23 0.03 6.42 1.60 0.13
D2	Boiler	PM SO <sub>2</sub> NO <sub>x</sub> CO VOC	0.02 <0.01 0.35 0.07 0.02	0.08 0.01 1.53 0.31 0.08
D4	Boiler D4	PM SO <sub>2</sub> NO <sub>x</sub> CO VOC	0.08 0.01 2.27 0.57 0.05	0.36 0.04 9.93 0.01 0.20
D3	Vaporizer D3	PM SO <sub>2</sub> NO <sub>x</sub> CO VOC	0.07 0.01 1.87 0.47 0.04	0.29 0.04 8.17 2.04 0.16
CT-1	Cooling Tower	VOC	0.17	0.74

Permit No. 2590 Page 13

#### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter
  - VOC volatile organic compounds as defined in General Rule 101.1
  - NO<sub>x</sub> total oxides of nitrogen
  - SO<sub>2</sub> sulfur dioxide CO - carbon monoxide
  - NaHSO3 sodium bisulfite
  - H3PO3 phosphorous acid
  - H3PO4 phosphoric acid
  - AlCl3 aluminum chloride ZnCl2 - zinc chloride
  - NH<sub>3</sub> ammonia
  - HCI hydrogen chloride NaOH - sodium hydroxide
  - aq. substance is in an aqueous solution
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Emission point shall be eliminated by May 1, 1995.
- (6) Emission points shall be eliminated by June 30, 1995.
  - \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Urc/day	Days/week	Wookswoor	or Hrs/year <u>8,760</u>
Hrs/day_	Days/week	Weeks/year_	0i i ii si yeai <u>0,700</u>

Dated			