## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit Number 1157C

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
004	Baghouse 15-03 BH	PM <sub>10</sub>	0.03	0.14
005	Baghouse 27-04 BH	PM <sub>10</sub>	0.02	0.09
006	Ammonia Scrubber	NH <sub>3</sub>	6.24	27.33
		СО	0.78	3.20
		H <sub>2</sub> SO <sub>4</sub>	0.01	0.01
		(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub>	1.72	7.53
		NO <sub>x</sub>	0.87	3.15
		HCI	0.10	0.44
		$PM_{10}$	2.98	13.05
		VOC	0.05	0.21
007	Scrubber 35-01 Stack	HCI	0.12	0.54
		$Cl_2$	0.01	0.01
800	MO Precip SYS Tanks Vent	HCI	0.03	0.13
		SO <sub>2</sub>	0.21	0.92
22-03-T	Storage Tank Vent	VOC	0.01	0.04
62-01-T	Storage Tank	H <sub>2</sub> O <sub>2</sub>	0.01	0.04
F-Area 8	Fugitives (5)	VOC	0.10	0.42
F-Area 9	Fugitives (Areas 4-9,12) (5)	NH <sub>3</sub>	1.48	6.47
		HCI	0.24	1.06

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

16-01-T	Storage Tank Vent 16-01	VOC	0.01	0.04
16-10-T	Reactors (Area 8)	VOC	0.84	0.06
16-11-T				
16-12-T				
16-13-T				
16-14-T				
16-15-T				
16-16-T				
22-15-T	Diesel Tank	VOC	0.01	0.01
22-16-T	Diesel Tank	VOC	0.01	0.01
Sandblast	Maintenance Painting/Sandblasting	TSP	0.06	0.26
	r amang/sarrasiasarig	PM <sub>10</sub>	0.02	0.08
		VOC	6.00	1.75
22-15-L	Diesel Loading	VOC	0.01	0.01
OWS-1	Oil Skimmer 21-09-5	VOC	0.01	0.01
OWS-3-T	Oil/Water Separator 28-45-B	VOC	0.01	0.01
13-36	Cooling tower	PM <sub>10</sub>	0.02	0.10
22-1-T	Ammonia Storage Fugitives	NH <sub>3</sub>	0.09	0.373
26-01-BV	Soda Ash Silo Bin Vent 1 (6)	PM/PM <sub>10</sub> /PM <sub>2.5</sub>	0.01	0.01
26-02-BV	Soda Ash Silo Bin Vent 2 (6)	PM/PM <sub>10</sub> /PM <sub>2.5</sub>	0.01	
TEMP-BV	Portable Guppy Tank Bin Vent	PM/PM <sub>10</sub> /PM <sub>2.5</sub>	0.06	0.05

<sup>(1)</sup> Emission point identification - either specific equipment designation or emission point number from plot plan.

<sup>(2)</sup> Specific point source name. For fugitive sources, use area name or fugitive source name.

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO<sub>x</sub> - total oxides of nitrogen CO - carbon monoxide

SO<sub>2</sub> - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including  $PM_{10}$  and  $PM_{2.5}$ ,

as represented

 $PM_{10}$  - total particulate matter equal to or less than 10 microns in diameter, including

PM<sub>2.5</sub>, as represented

PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter

NH<sub>3</sub> - ammonia

 $(NH_4)_2SO_4$  - ammonium sulfate HCl - hydrogen chloride

H<sub>2</sub>SO<sub>4</sub> - sulfuric acid

H<sub>2</sub>O<sub>2</sub> - hydrogen peroxide

Cl<sub>2</sub> - chlorine

(4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.

(5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

(6) Annual emissions are the total from EPNs 26-01-BV and 26-02-BV combined.

Date: February 24, 2012