### Permit No. 20162

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission Point No. (1)	Source Air Contami Name (2) Name (3			
E-AN-A1,2 E-AS-A1,2 E-AS-E1	Scrubber Stacks	Acids Halocarbons	1.69 0.02 Hydrides	7.11 0.11 7.60
E-BR-1	31.86 9.74	Inorganics VOC	0.06	0.24 2.32
E-AS-S1	Rotor Concentrator/	VOC		5.01
	21.86 Thermal Oxidizer Sta	ack CO NO <sub>x</sub>	4.50 0.60	19.71 2.63
E-BR-2, E-BR-3,4,6,	Solvent Stack Lab Vents 0.03	Halocarbons	<0.01 Inorganics	0.01 <0.01
E-BR-5	Burn Box Vent 0.44	VOC		0.10
E-CR-1,2,3	Boiler Stacks (4) 0.77	PM SO <sub>2</sub> CO NO <sub>x</sub> VOC	0.90 6.45 2.24 8.96	1.38 0.51 9.63 38.51 0.18
E-CR-4,5	Emergency Generator	rs (5) PM	1.23	0.29
L 01( +,0	Emergency denerator	SO <sub>2</sub> CO NO <sub>x</sub>	1.15 3.73 17.25	0.23 0.27 0.88 4.06

Emission Point No. (1)	Source Air Contaminan Name (2) Name (3)	t <u>Emission Rates *</u> <u>lbs/hr TPY</u> VOC		1.64
	0.39			
E-CR-6, E-CR-7	Lab Vent DI System Scrubber Stack <0.01	Acids Inorganics VOC	0.01 0.03	0.06 0.14 <0.01
E-CR-8	Gas Compressor 2.63	SO <sub>2</sub> CO NO <sub>x</sub> VOC	<0.01 2.70 1.94	0.02 11.83 8.50 0.60
E-ER-1,2,3,4	Test Floor 0.02	Acids HCFC	0.02 0.02 Hydrides	0.08 0.09 0.01
	0.02	Inorganics VOC	0.01	0.05 0.06
E-ER-5	Boiler Stack (6)	$PM$ $SO_2$ $CO$ $NO_x$ $VOC$	0.18 1.30 0.45 1.80	0.28 0.1 1.93 7.70 0.067
	0.29			
E-FR-1,2	Test Floor/Labs  0.08	Acids HCFC Inorganics VOC	0.01 0.01 <0.01	0.02 0.02 <0.01 0.02
E LID (			2.24	.0.01
E-HR-1, E-HR-2,	Exhaust Stack Paint Booth	Acids Inorganics	<0.01 <0.01	<0.01 <0.01

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * Ibs/hr TPY		
E-HR-3,	Exhaust 0.88		VOC		4.28
	0.88		PM	<0.01	<0.01
E-JR-1, E-JR-2	Boiler Sta	icks (6)	$PM$ $SO_2$ $CO$ $NO_x$ $VOC$	0.18 1.30 0.45 1.80	0.28 0.10 1.93 7.70 0.07
	0.29				
E-JR-3, E-JR-4	Exhaust S Scrubbe		Acids HCFC VOC	0.02 0.07	0.08 0.31 0.16
	0.69				
E-WR-1	Packagin <0.01	g Foam	VOC		<0.01
	0.02		PM	<0.01	<0.01
E-SR-1, E-SR-2	Scrubber Burn Bo		Acids HCFC	<0.01 <0.01 Hydrides	<0.01 <0.01 <0.01
	0.01			•	
			Inorganics	<0.01	<0.01
E-ST-1	Diesel Ta <0.01	nk	VOC		0.13
E-ST-2	Fire Pum	p	PM SO <sub>2</sub> CO NO <sub>x</sub> VOC	0.10 0.10 0.31 1.44	<0.01 <0.01 <0.01 <0.01 0.14
	< 0.01				

Emission Point No. (1)	Source Air Contaminant Name (2) Name (3)	Emission Rates * Ibs/hr TPY		
E-ST-3	Diesel Tank <0.01	VOC		0.13
E-ST-4	Emergency Generator	PM SO <sub>2</sub> CO NO <sub>x</sub> VOC	0.21 0.20 0.65 3.00	0.05 0.05 0.15 0.71 0.29
	0.07			
E-ST-5	Chem Storage	Acids Inorganics VOC	0.27 0.23	0.01 0.02 0.13
	<0.01			
E-ST-11	Emergency Generator	PM SO <sub>2</sub> CO NO <sub>x</sub> VOC	0.20 0.18 0.60 2.77	0.05 0.04 0.14 0.65 0.26
	0.06	VOC		0.20
E-ST-10, E-ST-12	Cooling Towers (7)	Acids Inorganics VOC	<0.01 0.01	0.01 0.03 <0.01
	<0.01	VOO		10.01
E-ST-13	Emergency Generator	PM SO <sub>2</sub> CO NO <sub>x</sub> VOC	1.23 1.15 3.73 17.25	0.29 0.27 0.88 4.06 1.64
	0.39			
E-ST-14	Emergency Generator	PM SO <sub>2</sub> CO	1.23 1.15 3.73	0.29 0.27 0.88

Permit No. 20162

Page 5

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission	Source	Air Contaminant	Emission Rates *			
Point No. (1)	Name (2)	Name (3)	lbs/hr	TPY		
				NO <sub>x</sub>	17.25	4.06
				VOC		1.64
	0.39					

#### AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission lbs/hr	n Rates * TPY		
E-ST-15	Emerg	ency Generator	PΝ	И	0.20	0.05
		-	SC	$O_2$	0.18	0.04
			CC	)	0.60	0.14
			NC	$D_x$	2.77	0.65
			VC	OC		0.26
	0.06					

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1

NO<sub>x</sub> - total oxides of nitrogen

CO - carbon monoxide

PM - particulate matter

SO<sub>2</sub> - sulfur dioxide

HCFC - halogenated chlorofluorocarbons

- (4) Emission rates are summed for 2 operational boilers; 1 extra boiler is for backup only.
- (5) Emission rates are for a single generator.
- (6) Emission rates are summed for 2 boilers.
- (7) Emission rates are summed for all cooling towers.
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760

Dated					
	 	 	 	 	_