

Emission Sources - Maximum Allowable Emission Rates

Permit Number 2613

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
B-1	Boiler B-1	CO	0.80	3.50
		NO _x	0.95	4.17
		PM	0.07	0.32
		PM ₁₀	0.07	0.32
		PM _{2.5}	0.07	0.32
		SO ₂	0.01	0.03
		VOC	0.05	0.23
B-2	Boiler B-2	CO	0.80	3.50
		NO _x	0.95	4.17
		PM	0.07	0.32
		PM ₁₀	0.07	0.32
		PM _{2.5}	0.07	0.32
		SO ₂	0.01	0.03
		VOC	0.05	0.23
T-8, T-9, T-13, T-14, T-15, T-23, T-24, T-25, T-28, T-29, T-30, T-33, T-34, T-35, T-87	MS Storage Tanks Cap	VOC (7)	0.95	0.08
T-71	Propylene Glycol Tank	VOC	< 0.01	< 0.01
T-72	Methanol Tank	VOC	0.14	1.59
T-74	Windshield Washer Fluid Tank	VOC	0.09	0.93
T-77, T-86	Antifreeze Tanks Cap	VOC (7)	< 0.01	< 0.01
T-80	Ethylene Glycol Tank	VOC	< 0.01	< 0.01
T-83	Benzoic Acid Tank	VOC	< 0.01	< 0.01
T-85	Diesel Tank	VOC	< 0.01	< 0.01

Emission Sources - Maximum Allowable Emission Rates

T-111, T-112, T-113, T-114	Non-Hazardous Wastewater Tanks Cap	Acetone (7)	0.04	< 0.01
		VOC (7)	3.05	0.01
SC-1 (6)	TO/Scrubber System	Acetone	3.29	-
		VOC	5.22	-
		NO _x	0.89	3.88
		CO	0.22	0.97
		PM	0.09	0.39
		PM ₁₀	0.09	0.39
		PM _{2.5}	0.09	0.39
		SO ₂	< 0.01	0.02
	Carbon Adsorption System	Acetone	3.29	-
		VOC	5.18	-
	SC-1 Annual Cap	Acetone	-	0.56
		VOC	-	0.50
FUG-1	Facility Fugitives (5)	Acetone	0.08	0.33
		VOC	0.61	2.69
LD1	Truck, Drum and Tote Loading, Truck Station 1	VOC	0.05	0.02
		Acetone	0.05	0.01
LD6	Loading, Truck Station 6	Acetone	< 0.01	< 0.01
		VOC	0.04	< 0.01
All Emission Points	Site Wide	Individual HAP	-	< 10.00
		Total HAPs	-	< 25.00

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO_x - total oxides of nitrogen
- SO₂ - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide
- HAP - hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of Federal Regulations Part 63, Subpart C
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.

Emission Sources - Maximum Allowable Emission Rates

- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Controlled emissions are from the following Storage Tanks, Distillation Units, and Loading Stations (when loading other than mineral spirits, diesel, or Non-hazardous wastewater): T-7, T-12, T-17, T-18, T-19, T-20, T-22, T-27, T-32, T-48, T-49, T-50, T-51, T-60, T-61, T-62, T-63, T-64, T-65, T-66, and T-67; AR1, AR2, L1, and L2; and TS1, TS6. EPN SC-1 emissions will either be from the TO/Scrubber System or Carbon Adsorption System. The two control systems shall not be operated at the same time. One of the systems will be operating at all times.
- (7) Emission limit is for the group of emission points and not individual tanks.

Date: March 28, 2018