Permit Number 9092

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissio</u>	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
T-121/2121	Tank T-121/2121 Seal Pot Ver	nt VOC	0.02	0.10	
T-130	Tank T-130 Breathing Losses	VOC	0.07	0.37	
Z-130	Tank T-130 Working Losses	VOC	0.37	0.01	
T-140	Tank T-140 Seal Pot Vent	VOC	0.21	0.92	
T-150	Tank T-150 Seal Pot Vent	VOC	0.03	0.15	
T-2130	Tank T-2130 Seal Pot Vent	VOC	0.01	0.02	
T-125	Tank T-125 Seal Pot Vent	VOC	1.12	0.02	
V-335	Tank V-335	VOC	1.12	0.02	
V-362	Tank V-362	VOC	1.12	0.02	
V-2340	Tank V-2340	VOC	1.12	0.01	
V-3336	Tank V-3336	VOC	1.23	0.02	
T-3107	Tank T-3107	VOC	0.50	0.09	
WG-1	Waste Gas from Boilers	VOC NO _x	1.73 30.00	0.64 13.00	
Z-2781	Rental Boiler	VOC NO_x CO PM_{10} SO_2	1.00 2.99 3.68 1.00 0.06	4.40 13.10 16.10 4.40 0.30	

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
Z-1871	Boiler No. 3	VOC	0.38	1.66	
		NO_x	2.21	9.67	
		CO	5.79	25.38	
		PM_{10}	0.52	2.30	
		SO_2	0.04	0.18	
Z-3781	Boiler No. 4	VOC	0.55	2.39	
		NO_x	3.18	13.93	
		CO	8.35	36.56	
		PM_{10}	0.76	3.31	
		SO_2	0.06	0.26	
WW-1A	Z-670 Wastewater	VOC	0.53	1.09	
WW-1B	Z-3672 Wastewater	VOC	0.53	1.09	
WW-1C	Line No. 3 Wastewater	VOC	0.53	1.09	
WW-1D	Line Nos. 1 and 2 Wastewater	VOC	0.53	1.09	
UV-390	RX Vent Valves	VOC	0.01	0.01	
F-1	Line Nos. 1 and 2 Fugitives (4) VOC	0.17	0.76	
F-2A	Line No. 3 Dissolving Area Fugitives (4)	VOC	0.01	0.02	
F-2B	Line No. 3 Polymerization Are Fugitives (4)	a VOC	0.31	0.47	
F-3A	Area A Tank Farm Fugitives (4	4) VOC	0.04	0.17	
F-3B	Area B Tank Farm Fugitives (4	4) VOC	0.04	0.17	

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
F-3C	Area C Tank Farm Fugitives	(4)	VOC	0.04	0.17
F-4	Boiler Area Fugitives (4)		VOC	0.04	0.17
L-4014-A1	Test Oven No. 3		VOC	0.01	0.01
L-4015-A1	Test Oven No. 4		VOC	0.01	0.01
Z-652	Line No. 1 After treatment S	tack	VOC	1.90	
			PM_{10}	0.02	
Z-655	Line No.1 Dryer		VOC	10.85	
			PM_{10}	12.32	
Z-2655	Line No. 2 Dryer		VOC	8.37	
			PM_{10}	3.69	
Z-2652	Line No. 2 After treatment S	tack	VOC	0.01	
			PM_{10}	0.01	
Z-3655	Line 3 Fluid Bed Dryer		VOC	6.6	
		PM_{10}	1.51		
Z-3654	Line No. 3 Dryer		VOC	19.8	
	•	PM_{10}	2.7		
Z-Bubble	Line 1, 2, 3 Vents		VOC		93.15
		PM		58.18	
Z-656	Line No. 1 Bagging		PM ₁₀	0.19	0.83
Z-2656	Line No. 2 Bagging		PM ₁₀	0.06	0.25
Z-3656	Line No. 3 Bagging		PM ₁₀	0.29	1.28
F-3603	Dust Collectors		PM ₁₀	0.29	1.28

(T)	from plot plan.
(2) (3)	
	PM ₁₀ - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
	SO ₂ - sulfur dioxide
(4)	Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
*	Emission rates are based on and the facilities are limited by the following maximum operating schedule: Hrs/day Days/week Weeks/year or Hrs/year_ 8,760_
**	Compliance with annual emission limits is based on a rolling 12-month period.
	Dated