#### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### Permit Number 22044

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant=s property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
AM-6	Amine Storage	VOC	2.89	0.01	
AM-10	Amine Storage	VOC	2.89	0.05	
AM-11	Amine Storage	VOC	2.89	0.05	
AM-15	Amine Storage	VOC	2.86	0.10	
AM-16	Amine Storage	VOC	2.86	0.10	
FO-12	Flush Oil Storage	VOC	0.01	0.01	
FO-13	Flush Oil Storage	VOC	0.01	0.01	
FO-17	Flush Oil Storage	VOC	0.01	0.01	
FO-18	Flush Oil Storage	VOC	0.01	0.01	
FO-19	Polyglycol Storage	VOC	0.06	0.01	
FO-21	Waste Oil Storage	VOC	0.01	0.01	
FO-22	Flush Oil Storage	VOC	0.01	0.01	
FO-23	Flush Oil Storage	VOC	0.01	0.01	
FO-24	Flush Oil Storage	VOC	0.01	0.01	
FO-25	Flush Oil Storage	VOC	0.01	0.01	
FO-26	Flush Oil Storage	VOC	0.01	0.01	

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission I	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
FO-29	Flush Oil Storage	VOC	0.01	0.01	
FO-41	Flush Oil and Waste Oil Storaç	ge VOC	0.01	0.01	
GLF-1	Sparkler Filter (4)	VOC	0.14	0.29	
PE-1-BAG	Baghouse	PM	0.05	0.01	
S-10	Caustic Absorber	VOC	1.54	0.45	
S-11	Caustic Absorber	VOC	5.39	0.85	
WO-9	Waste Oil Storage	VOC	0.01	0.01	
12PF	PF Filter 1	VOC	0.18	0.35	
14PF	PF Filter 2	VOC	0.18	0.35	
15PF	PF Filter 3	VOC	0.18	0.35	
16PF	PF Filter 4	VOC	0.18	0.35	
17PF	PF Filter 5	VOC	0.18	0.35	
18PF	PF Filter 6	VOC	0.18	0.35	
NPF	PF Filter North	VOC	0.26	0.20	
SPF	PF Filter South	VOC	0.26	0.20	
17SWF	Sweetland Filter (4)	VOC	0.14	0.29	
116DISPFUG	Unit 116 Process Fugitives (4)	PM VOC	1.83 1.29	0.72 5.67	

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM<sub>10</sub>.
  - PM<sub>10</sub> particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
  - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code ' 101.1.
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:
  - 24 Hrs/day 7 Days/week 52 Weeks/year
- \*\* Compliance with annual emission limits is based on a rolling 12-month period.

Dated: <u>June 28, 2010</u>