

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 22491

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
MRF-1	Marble Resin Fabrication	VOC	11.42	8.47
		PM	0.11	<0.10
		Non-VOC	0.76	0.82
FRF-1	Fiberglass Resin Fabrication	VOC	5.57	4.51
		PM	0.11	<0.10
		Non-VOC	0.46	0.49
FRF-2	Fiberglass Resin Fabrication	VOC	5.57	4.50
		PM	0.11	<0.10
		Non-VOC	0.46	0.49
SRS-1	Solvent Recovery System	VOC	0.10	<0.10
		Non-VOC	0.20	0.10
T-1	Trimming	PM	0.11	<0.10
T-2	Trimming	PM	0.11	<0.10
F-1	Finishing	PM	0.11	<0.10
F-2	Finishing	PM	0.11	<0.10
F-3	Resin Mixing - Marble Fabrication	VOC	0.43	0.50
F-4	Piping Fugitive	VOC	0.02	<0.10
TNK-1	Resin Tank	VOC	0.56	<0.10

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>	<u>TPY</u>

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM - particulate matter
VOC - volatile organic compounds as defined in General Rule 101.1
Non-VOC - acetone and methylen chloride

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 10 Days/week 5 Weeks/year 52
or Hrs/year

Dated