

# Emission Sources - Maximum Allowable Emission Rates

Permit Number 870

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

| Emission Point No.<br>(1) | Source Name (2)  | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|--|--------------------------|--------------------|---------|
|                           |  |                          | lbs/hour           | TPY (4) |
| 1A                        | Offloading Pit No. 1 (6)                                       | PM                       | 1.53               | 0.61    |
|                           |  | PM <sub>10</sub>         | 0.23               | 0.09    |
|                           |  | PM <sub>2.5</sub>        | 0.23               | 0.09    |
| 1B                        | Offloading Pit No. 2 (6)                                       | PM                       | 1.53               | 0.61    |
|                           |  | PM <sub>10</sub>         | 0.23               | 0.09    |
|                           |  | PM <sub>2.5</sub>        | 0.23               | 0.09    |
| 1C                        | Offloading Pit No. 3 (6)                                       | PM                       | 1.53               | 0.61    |
|                           |  | PM <sub>10</sub>         | 0.23               | 0.09    |
|                           |  | PM <sub>2.5</sub>        | 0.23               | 0.09    |
| 1D                        | Offloading Tunnel Elevator No. 4 (6)                           | PM                       | 1.53               | 0.61    |
|                           |  | PM <sub>10</sub>         | 0.23               | 0.09    |
|                           |  | PM <sub>2.5</sub>        | 0.23               | 0.09    |
|                           | Total Seed Offloading (6)                                      | PM                       | --                 | 0.61    |
|                           |  | PM <sub>10</sub>         | --                 | 0.09    |
|                           |  | PM <sub>2.5</sub>        | --                 | 0.09    |
| BIN-65                    | Bulk Bin Dryer No. 65<br>Receiving, Drying, and<br>Loadout (6) | PM                       | 0.70               | 1.41    |
|                           |  | PM <sub>10</sub>         | 0.24               | 0.44    |
|                           |  | PM <sub>2.5</sub>        | 0.05               | 0.12    |
|                           |  | VOC                      | 0.01               | 0.01    |
|                           |  | NO <sub>x</sub>          | 0.12               | 0.20    |
|                           |  | CO                       | 0.10               | 0.17    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)  | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|--|--------------------------|--------------------|---------|
|                           |  |                          | lbs/hour           | TPY (4) |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| BIN-66                    | Bulk Bin Dryer No. 66<br>Receiving, Drying, and<br>Loadout (6) | PM                       | 0.70               | 1.41    |
|                           |  | PM <sub>10</sub>         | 0.24               | 0.44    |
|                           |  | PM <sub>2.5</sub>        | 0.05               | 0.12    |
|                           |  | VOC                      | 0.01               | 0.01    |
|                           |  | NO <sub>x</sub>          | 0.12               | 0.20    |
|                           |  | CO                       | 0.10               | 0.17    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| BIN-67                    | Bulk Bin Dryer No. 67<br>Receiving, Drying, and<br>Loadout (6) | PM                       | 0.70               | 1.41    |
|                           |  | PM <sub>10</sub>         | 0.24               | 0.44    |
|                           |  | PM <sub>2.5</sub>        | 0.05               | 0.12    |
|                           |  | VOC                      | 0.01               | 0.01    |
|                           |  | NO <sub>x</sub>          | 0.12               | 0.20    |
|                           |  | CO                       | 0.10               | 0.17    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| BIN-68                    | Bulk Bin Dryer No. 68<br>Receiving, Drying, and<br>Loadout (6) | PM                       | 0.70               | 1.41    |
|                           |  | PM <sub>10</sub>         | 0.24               | 0.44    |
|                           |  | PM <sub>2.5</sub>        | 0.05               | 0.12    |
|                           |  | VOC                      | 0.01               | 0.01    |
|                           |  | NO <sub>x</sub>          | 0.12               | 0.20    |
|                           |  | CO                       | 0.10               | 0.17    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| BIN-69                    | Bulk Bin Dryer No. 69<br>Receiving, Drying, and<br>Loadout (6) | PM                       | 0.70               | 1.41    |
|                           |  | PM <sub>10</sub>         | 0.24               | 0.44    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)  | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|--|--------------------------|--------------------|---------|
|                           |  |                          | lbs/hour           | TPY (4) |
|                           |  | PM <sub>2.5</sub>        | 0.05               | 0.12    |
|                           |  | VOC                      | 0.01               | 0.01    |
|                           |  | NO <sub>x</sub>          | 0.12               | 0.20    |
|                           |  | CO                       | 0.10               | 0.17    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| BIN-70                    | Bulk Bin Dryer No. 70<br>Receiving, Drying, and<br>Loadout (6) | PM                       | 0.70               | 1.41    |
|                           |  | PM <sub>10</sub>         | 0.24               | 0.44    |
|                           |  | PM <sub>2.5</sub>        | 0.05               | 0.12    |
|                           |  | VOC                      | 0.01               | 0.01    |
|                           |  | NO <sub>x</sub>          | 0.12               | 0.20    |
|                           |  | CO                       | 0.10               | 0.17    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| BIN-71                    | Bulk Bin Dryer No. 71<br>Receiving, Drying, and<br>Loadout (6) | PM                       | 0.70               | 1.41    |
|                           |  | PM <sub>10</sub>         | 0.24               | 0.44    |
|                           |  | PM <sub>2.5</sub>        | 0.05               | 0.12    |
|                           |  | VOC                      | 0.01               | 0.01    |
|                           |  | NO <sub>x</sub>          | 0.12               | 0.20    |
|                           |  | CO                       | 0.10               | 0.17    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| BIN-72                    | Bulk Bin Dryer No. 72<br>Receiving, Drying, and<br>Loadout (6) | PM                       | 0.70               | 1.41    |
|                           |  | PM <sub>10</sub>         | 0.24               | 0.44    |
|                           |  | PM <sub>2.5</sub>        | 0.05               | 0.12    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)   | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|---|--------------------------|--------------------|---------|
|                           |   |                          | lbs/hour           | TPY (4) |
|                           |   | VOC                      | 0.01               | 0.01    |
|                           |   | NO <sub>x</sub>          | 0.12               | 0.20    |
|                           |   | CO                       | 0.10               | 0.17    |
|                           |   | SO <sub>2</sub>          | <0.01              | <0.01   |
| BIN-73                    | Bulk Bin Dryer No. 73<br>Receiving, Drying, and<br>Loadout (6)            | PM                       | 0.70               | 1.41    |
|                           |   | PM <sub>10</sub>         | 0.24               | 0.44    |
|                           |   | PM <sub>2.5</sub>        | 0.05               | 0.12    |
|                           |   | VOC                      | 0.01               | 0.01    |
|                           |   | NO <sub>x</sub>          | 0.12               | 0.20    |
|                           |   | CO                       | 0.10               | 0.17    |
|                           |   | SO <sub>2</sub>          | <0.01              | <0.01   |
| BIN-74                    | Bulk Bin Dryer No. 74<br>Receiving, Drying, and<br>Loadout (6)            | PM                       | 0.70               | 1.41    |
|                           |   | PM <sub>10</sub>         | 0.24               | 0.44    |
|                           |   | PM <sub>2.5</sub>        | 0.05               | 0.12    |
|                           |   | VOC                      | 0.01               | 0.01    |
|                           |   | NO <sub>x</sub>          | 0.12               | 0.20    |
|                           |   | CO                       | 0.10               | 0.17    |
|                           |   | SO <sub>2</sub>          | <0.01              | <0.01   |
|                           | Total Annual Bulk Bin<br>Receiving, Drying, and<br>Loadout Operations (6) | PM                       | --                 | 1.41    |
|                           |   | PM <sub>10</sub>         | --                 | 0.44    |
|                           |   | PM <sub>2.5</sub>        | --                 | 0.12    |
|                           |   | VOC                      | --                 | 0.01    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)              | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|------------------------------|--------------------------|--------------------|---------|
|                           |                              |                          | lbs/hour           | TPY (4) |
|                           |                              | NO <sub>x</sub>          | --                 | 0.20    |
|                           |                              | CO                       | --                 | 0.17    |
|                           |                              | SO <sub>2</sub>          | --                 | <0.01   |
| CYC-1                     | North Scalper Cyclone Stack  | PM                       | 1.54               | 1.54    |
|                           |                              | PM <sub>10</sub>         | 1.54               | 1.54    |
|                           |                              | PM <sub>2.5</sub>        | 1.54               | 1.54    |
| CYC-2                     | Middle Scalper Cyclone Stack | PM                       | 1.54               | 1.08    |
|                           |                              | PM <sub>10</sub>         | 1.54               | 1.08    |
|                           |                              | PM <sub>2.5</sub>        | 1.54               | 1.08    |
| CYC-3                     | South Scalper Cyclone Stack  | PM                       | 1.54               | 1.54    |
|                           |                              | PM <sub>10</sub>         | 1.54               | 1.54    |
|                           |                              | PM <sub>2.5</sub>        | 1.54               | 1.54    |
| DRY-4                     | North Dryer Stack            | PM                       | 2.51               | 0.45    |
|                           |                              | PM <sub>10</sub>         | 0.66               | 0.12    |
|                           |                              | PM <sub>2.5</sub>        | 0.66               | 0.12    |
|                           |                              | VOC                      | 0.03               | 0.01    |
|                           |                              | NO <sub>x</sub>          | 0.59               | 0.11    |
|                           |                              | CO                       | 0.49               | 0.09    |
|                           |                              | SO <sub>2</sub>          | <0.01              | <0.01   |
| DRY-5                     | Middle Dryer Stack           | PM                       | 1.12               | 0.23    |
|                           |                              | PM <sub>10</sub>         | 0.29               | 0.06    |
|                           |                              | PM <sub>2.5</sub>        | 0.29               | 0.06    |
|                           |                              | VOC                      | 0.01               | <0.01   |
|                           |                              | NO <sub>x</sub>          | 0.20               | 0.04    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)  | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|--|--------------------------|--------------------|---------|
|                           |  |                          | lbs/hour           | TPY (4) |
|                           |  | CO                       | 0.17               | 0.03    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| DRY-6                     | South Dryer Stack  | PM                       | 2.51               | 0.45    |
|                           |  | PM <sub>10</sub>         | 0.66               | 0.12    |
|                           |  | PM <sub>2.5</sub>        | 0.66               | 0.12    |
|                           |  | VOC                      | 0.03               | 0.01    |
|                           |  | NO <sub>x</sub>          | 0.59               | 0.11    |
|                           |  | CO                       | 0.49               | 0.09    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| BAG-WF                    | Tunnel White Dust System<br>(N Flat Storage Building<br>Tunnel Belt Aspiration and<br>S Flat Storage Building<br>Tunnel Belt Aspiration)<br>Baghouse Stack | PM                       | 0.31               | 0.31    |
|                           |  | PM <sub>10</sub>         | 0.31               | 0.31    |
|                           |  | PM <sub>2.5</sub>        | 0.31               | 0.31    |
| BAG-WD                    | Cleaner/Gravity Table No.<br>1/Color Sorters Baghouse<br>Stack   | PM                       | 3.55               | 7.10    |
|                           |  | PM <sub>10</sub>         | 3.55               | 7.10    |
|                           |  | PM <sub>2.5</sub>        | 3.55               | 7.10    |
| BAG-RD                    | Aspirator/Treater/Bagger<br>Baghouse Stack   | PM                       | 18.57              | 2.77    |
|                           |  | PM <sub>10</sub>         | 18.57              | 2.77    |
|                           |  | PM <sub>2.5</sub>        | 18.57              | 2.77    |
| BAG-RB                    | Re-Bagger Baghouse Stack   | PM                       | 0.34               | 0.68    |
|                           |  | PM <sub>10</sub>         | 0.34               | 0.68    |
|                           |  | PM <sub>2.5</sub>        | 0.34               | 0.68    |
| DRY-F1                    |  | PM                       | 1.09               | 0.55    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)                                    | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|--|--------------------------|--------------------|---------|
|                           |  |                          | lbs/hour           | TPY (4) |
|                           | Peanut Wagon Dryer No. 1<br>Vent (Foundation Area) | PM <sub>10</sub>         | 0.28               | 0.15    |
|                           |  | PM <sub>2.5</sub>        | 0.28               | 0.15    |
|                           |  | VOC                      | <0.01              | <0.01   |
|                           |  | NO <sub>x</sub>          | 0.10               | 0.05    |
|                           |  | CO                       | 0.08               | 0.04    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| DRY-F2                    | Peanut Wagon Dryer No. 2<br>Vent (Foundation Area) | PM                       | 1.09               | 0.55    |
|                           |  | PM <sub>10</sub>         | 0.28               | 0.15    |
|                           |  | PM <sub>2.5</sub>        | 0.28               | 0.15    |
|                           |  | VOC                      | <0.01              | <0.01   |
|                           |  | NO <sub>x</sub>          | 0.10               | 0.05    |
|                           |  | CO                       | 0.08               | 0.04    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| DRY-F3                    | Peanut Wagon Dryer No. 3<br>Vent (Foundation Area) | PM                       | 1.09               | 0.55    |
|                           |  | PM <sub>10</sub>         | 0.28               | 0.15    |
|                           |  | PM <sub>2.5</sub>        | 0.28               | 0.15    |
|                           |  | VOC                      | <0.01              | <0.01   |
|                           |  | NO <sub>x</sub>          | 0.10               | 0.05    |
|                           |  | CO                       | 0.08               | 0.04    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| DRY-F4                    | Peanut Wagon Dryer No. 4<br>Vent (Foundation Area) | PM                       | 1.09               | 0.55    |
|                           |  | PM <sub>10</sub>         | 0.28               | 0.15    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)  | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|--|--------------------------|--------------------|---------|
|                           |  |                          | lbs/hour           | TPY (4) |
|                           |  | PM <sub>2.5</sub>        | 0.28               | 0.15    |
|                           |  | VOC                      | <0.01              | <0.01   |
|                           |  | NO <sub>x</sub>          | 0.10               | 0.05    |
|                           |  | CO                       | 0.08               | 0.04    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| DRY-F5                    | Caldwell Dryer Vent<br>(Foundation Area)   | PM                       | 1.09               | 0.55    |
|                           |  | PM <sub>10</sub>         | 0.28               | 0.15    |
|                           |  | PM <sub>2.5</sub>        | 0.28               | 0.15    |
|                           |  | VOC                      | <0.01              | <0.01   |
|                           |  | NO <sub>x</sub>          | 0.10               | 0.05    |
|                           |  | CO                       | 0.08               | 0.04    |
|                           |  | SO <sub>2</sub>          | <0.01              | <0.01   |
| FUG-S1                    | Small Lots Receiving w/<br>three (3) Bins numbers 87-<br>89 (6)  | PM                       | 0.88               | 0.47    |
|                           |  | PM <sub>10</sub>         | 0.27               | 0.14    |
|                           |  | PM <sub>2.5</sub>        | 0.05               | 0.03    |
| FUG-SL                    | Small Lots GS48 Building<br>Fugitives Dust Collector<br>Exterior Stack                                 | PM                       | 1.08               | 0.59    |
|                           |  | PM <sub>10</sub>         | 0.38               | 0.02    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.04    |
| DC-WD                     | Small Lots GS48 (White<br>Dust) Cleaner/Gravity<br>Table/Color Sorter Dust<br>Collector Exterior Stack | PM                       | 0.10               | 0.06    |
|                           |  | PM <sub>10</sub>         | 0.06               | 0.03    |
|                           |  | PM <sub>2.5</sub>        | 0.01               | 0.01    |
| DC-RD                     |  | PM                       | 0.10               | 0.06    |



Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)  | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|--|--------------------------|--------------------|---------|
|                           |  |                          | lbs/hour           | TPY (4) |
|                           | Small Lots GS24 (Red Dust)<br>Aspirator/Treater/Bagger<br>Dust Collector Stack         | PM <sub>10</sub>         | 0.06               | 0.03    |
|                           |  | PM <sub>2.5</sub>        | 0.01               | 0.01    |
| BLDG-1                    | N Flat Storage Building<br>Receiving (6)   | PM                       | 5.88               | 0.11    |
|                           |  | PM <sub>10</sub>         | 1.31               | 0.02    |
|                           |  | PM <sub>2.5</sub>        | 1.31               | 0.02    |
| BLDG-2                    | S Flat Storage Building<br>Receiving (6)   | PM                       | 5.88               | 0.11    |
|                           |  | PM <sub>10</sub>         | 1.31               | 0.02    |
|                           |  | PM <sub>2.5</sub>        | 1.31               | 0.02    |
| REC-1                     | Portable Conveyor 1 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |  | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-2                     | Portable Conveyor 2 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |  | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-3                     | Portable Conveyor 3 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |  | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-4                     | Portable Conveyor 4 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |  | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-5                     |  | PM                       | 2.86               | 1.34    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)  | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|--|--------------------------|--------------------|---------|
|                           |  |                          | lbs/hour           | TPY (4) |
|                           | Portable Conveyor 5 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-5                     | Portable Conveyor 5 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |  | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-6                     | Portable Conveyor 6 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |  | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-7                     | Portable Conveyor 7 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |  | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-8                     | Portable Conveyor 8 –<br>Seed Bins No. 1-26, 39-62,<br>65-84 101-156 Receiving<br>(6)  | PM                       | 2.86               | 1.34    |
|                           |  | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-9                     | Portable Conveyor 9 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |  | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-10                    | Portable Conveyor 10 –<br>Seed Bins No. 1-26, 39-62,<br>65-84 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |  | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |  | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-11                    | Portable Conveyor 11 –<br>Seed Bins No. 1-26, 39-62,                                   | PM                       | 2.86               | 1.34    |
|                           |  | PM <sub>10</sub>         | 0.42               | 0.20    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)   | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|---|--------------------------|--------------------|---------|
|                           |   |                          | lbs/hour           | TPY (4) |
|                           | 65-84, 101-156 Receiving<br>(6)   | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-12                    | Portable Conveyor 12 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |   | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |   | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-13                    | Portable Conveyor 13 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |   | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |   | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-14                    | Portable Conveyor 14 –<br>Seed Bins No. 1-26, 39-62,<br>65-84 101-156 Receiving<br>(6)  | PM                       | 2.86               | 1.34    |
|                           |   | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |   | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-15                    | Portable Conveyor 15 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |   | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |   | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-16                    | Portable Conveyor 16 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |   | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |   | PM <sub>2.5</sub>        | 0.07               | 0.03    |
| REC-17                    | Portable Conveyor 17 –<br>Seed Bins No. 1-26, 39-62,<br>65-84, 101-156 Receiving<br>(6) | PM                       | 2.86               | 1.34    |
|                           |   | PM <sub>10</sub>         | 0.42               | 0.20    |
|                           |   | PM <sub>2.5</sub>        | 0.07               | 0.03    |
|                           | Total Annual Portable<br>Conveyors (1-17) Seed Bin<br>Receiving Operations (6)          | PM                       | --                 | 1.34    |
|                           |   | PM <sub>10</sub>         | --                 | 0.20    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)   | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|---|--------------------------|--------------------|---------|
|                           |   |                          | lbs/hour           | TPY (4) |
|                           |   | PM <sub>2.5</sub>        | --                 | 0.03    |
| LO-1                      | Portable Conveyor 1 - Seed Bins No. 1-26, 39-62, 65-84, 101-156 Loadout (6) | PM                       | 7.22               | 6.76    |
|                           |   | PM <sub>10</sub>         | 2.44               | 2.28    |
|                           |   | PM <sub>2.5</sub>        | 0.41               | 0.39    |
| LO-2                      | Portable Conveyor 2 - Seed Bins No. 1-26, 39-62, 65-84, 101-156 Loadout (6) | PM                       | 7.22               | 6.76    |
|                           |   | PM <sub>10</sub>         | 2.44               | 2.28    |
|                           |   | PM <sub>2.5</sub>        | 0.41               | 0.39    |
| LO-3                      | Portable Conveyor 3 - Seed Bins No. 1-26, 39-62, 65-84 101-156 Loadout (6)  | PM                       | 7.22               | 6.76    |
|                           |   | PM <sub>10</sub>         | 2.44               | 2.28    |
|                           |   | PM <sub>2.5</sub>        | 0.41               | 0.39    |
| LO-4                      | Portable Conveyor 4 - Seed Bins No. 1-26, 39-62, 65-84, 101-156 Loadout (6) | PM                       | 7.22               | 6.76    |
|                           |   | PM <sub>10</sub>         | 2.44               | 2.28    |
|                           |   | PM <sub>2.5</sub>        | 0.41               | 0.39    |
| LO-5                      | Portable Conveyor 5 - Seed Bins No. 1-26, 39-62, 65-84, 101-156 Loadout (6) | PM                       | 7.22               | 6.76    |
|                           |   | PM <sub>10</sub>         | 2.44               | 2.28    |
|                           |   | PM <sub>2.5</sub>        | 0.41               | 0.39    |
| LO-6                      | Portable Conveyor 6 - Seed Bins No. 1-26, 39-62, 65-84, 101-156 Loadout (6) | PM                       | 7.22               | 6.76    |
|                           |   | PM <sub>10</sub>         | 2.44               | 2.28    |
|                           |   | PM <sub>2.5</sub>        | 0.41               | 0.39    |
| LO-7                      | Portable Conveyor 7 - Seed Bins No. 1-26, 39-62, 65-84, 101-156 Loadout (6) | PM                       | 7.22               | 6.76    |
|                           |   | PM <sub>10</sub>         | 2.44               | 2.28    |
|                           |   | PM <sub>2.5</sub>        | 0.41               | 0.39    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)   | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|---|--------------------------|--------------------|---------|
|                           |   |                          | lbs/hour           | TPY (4) |
| LO-8                      | Portable Conveyor 8 - Seed Bins No. 1-26, 39-62, 65-84 101-156 Loadout (6)                              | PM                       | 7.22               | 6.76    |
|                           |   | PM <sub>10</sub>         | 2.44               | 2.28    |
|                           |   | PM <sub>2.5</sub>        | 0.41               | 0.39    |
| LO-9                      | Portable Conveyor 9 - Seed Bins No. 1-26, 39-62, 65-84, 101-156 Loadout (6)                             | PM                       | 7.22               | 6.76    |
|                           |   | PM <sub>10</sub>         | 2.44               | 2.28    |
|                           |   | PM <sub>2.5</sub>        | 0.41               | 0.39    |
| LO-10                     | Portable Conveyor 10 - Seed Bins No. 1-26, 39-62, 65-84, 101-156 Loadout (6)                            | PM                       | 7.22               | 6.76    |
|                           |   | PM <sub>10</sub>         | 2.44               | 2.28    |
|                           |   | PM <sub>2.5</sub>        | 0.41               | 0.39    |
|                           | Total Annual Portable Conveyors (1-10) Seed Bins No. 1-26, 39-62, 65-84, 101-156 Loadout Operations (6) | PM                       | --                 | 6.76    |
|                           |   | PM <sub>10</sub>         | --                 | 2.28    |
|                           |   | PM <sub>2.5</sub>        | --                 | 0.39    |
| FUG-F1                    | Foundation Line Receiving (6)   | PM                       | 0.33               | 0.06    |
|                           |   | PM <sub>10</sub>         | 0.10               | 0.01    |
|                           |   | PM <sub>2.5</sub>        | 0.02               | <0.01   |
| FUG-FL                    | Foundation Line DFT2 Building Fugitives Baghouse Stack  | PM                       | 0.40               | 0.08    |
|                           |   | PM <sub>10</sub>         | 0.14               | 0.02    |
|                           |   | PM <sub>2.5</sub>        | 0.03               | <0.01   |
| DC-FWD                    | Foundation Line DFT2 (White Dust) Cleaner and Color Sorter Exterior Baghouse Stack                      | PM                       | 0.04               | 0.01    |
|                           |   | PM <sub>10</sub>         | 0.02               | <0.01   |
|                           |   | PM <sub>2.5</sub>        | <0.01              | <0.01   |
| DC-FRD                    |   | PM                       | 0.04               | 0.01    |

Emission Sources - Maximum Allowable Emission Rates

| Emission Point No.<br>(1) | Source Name (2)  | Air Contaminant Name (3) | Emission Rates (5) |         |
|---------------------------|--|--------------------------|--------------------|---------|
|                           |  |                          | lbs/hour           | TPY (4) |
|                           | Foundation Line (Red Dust)<br>Treater and Bagger<br>Baghouse Stack | PM <sub>10</sub>         | 0.02               | <0.01   |
|                           |  | PM <sub>2.5</sub>        | <0.01              | <0.01   |
| REC-18                    | Portable Conveyor 18 –<br>Seed Bins No. 87-89<br>Receiving (6)     | PM                       | 0.03               | 0.02    |
|                           |  | PM <sub>10</sub>         | 0.02               | 0.01    |
|                           |  | PM <sub>2.5</sub>        | <0.01              | <0.01   |

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1  
NO<sub>x</sub> - total oxides of nitrogen  
SO<sub>2</sub> - sulfur dioxide  
PM - total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as represented  
PM<sub>10</sub> - total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as represented  
PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter  
CO - carbon monoxide
- (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
- (5) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.
- (6) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

Dated: March 10, 2020