

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. T-9767

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission Point No. (1)	Source		Air Contaminant		<u>Emission Rates</u>	
	Name (2)	Name (3)	lb/hr	TPY		
	Truck Dump (4) (a)		TSP		0.02	0.02
			PM <sub>10</sub>		0.01	0.01
	Bark Processing Building (4) (b)		TSP		0.01	0.03
			PM <sub>10</sub>		<0.01	0.01
	Chipper (4) (c)		TSP		0.06	0.01
			PM <sub>10</sub>		0.03	0.01
	Finished Bark Storage Pile (4) (d)		TSP		<0.01	0.02
			PM <sub>10</sub>		<0.01	0.01
	Bulk Bark Truck Loading (4) (e)		TSP		0.01	<0.01
			PM <sub>10</sub>		<0.01	<0.01
	Bark/Soil Bagging (4) (f)		TSP		0.01	0.03
			PM <sub>10</sub>		0.01	0.01

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) TSP - total suspended particulate including PM<sub>10</sub>  
 PM<sub>10</sub> - particulate matter less than 10 microns in diameter

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (a) Emission rates are based on, and the facilities are limited to, an hourly throughput of 96 tons and an annual throughput of 180,000 tons of raw material.
- (b) Emission rates are based on, and the facilities are limited to, an hourly throughput of 15 tons and an annual throughput of 100,000 tons of bark.
- (c) Emission rates are based on, and the facilities are limited to, an hourly throughput of 0.12 tons and an annual throughput of 48 tons of raw material.
- (d) Emission rates are based on, and the facilities are limited to, an hourly throughput of 22.8 tons and an annual throughput of 100,000 tons of bark.
- (e) Emission rates are based on, and the facilities are limited to, an hourly throughput of 48 tons and an annual throughput of 20,000 tons of bark.
- (f) Emission rates are based on, and the facilities are limited to, an hourly throughput of 41.1 tons and an annual throughput of 160,000 tons of finished material.

Dated\_\_\_\_\_