### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### Permit Number 17295

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissio</u>	n Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
2-1	170 MWe FBC Stack	PM	47.1	207.0
		PM <sub>10</sub> **	47.1	207.0
		VOC***	1.4	6.2
		$NO_x$	935.0	4098.0
		SO <sub>2</sub> ****	1200.0	3961.0
		CO	101.0	441.0
		$H_2SO_4$	9.3	20.5
		Hg	0.3	1.3
		Ni	1.0	3.1
2-5	Standby Generator	PM	0.72	0.45
	•	$PM_{10}$	0.72	0.45
		$NO_x$	4.42	2.76
		$SO_2$	0.33	0.21
		CO	0.53	0.33
2-6	Limestone Roller Mill 1 East	PM	0.096	1.40
		$PM_{10}$	0.096	1.40
2-7	Limestone Roller Mill 2 West	: PM	0.096	1.40
	Zimodiono remor ivim Z vvoce	PM <sub>10</sub>	0.096	1.40
0.0	T/max Bard	DM	0.04	0.00
2-8	Tripper Deck	PM	0.04	0.20
		$PM_{10}$	0.04	0.20
2-9	Raw Limestone Product	PM	0.03	0.60
	Silo East Baghouse Stack	$PM_{10}$	0.03	0.60
2-10	Raw Limestone Product	PM	0.03	0.60
	Silo West Baghouse Stack	PM <sub>10</sub>	0.03	0.60
	-			

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# AIR CONTAMINANTS DATA

Emission <u>*</u>	Source	Air Contaminant	<u>Emissio</u>	n Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	<u>TPY</u>
2-11	Finish Limestone Product	PM	0.002	0.38
	Silo East Baghouse Stack	PM <sub>10</sub>	0.002	0.38
2-12	Finish Limestone Product	PM	0.002	0.38
	Silo West Baghouse Stac	k PM <sub>10</sub>	0.002	0.38

#### EMITSSIKON SKOURKOESS - MAAXIMUUM AALLLOWAABLEE EWITSSIKON RATES

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissior</u>	n Rates
<u>*</u> Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
2-13	Sand Product Silo East	PM	0.007	1.00
	Baghouse Stack	PM <sub>10</sub>	0.007	1.00
2-14	Sand Product Silo West	PM	0.007	1.00
	Baghouse Stack	PM <sub>10</sub>	0.007	1.00

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including  $PM_{10}$ 
  - $PM_{10}$  particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
  - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1.

NO<sub>x</sub> - total oxides of nitrogen

SO<sub>2</sub> - sulfur dioxide CO - carbon monoxide H<sub>2</sub>SO<sub>4</sub> - sulfuric acid mist

Hg - total mercury emissionsNi - total nickel emissions

\* For Emission Point Nos. 2-1, 2-11, and 2-12, emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760

All other emission points are operated on an as needed basis, but not to exceed their annual emissions limits.

- \*\* PM<sub>10</sub> emission rate is for front-half of sampling train only for Emission Point No. 2-1.
- \*\*\* Hourly VOC emissions from the fluidized bed combustor may vary by two orders of magnitude.

## EMISSION SOURCESS - MAXXIMUM ALLLOWARBLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission Rates</u>
<u>*</u> Point No. (1)	Name (2)	Name (3)	lb/hr TPY

\*\*\*\* Hourly  $SO_2$  limit is based on a rolling three-hour average.

Dated
-------