EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 4650

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission R	ates_
Point No. (1)	Name (2) Name (3)	lb/hr TPY		
	Truck Receiving Pit (a)	TSP PM ₁₀	13.50 6.75	
	Rail Receiving Pit (a)	TSP PM ₁₀	13.50 6.75	
	Total Receiving (b)	TSP PM ₁₀		4.50 2.25
1	Hammermill B. H. No. 1 (c)	PM_{10}	0.10	0.13
2	Hammermill B. H. No. 2 (d)	PM_{10}	0.19	0.24
3	Hammermill B. H. No. 3 (d)	PM_{10}	0.19	0.24
4	Sifter B. H. (c)	PM_{10}	0.02	0.03
5	Extruder Cyclone (c)	PM_{10}	0.43	0.54
6	Dryer-Cooler (c)	PM_{10} SO_2 NO_x CO VOC	0.06 <0.01 1.68 0.42 0.03	0.08 0.01 2.10 0.53 0.04
7	Dryer-Cooler Fan A (c)	PM_{10}	1.71	2.14
8	Dryer-Cooler Fan B (c)	PM_{10}	1.54	1.93
	Bulk Loadout (e)	TSP PM ₁₀	6.75 3.38	0.11 0.06
9	350 H. P. Boiler (f)	PM_{10}	0.08	0.33

SO_2	< 0.01	0.04
NO_X	2.10	9.20
CO	0.53	2.30
VOC	0.04	0.18

Permit No. 4650 Page 2

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) TSP total suspended particulate including PM₁₀
 - PM₁₀ particulate matter less than 10 microns in diameter
 - VOC volatile organic compounds as defined in General Rule 101.1
 - NO_x total oxides of nitrogen
 - SO₂ sulfur dioxide
 - CO carbon monoxide
- (a) Emission rates are based on and the facilities are limited to an hourly throughput of 75 tons of feed ingredients.
- (b) Emission rates are based on and the facilities are limited to annual throughput of 50,000 tons of feed ingredients.
- (c) Emission rates are based on and the facilities are limited to an hourly throughput of 20 tons and an annual throughput of 50,000 tons of finished feed.
- (d) Emission rates are based on and the facilities are limited to an hourly throughput of 10 tons and an annual throughput of 25,000 tons of finished feed.
- (e) Emission rates are based on and the facilities are limited to an hourly throughput of 75 tons and an annual throughput of 2,500 tons of finished feed.
- (f) Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day	Days/week	Weeks/year	or Hrs/y	ear <u>8,760</u>

Dated	