

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 8823A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant	Emission Rates *	
			Name (3)	lb/hr
	TPY			
1	No. 1 Impact Mill/Calciner Baghouse Stack	PM ₁₀	3.27	11.45
		NO _x	1.18	5.15
		CO	0.99	4.33
		VOC	0.13	0.45
		SO ₂	0.07	0.25
2	No. 2 Impact Mill/Calciner Baghouse Stack	PM ₁₀	1.63	5.70
		NO _x	1.18	5.15
		CO	0.99	4.33
		VOC	0.13	0.45
		SO ₂	0.07	0.25
3	No. 3 Impact Mill/Calciner Baghouse Stack	PM ₁₀	1.63	5.70
		NO _x	1.18	5.15
		CO	0.99	4.33
		VOC	0.13	0.45
		SO ₂	0.07	0.25
4	No. 4 Impact Mill/Calciner Baghouse Stack	PM ₁₀	3.27	11.45
		NO _x	1.18	5.15
		CO	0.99	4.33
		VOC	0.13	0.45
		SO ₂	0.07	0.25
5	No. 5 Impact Mill/Calciner Baghouse Stack	PM ₁₀	3.27	11.45
		NO _x	1.18	5.15
		CO	0.99	4.33
		VOC	0.13	0.45
		SO ₂	0.07	0.25

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant	Emission Rates *	
			Name (3)	lb/hr
	TPY			
6	Utility Baghouse Stack	PM ₁₀	0.64	2.79
8	Dryer	PM ₁₀	2.25	7.56
		NO _x	10.98	38.65
		CO	15.32	53.91
		VOC	7.06	23.77
		SO ₂	0.13	0.44
9	Crushed Gypsum Truck Unloading (4)	PM	0.11	0.48
		PM ₁₀	0.05	0.23
9A	Crushed Gypsum Handling Storage And Off-Spec Material Crusher (4)	PM	0.13	0.55
		PM ₁₀	0.06	0.26
9C	Railcar Unloading Fugitives (4)	PM	1.43	1.30
		PM ₁₀	0.67	0.61
11	Stucco Cooler Baghouse	PM ₁₀	0.72	3.15
12	Landplaster Silo Baghouse	PM ₁₀	0.60	0.26

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM - particulate matter, suspended in the atmosphere, including PM₁₀
PM₁₀ - particulate matter equal or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
NO_x - total oxides of nitrogen
CO - carbon monoxide
VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
SO₂ - sulfur dioxide
- (4) Fugitive emissions are an estimate.

- * Emission rates are based on and the facilities are limited by the following maximum operating schedule, wallboard production, and stucco processed rates:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760

Wallboard Production Rates: Ft²/hour 75,000 Ft²/year 505,000,000

Stucco Production: Tons/hour 75 Tons/year 525,600

Notes

- (a) All VOCs are reported as carbon unless otherwise specified.

Dated October 25, 2007