EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 33961

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissio</u>	n Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
CAS1	Carbon Adsorption Syste 0.02 Control of Tanks	em for	VOC	0.049
NOR41	Acid Waste Tank No. 3 ((5) HC1	0.15	<0.01
NOR42	Acid Waste Tank No. 2 ((5) HC1	0.15	<0.01
NOR43	Acid Waste Tank No. 1 ((5) HC1	0.15	<0.01
NOR44	Caustic Waste Tank No. <0.01	3 (5)	NaOH	<0.01
NOR45	Caustic Waste Tank No. <0.01	2 (5)	NaOH	<0.01
NOR46	Caustic Waste Tank No. <0.01	1 (5)	NaOH	<0.01
EBHEAT	Natural Gas Emulsion Break Heater	$\begin{array}{c} PM_{10} \\ VOC \\ NO_x \\ CO \\ SO_2 \end{array}$	0.031 0.023 0.412 0.346 0.003	0.137 0.099 1.804 0.515 0.011
CT1	Chemical Treatment Vess	sel No. 1	H ₂ SO ₄	0.37

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source Air	[.] Contaminant	<u>Emissio</u>	n Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	<u>TPY</u>
СТ2	Chemical Treatment Vessel <0.01	No. 2	NaOH	<0.01
CT3	Acid Reagent Tank No. 1	H_2SO_4	0.465	0.03
CT4	Caustic Reagent Tank No.	2 NaOH	<0.01	<0.01
Lab-Silo	Vermiculite Silo Blower F 0.039	ilter	PM_{10}	0.018
BH1-ST	Stabilization Baghouse St 3.62	ack	PM_{10}	0.83
STAB-FUG	Stabilization Fugitives	PM ₁₀ VOC	0.16 0.089	0.025 0.312
CHAR-FUG	Characteristic Fugitives	PM ₁₀ VOC	0.007 0.089	0.029 0.312
LABPAC	Lab Pack Drum Bulking	VOC IOC-U	0.022 0.013	0.08 0.019
DEBRIS	Consolidation	VOC IOC-U	0.376 0.093	0.43 0.015
SAMP	Drums	VOC	0.067	0.012
CRUSH	Drum Crusher	VOC	0.367	0.35
FUGS	Fugitives (4)	VOC	0.050	0.22

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(3) VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1

IOC-U - inorganic compounds (unspeciated)

 NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

 PM_{10} - particulate matter equal to or less than 10 microns in diameter.

CO - carbon monoxide

HCl - hydrogen chloride

NaOH - sodium hydroxide

H₂SO₄ - sulfuric acid

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) The acid and caustic waste tanks are not permitted to store fluids containing any organic compounds and so are permitted zero VOC emissions.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

	24	Hrs/day	7	Days/week	52	Weeks/year	or	8,760	Hrs/year
--	----	---------	---	-----------	----	------------	----	-------	----------