EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 19430

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	<u>lb/hr</u>	<u>TPY</u>	
P-6	Rotary Furnace Baghouse/ Scrubber Stack (Rotary Furnace [FIN S-6]) TR	PM/PM ₁₀ (4) Pb SO ₂ RS 0.09	0.44 0.32 15.46 0.39	1.91 0.59 67.71	
		VOC HBr HCI CO NO _x	3.86 1.20 0.40 0.08 0.10	16.93 5.26 1.75 0.37 0.44	
P-12	Shredder Baghouse Stack (600 Tilt Crucible, 175 Tilt Crucible, Reverbatory Furnaces No. 1 and 2, 2-inch Rotary Shear Shredder, 1.5-inch Rotary Shear Shredder [FINs S-8 through S-12, S-19, and S-21])	PM/PM ₁₀ (4) Pb SO ₂ VOC CO NO _x	2.42 0.04 <0.01 0.02 0.28 0.33	10.62 0.06 <0.01 0.08 1.21 1.45	
P-14	Hygiene Baghouse Stack (Ball Mill, Sample Prep Room, Treatment Tanks T1 through T-4, Collection Tank, Discharge Tanks D-1 and D-2, Caustic Tank Nos. 1and 2, Wastewater Treatme Hand Plasma Cutting System Nos and 2, Slag Hammering, Ingot Autocasters, Block Casting Molds, Vacuum Sweeper [FINs S-13, S-23 S-25 through S-34, and S-37 through	. 1, Wet 3,	2.31 1.01 <0.01 <0.01 0.43 <0.01	10.10 2.22 0.03 <0.01 1.85 <0.01	

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)	Name (3)		lb/hr	<u>TPY</u>
P-15	Kettle Baghouse Stack		PM/PM ₁₀ (4)	0.84	3.67
	(Refining Kettles Nos. 1-5, Swea		Pb	0.10	0.11
	Furnace [FINs S-1 through S-5,		SO_2	0.30	1.31
	and S-7])		TRS	0.30	1.31
			VOC	0.01	0.06
		CO	0.20	0.88	
		NO_x	0.24	1.05	
P-16A-E	Refining Kettle Burners		PM/PM ₁₀	0.07	0.29
	(FINs S-1 through S-5 Products of Combustion)		CO	0.74	3.22
			SO_2	<0.01	0.02
			NO_x	0.86	3.83
		VOC	0.05	0.21	
P-17	Blender/Dryer Baghouse Stack		PM/PM ₁₀ (4)	0.40	1.77
		Pb	0.11	0.15	
P-20	Precious Metal Recovery Scrubb	er	PM/PM ₁₀	0.55	2.40
	(Precious Metal Recovery, Read Tank [FINs S-20 and S-24])	ction	HNO ₃	0.49	2.15
			HCI	0.06	0.25
		NH₃	<0.01	<0.01	
			H <0.01	<0.01	
P-22	Electrolytic Processes Scrubber (FIN S-22 Phase II)		PM/PM ₁₀	<0.01	<0.01
			PbO	<0.01	<0.01
		HF	<0.01	<0.01	
		VOC	0.03	0.13	
P-24	Crucible Furnace Exhaust (FINs S-35 and S-36)		PM/PM ₁₀ (4)	<0.01	0.03
			SO_2	<0.01	< 0.01
		VOC	<0.01	0.02	
			0.08	0.37	
		NO_x	0.10	0.44	
P-25	Blender/Dryer Burners		PM/PM ₁₀	0.02	0.08
	(FIN S-17 Products of		SO ₂	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Con	Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)	Na	Name (3)		TPY	
	Combustion)	VO	C	0.01	0.06	
	•	CO 0.2	0	0.88		
		NO _x 0.2	4	1.05		

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM₁₀.
 - PM₁₀ particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
 - Pb lead and lead compounds
 - SO₂ sulfur dioxide
 - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - HBr hydrogen bromideHCl hydrochloric acid
 - HNO₃ nitric acid
 - TRS total reduced sulfur
 - NH₃ ammonia
 - NaOH sodium hydroxide
 HF hydrogen fluoride
 CO carbon monoxide
 NO_x total oxides of nitrogen
 - PbO lead oxide
- (4) PM comprised of, but not limited to, copper and copper compounds, silver and silver compounds, nickel and nickel comounds, arsenic and arsenic compounds, cadmium and cadmium compounds, antimony and antimony compounds, and tin and tin compounds.
- * Refer to Special Conditions for throughput limitations and basis of emission rates.