## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit No. 17295

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

# AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission R	ates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
	·			
2-1	170 Mwe FBC Stack	TSP	47.1	207.0
		PM <sub>10</sub> **	47.1	207.0
		V0C***	1.4	6.2
		$NO_x$	935.0	4098.0
		SO <sub>2</sub> ****	1200.0	3961.0
		CO	101.0	441.0
		$H_2SO_4$	9.3	20.5
		Hg	0.3	1.3
		Ni	1.0	3.1
2-5	Standby Generator	TSP	0.72	0.45
		$PM_{10}$	0.72	0.45
		$NO_x$	4.42	2.76
		$SO_2$	0.33	0.21
		CO	0.53	0.33
2-6	Limestone Roller Mill 1.40	1 East	TSP	1.29
	11.10	$PM_{10}$	1.29	1.40
2-7	Limestone Roller Mill 1.40	2 West	TSP	1.29
		$PM_{10}$	1.29	1.40
2-8	Tripper Deck	TSP	0.51	0.20
		$PM_{10}$	0.51	0.20
2-9	Raw Limestone Product		0.14	0.60
	Silo East Baghouse 0.60	Stack	$PM_{10}$	0.14
2-10	Raw Limestone Product	TSP	0.14	0.60

Hg

- total mercury emissions - total nickel emissions TSP - total suspended particulate

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates			
Point No. (1)	Name (2)	Name (3)	lb/hr	<u>TPY</u>			
	Silo West Baghous 0.60	e Stack	PM <sub>10</sub>	0.14			
2-11	Finish Limestone Pr Silo East Baghous 0.38		0.07 PM <sub>10</sub>	0.38 0.07			
2-12	Finish Limestone Pro Silo West Baghous 0.38		0.07 PM <sub>10</sub>	0.38 0.07			
2-13	Sand Product Silo E Baghouse Stack	ast TSP PM <sub>10</sub>	0.23 0.23	1.00 1.00			
2-14	Sand Product Silo W Baghouse Stack	est TSP PM <sub>10</sub>	0.23 0.23	1.00 1.00			
(1) Emission point identification - either specific equipment designation or emission point number from plot plan.							
(2) Specific point source name. For fugitive sources use area name or fugitive source name.							
(3) $PM_{10}$	e source name.	- particulate	matter les	s than			
NO <sub>x</sub> - total SO <sub>2</sub> - sulfu CO - carbo	ile organic compounds oxides of nitrogen r dioxide n monoxide ric acid mist	s as defined in Genera	l Rule 101.	.1			

Hrs/day 24 Days/week 7 Weeks/year 52 or

<sup>\*</sup> For Emission Point Nos. 2-1, 2-11, and 2-12, emission rates are based on and the facilities are limited by the following maximum operating schedule:

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<b>Emission Rates</b>
<u>*</u>			
Point No. (1)	Name (2)	Name (3)	<u>lb/hr TPY</u>

Hrs/year <u>8,760</u>

All other emission points are operated on an as needed basis, but not to exceed their annual emissions limits.

\*\*  $PM_{10}$  emission rate is for front-half of sampling train only for Emission Point No. 2-1.

\*\*\* Hourly VOC emissions from the fluidized bed combustor may vary by two orders of magnitude.

\*\*\*\* Hourly  $SO_2$  limit is based on a rolling three-hour average.