EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 1257A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissio</u>	n Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
B-3-1	Flare	SO₂ CO	74.1 47.2	311.0 198.3
		VOC NO _X NH₃ Acetone	45.0 2.6 <0.01 0.50	189.1 10.72 <0.01 2.19
B-3-2	Tank 34249	VOC	1.89	0.05
B-3-3	Tank 34361	VOC SO ₂	1.07 <0.01	0.53 <0.01
B-3-4	Tank 34120	VOC Acetone	1.04 <0.01	0.08 0.03
B-3-5	Tank 34125	VOC Acetone	2.14 <0.01	0.16 0.04
B-3-6	Tank 34220	VOC	0.02	0.1
B-3-7	Tank 34290	VOC	6.59	0.49
B-3-8	Tank 34291	VOC	8.10	0.28
B-3-9	Tank 34326	VOC	2.60	0.11
B-3-10	Tank 34327	VOC	3.81	0.06

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission <u>*</u>	Source	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
B-3-11	Tank 34335	VOC	16.10	0.73
		NH_3	0.03	<0.01
B-3-12	Tank 34343	VOC	22.12	1.48
		NH_3	0.04	<0.01
B-3-14	Tank 34352	VOC	6.81	2.06
B-3-16	Tank 34354	VOC	6.81	2.06
B-3-18	Tank 34402	VOC	1.07	2.37
		NH_3	<0.01	<0.01
B-3-19	Tank 34426	VOC	0.99	2.38
		NH ₃	<0.01	<0.01
B-3-20	Tank 34430	VOC	3.6	0.19
B-3-21	Tank 34560	VOC	0.06	0.16
B-3-22	Tank 96600	VOC	0.07	0.33
B-3-23	Tank 96609	VOC	0.09	0.42
B-3-24	Tank 96616	VOC	0.14	0.44
B-3-25	Tank 96623	VOC	0.14	0.44
B-3-26	Tank 22002	VOC	0.21	0.55
		SO ₂	<0.01	<0.10
B-3-27	Tank 22003	VOC	0.21	0.55
		SO_2	<0.01	<0.10
B-3-29	Tank 22060	VOC	0.05	0.11

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissio</u>	n Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
B-3-31	Tank 22065	VOC	0.05	0.11
B-3-33	Tank 22070	VOC	1.54	0.27
B-3-35	Tank 22075	VOC	1.54	0.27
B-3-36	Tank 22079	VOC NH ₃	21.22 0.04	0.20 0.01
B-3-38	Tank 22090	VOC	<0.01	<0.1
B-3-39	Tank 22100	VOC SO₂	<0.01 <0.01	<0.01 <0.01
B-3-40	Tank 22119	VOC SO₂	<0.03 <0.01	<0.1 <0.01
B-3-41	Tank 22120	VOC SO₂	<0.01 <0.01	<0.02 <0.01
B-3-42	Tank 22150	VOC	0.14	<0.01
B-3-43	Tank 22155	VOC SO₂	0.06 <0.01	0.16 <0.10
B-3-46	Tank 34730	VOC SO ₂	0.06 <0.01	0.16 <0.10
B-3-44	Tank 34670	VOC	0.07	<0.1
B-3-47 and	B-3 Rack Fugitives (4	SO ₂ CO	<0.01 0.36	0.03 1.58

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
B-3-48 0.72			NH_3	0.16
total		VOC	2.15	9.4
B-3-49 and B-3-50 <0.1 total	GMAA Rack Fugitives (4)	VOC CO	0.62 <0.01 SO ₂	2.73 <0.1 <0.01
B-3-51	Scrubber	Acetone CO SO ₂	<0.01 <0.01 0.32	<0.01 <0.01 0.97
B-3-52	Tank 34276	VOC	0.06	0.02
B-3-53	Loading	VOC NH₃	28.86 0.12	0.71 <0.01

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) SO₂ sulfur dioxide CO - carbon monoxide
 - VOC volatile organic compounds as defined in General Rule 101.1
 - NO_X oxides of nitrogen
 - NH₃ ammonia
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission</u>	Rates
<u>*</u> Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
	ates are based on a maximum operating s	and the facilities are li schedule:	mited by th	e
Hrs/day <u>8,760</u>	Days/week	Weeks/year	_ or Hrs/yea	ır <u> </u>
		Dated		