Permit Nos. 5628 and PSD-TX-905

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminan	t <u>Emissio</u>	n Rates *
Point No. (1)	Name (2)	Name (3)	<u>lb/hr</u>	<u>TPY</u>
S-01	Boiler No. 1	NO_x	10.00	43.80
		CO	35.00	153.30
		VOC	5.00	21.90
		SO_2	0.42	1.83
		PM_{10}	10.00	43.80
S-02	Boiler No. 2	NO_x	10.00	43.80
		CO	35.00	153.30
		VOC	5.00	21.90
		SO_2	0.42	1.83
		PM_{10}	10.00	43.80
S-03	Boiler No. 3	NO_x	45.00	162.06
		CO	1062.00	4651.56
		VOC	32.00	140.16
		SO_2	1.85	8.11
		PM_{10}	44.00	192.72
S-04	Dryer No. 1	VOC	46.22	**
		PM	9.92	
		PM_{10}	6.83	
S-05	Dryer No. 2	VOC	59.88	**
	-	PM	12.85	
		PM_{10}	8.85	
S-06	Dryer No. 3	VOC	60.24	**
	•	PM	12.93	
		PM_{10}	8.90	

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission</u>	
Point No. (1)	Name (2)	Name (3)	<u> 1b/hr</u>	<u>TPY</u>
S-07	Dryer No. 4	VOC PM PM ₁₀	71.26 15.29 10.53	**
S-04 through S-0	7	Dryer Nos.	1 through 4	VOC
	789.34 Combined Annual Allo 169.26	owables	РМ	
	103.20	PM_{10}		116.52
K-01	Kiln No. 1	VOC PM ₁₀	28.80 0.71	**
K-02	Kiln No. 2	VOC PM ₁₀	28.80 0.71	**
K-03	Kiln No. 3	VOC PM ₁₀	28.80 0.71	**
	Kiln Nos. 1, 2, and 3 Combined Annual Allo 8.00	VOC owables	PM_{10}	249.83
S-14	Dry Hog Baghouse	PM_{10}	0.89	3.90
S-15	Dry Waste Baghouse	PM_{10}	0.79	3.46
S-17	Sander Dust Baghouse	PM_{10}	0.04	0.18
S-19	Fuel House Cyclone	PM_{10}	0.30	1.32
S-18	Truck Bin Cyclone	PM_{10}	2.06	9.03
S-16	Dry Waste Cyclone	PM_{10}	0.21	0.92

AIR CONTAMINANTS DATA

Emission	Source	urce Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY	
V-01/C-12	Hot Press Roof Vent	VOC PM PM ₁₀ HCHO	15.11 11.44 4.81 0.42	**	
V-01/C-13	Hot Press Roof Vent	VOC PM PM ₁₀ HCHO	15.11 11.44 4.81 0.42	**	
V-01/C-12 and V-01/C-13	Hot Press Roof Vents Combined Annual Allo 92.75	VOC owables	РМ	122.52	
	32.73	PM ₁₀ HCHO		39.04 3.38	
F-09	Log Soaking Vats (Traditional Lathe)	VOC	14.00	61.32	
F-09A	Log Soaking Vats (Centerless Lathe)	VOC	4.20	18.40	
F-03	Ring Debarker (4)	PM ₁₀	2.42	10.60	
F-04	Drum Debarker (4)	PM ₁₀	0.31	1.36	
F-01	MTL Sawline (4)	PM ₁₀	<0.01	0.01	
F-02	Fiber Deck (4)	PM ₁₀	<0.01	0.01	
F-05	Even End Saws (4)	PM ₁₀	<0.01	0.01	

F-08	Trim Saws (4)	PM_{10}	<0.01	0.01
F-12	Truck Bin (4)	PM_{10}	<0.01	0.02
F-14	Truck Bin (4)	PM ₁₀	<0.01	0.02

Permit Nos. 5628 and PSD-TX-905 Page 4

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissio</u>	n Rates
<u>*</u> Point No. (1)	Name (2)	Name (3)	1b/hr	TPY
F-13	Rail Loading - Chips	s (4) PM ₁₀	<0.01	0.02
F-17	Shavings Truck Bin ((4) PM ₁₀	<0.01	0.02

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) NO_x total oxides of nitrogen

CO - carbon monoxide

VOC - volatile organic compounds as defined in General Rule 101.1

SO₂ - sulfur dioxide

PM - particulate matter, suspended in the atmosphere, including PM_{10} .

 PM_{10} - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall

be assumed that no particulate matter greater than 10 microns is emitted.

AIR CONTAMINANTS DATA

Dated____

Emission	Source	Air Contaminant	<u>Emission</u>	Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
(4) Fugi		are an estimate only and llowable emission rate.	should	not be
	rates are based g maximum operatin	on and the facilities are ng schedule:	limited	by the
24	Hrs/day <u>7</u> Day	s/week <u>52</u> Weeks/year or _	<u>8,760</u> Hi	rs/year
		re based on a combined to t is specified after the la		