EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 1967B

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * Ib/hr TPY		
2A	Dust C	ollector	РМ	<0.01	<0.04
3	L-Dia. I	Elbow Oven	VOC PM	<0.01 <0.01	<0.04 <0.01
5	S-Dia. Machi	Pipe ne (P5)	VOC PM	<0.01 <0.01	<0.04 <0.01
5A	S-Dia. Machi	Pipe ne (P5)	VOC PM POC	0.03 <0.01 0.16	0.13 <0.01 <0.10
5B	S-Dia. Oven	Fitting Bond	VOC PM	<0.01 <0.01	<0.01 <0.01
6	S-Dia. Machi	Pipe ne (P6)	VOC PM	<0.01 <0.01	0.04 <0.01
6A	S-Dia. Machi	Pipe ne (P6)	VOC PM POC	0.03 <0.01 0.16	0.13 <0.01 <0.10
7	S-Dia. Machi	Pipe ne (P7)	VOC PM	<0.01 <0.01	0.04 <0.01
7A	S-Dia. Machi	Pipe ne (P7)	VOC PM POC	0.03 <0.01 0.16	0.13 <0.01 <0.10
7B	Prepre	g Process	VOC CH ₂ CL ₂	5.60 12.30	25.00 54.00
8	S-Dia.	Pipe	VOC	<0.01	0.04

	EMISSION SOURCES - MAX Machine (P8)	IMUM ALLOWABLE EMISS PM	SION RATES <0.01	<0.01
8A	S-Dia. Pipe Machine (P8)	VOC PM POC	0.03 <0.01 0.16	0.13 <0.01 <0.10
	AIR CONTAM	INANTS DATA		
Emission Point No. (1)	Source Air Contamin Name (2) Name (3)			
9	Pipe Machine (P9)	VOC PM	0.04 <0.01	0.17 <0.01
9A	Pipe Machine (P9)	VOC PM POC	0.03 <0.01 0.16	0.71 <0.01 <0.10
10	Pipe Machine (P10)	VOC PM	0.04 <0.01	0.18 <0.01
10A	Pipe Machine (P10)	VOC PM POC	0.03 <0.01 0.16	0.71 <0.01 <0.10
11	Pipe Machine (P11)	VOC PM	0.04 <0.01	0.18 <0.01
11A	Pipe Machine (P11)	VOC PM POC	0.03 <0.01 0.16	0.71 <0.01 <0.10
21	L-Dia. Pipe Machine (P21)	VOC CH ₂ CL ₂	0.12 0.36	0.51 1.58
21A	L-Dia. Pipe Machine (P21)	VOC PM	0.22 <0.01	0.23 <0.01
21B	L-Dia. Pipe Machine (P21)	VOC PM	0.22 <0.01	0.23 <0.01
21D	L-Dia. Pipe Machine (P21)	VOC PM	0.02 <0.01	0.03 <0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES 45E L-Dia. Pipe VOC 0.02 0.03 Machine (P21) PM< 0.01 < 0.01 21F L-Dia. Pipe Machine (P21) POC < 0.01 0.03 22 L-Dia. Pipe VOC 0.12 0.15 Machine (P22) CH₂CL₂ 0.36 1.58 22A L-Dia. Pipe VOC 0.22 0.40 Machine (P22) PM< 0.01 < 0.01 AIR CONTAMINANTS DATA **Emission** Source **Emission Rates *** Air Contaminant Point No. (1) Name (2) Name (3) lb/hr <u>TPY</u> 22B L-Dia. Pipe VOC 0.22 0.16 Machine (P22) < 0.01 PM < 0.01 22D L-Dia. Pipe VOC 0.02 0.03 Machine (P22) PM< 0.01 < 0.01 22C L-Dia. Pipe Machine (P22) POC < 0.01 0.03 22E L-Dia. Pipe VOC 0.02 0.03 Machine (P22) PM< 0.01 < 0.01 22H **Dust Collector** РΜ 0.05 0.07 31A S-Dia. Pipe Finishing VOC 0.035 0.15 РМ < 0.01 < 0.01 31B Baghouse РМ 0.02 80.0 32C PM < 0.01 0.04 Baghouse VOC 0.17 0.73 34A P/L Winder PM< 0.01 < 0.01 35A L-Dia. Casting VOC < 0.01 0.03 35B VOC 0.03 L-Dia. Casting < 0.01

	EMISSION S	OURCES - MAXIMU	M ALLOWABLE EMISS	ION RATES	
36A	S-Dia. Casting		VOC PM	0.07 0.04	0.30 0.16
37B	Baghouse		PM	0.04	0.17
41A	Walk-in Oven		VOC	<0.01	<0.01
45A	Specialty Fabrication		VOC PM	<0.01 <0.01	0.04 <0.01
45B	Baghouse		PM	<0.01	0.01
45C	Dust Collector		PM	<0.01	<0.01
43A	Fittings	Cure Oven	VOC PM	0.04 <0.01	0.20 0.03
		AIR CONTAMINAN		\0.01	0.03
Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * Ib/hr TPY		
	Name (2)			<0.01 <0.01	<0.01 <0.01
Point No. (1)	Name (2)	Name (3) Cure Oven	lb/hr TPY VOC		
Point No. (1) 60A	Name (2) Fittings	Name (3) Cure Oven	Ib/hr TPY VOC PM VOC	<0.01 <0.01	<0.01
Point No. (1) 60A 60B	Name (2) Fittings Gel Ove	Name (3) Cure Oven	VOC PM VOC PM	<0.01 <0.01 <0.01	<0.01 0.04 <0.01
Point No. (1) 60A 60B 100A	Name (2) Fittings Gel Ove Boiler Boiler	Name (3) Cure Oven	VOC PM VOC PM POC	<0.01 <0.01 <0.01 0.03	<0.01 0.04 <0.01 0.13
Point No. (1) 60A 60B 100A 100B	Name (2) Fittings Gel Ove Boiler Boiler Hot Wa	Name (3) Cure Oven en	VOC PM VOC PM POC POC	<0.01 <0.01 <0.01 0.03 0.02	<0.01 0.04 <0.01 0.13 0.06

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

(3) PM - particulate matter

VOC - volatile organic compounds as defined in General Rule 101.1

POC - products of combustion: NO_x, SO₂, PM, CO, VOC

CH₂CL₂ - dichloromethane
 NO_x - nitrogen oxides
 SO₂ - sulfur dioxide
 CO - carbon monoxide

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,736

Г	Dated	
	uica	