

Emission Sources - Maximum Allowable Emission Rates

Permit Number 118549

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
CT-2	Unit 2 – GE7FA (5)	NO _x	72.40	31.05
		CO	44.07	97.72
		CO (MSS)	660.00	-
		VOC	5.60	14.90
		VOC (MSS)	103.20	-
		PM	22.24	7.50
		PM ₁₀	22.24	7.50
		PM _{2.5}	22.24	7.50
		SO ₂	12.07	0.65
		H ₂ SO ₄	5.55	0.30
DPTHTR	Dewpoint Heater (5)	NO _x	1.13	0.25
		CO	1.53	0.21
		VOC	0.05	0.01
		PM	0.07	0.02
		PM ₁₀	0.07	0.02
		PM _{2.5}	0.07	0.02
		SO ₂	0.05	<0.01
		H ₂ SO ₄	0.02	<0.01
CTLV2	Unit 2 Lube Oil System	VOC	0.07	0.32
		PM	0.07	0.32

Emission Sources - Maximum Allowable Emission Rates

		PM ₁₀	0.07	0.32
		PM _{2.5}	0.07	0.32
EMERGEN	Emergency Generator	NO _x	20.61	1.03
		CO	9.02	0.45
		VOC	1.23	0.06
		PM	1.08	0.05
		PM ₁₀	1.08	0.05
		PM _{2.5}	1.08	0.05
		SO ₂	0.02	<0.01
		H ₂ SO ₄	0.01	<0.01
FWP	Firewater Pump	NO _x	1.85	0.09
		CO	2.00	0.10
		VOC	0.15	0.01
		PM	0.10	<0.01
		PM ₁₀	0.10	<0.01
		PM _{2.5}	0.10	<0.01
		SO ₂	<0.01	<0.01
		H ₂ SO ₄	<0.01	<0.01
DSL-TK1	Diesel Tank 1	VOC	0.02	<0.01
DSL-TK2	Diesel Tank 2	VOC	0.02	<0.01
DSL-TK3	Diesel Tank 2	VOC	0.02	<0.01
COND-TK	Condensate Tank	VOC	0.01	0.15
		H ₂ S	0.01	<0.01
VOCFUG	Piping Component Fugitives (6)	VOC	1.00	4.40
		H ₂ S	<0.01	<0.01

Emission Sources - Maximum Allowable Emission Rates

MSSFUG	Maintenance Fugitives (6)	NO _x	<0.01	<0.01
		CO	<0.01	<0.01
		VOC	35.79	0.95
		PM	0.05	<0.01
		PM ₁₀	0.05	<0.01
		PM _{2.5}	0.05	<0.01

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) NO_x - total oxides of nitrogen
CO - carbon monoxide
VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
SO₂ - sulfur dioxide
H₂SO₄ - sulfuric acid
H₂S - hydrogen sulfide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Planned maintenance, startup and shutdown (MSS) for all pollutants are authorized even if not specifically identified as MSS. During any clock hour that includes one or more minutes of planned MSS that pollutant's maximum hourly emission rate shall apply during that clock hour.
- (6) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

Date: May 5, 2015