EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates*	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 5900

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air	Air Contaminant	<u>Emission</u>	Emission Rates*	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY	
Stack-1	Main Stack		VOC	0.49	1.59	
		PM_{10}	0.66	2.28		
		NO_x	8.31	28.87		
		SO_2	0.06	0.18		
		CO	7.24	25.17		
		NH_3	0.01	0.03		
		Form	aldehyde	1.11	4.74	
Fan 1-5	Roof Fans		VOC	<0.01	< 0.10	
		NH_3	< 0.01	< 0.10		
		Form	aldehyde	<0.01	< 0.02	
Fan 6-14	Roof Fans		VOC	<0.01	<0.10	
		NH_3	< 0.01	< 0.10		
		Form	aldehyde	<0.01	<0.03	
FBEXH-1	Formbox Exhaust (Line 1)		PM	0.37	1.60	
Former-1A	Mat Former Exhaust (Line 1)		PM	0.08	0.40	

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission F	Rates*
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
Former-1B	Mat Former Exhaust (Line 1)	РМ	0.08	0.40
Former-1C	Mat Former Exhaust (Line 1)	РМ	0.08	0.40
LOVAC-1	Low Vacuum (Line 1)	VOC NH₃ Formaldehyde	<0.01 <0.01 <0.01	<0.10 <0.10 <0.01
HIVAC-1	High Vacuum (Line 1)	VOC NH₃ Formaldehyde	<0.01 <0.01 <0.01	<0.10 <0.10 <0.01
VACEXH-1	Vacuum Exhaust (Line 2)	VOC NH₃ Formaldehyde PM 1.66	<0.01 <0.01 <0.01 7.10	<0.10 <0.10 <0.01
BLOWER-1	Line 2 Former/Saturat Blower Exhaust Stac		<0.01 <0.01 <0.01	<0.10 <0.10 <0.01
COATED SUBS	TRATE LINE			
STMBOIL	Boiler	$\begin{array}{c} PM_{10} \\ VOC \\ NO_{x} \\ SO_{2} \\ CO \end{array}$	0.02 0.02 0.10 <0.01 0.16	0.07 0.05 0.82 0.01 0.69
DRYEROVEN	Dryer /Oven and IR Burner	VOC PM NO _x 0.48 CO 0.44 SO _x <0.01 NH ₃ 0.02	0.03 0.04 2.50 1.90 0.02 0.02	0.13 0.18
		Formaldehyde	0.20	0.43

BHEXH-1	Building Roof Vent for Baghouse 1, 2, and Bin Vent Filter Exhaust	PM ₁₀	0.09	0.20
COATEXH-1 (8 Roof Fans)	Coated Substrate (4) Production Line	VOC PM Formaldehyde	0.25 0.03 0.07	0.79 0.08 0.15
		NH₃ <0.01	<0.01	0.10

Permit Number 5900 Page 3

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - PM particulate matter, suspended in the atmosphere, including PM₁₀.
 - PM_{10} particulate matter less than or equal to 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

NH₃ - ammonia

- (4) Total emissions from all 8 roof vents.
- * Emission rates are based on and the facilities are limited by the following maximum operating parameters:

Hrs/day 24 Days/week 7 Weeks/year 52 and Hrs/year 8,552

BHEXH-1, fabric filter emission rates are based on operating 4,368 hours per year