



This version of GitHub Enterprise was discontinued on 2023-03-15. No patch releases will be made, even for critical security issues. For better performance, improved security, and new features, <u>upgrade to the latest version of GitHub Enterprise</u>. For help with the upgrade, <u>contact GitHub Enterprise support</u>.

Viewing workflow run history

In this article

GitHub Docs

Viewing recent workflow runs

Viewing details for a specific workflow run

You can view logs for each run of a workflow. Logs include the status for each job and step in a workflow.

GitHub CLI Web browser


Note: GitHub-hosted runners are not currently supported on GitHub Enterprise Server. You can see more information about planned future support on the <u>GitHub public roadmap</u>.

Read access to the repository is required to perform these steps.

- 1 On your GitHub Enterprise Server instance, navigate to the main page of the repository.
- 2 Under your repository name, click Actions.



3 In the left sidebar, click the workflow you want to see.



4 From the list of workflow runs, click the name of the run to see the workflow run summary.

To learn more about GitHub CLI, see "About GitHub CLI."

Viewing recent workflow runs &

To list the recent workflow runs, use the run list subcommand.

```
gh run list
```

To specify the maximum number of runs to return, you can use the -L or --limit flag . The default is 10 .

```
gh run list --limit 5
```

To only return runs for the specified workflow, you can use the -w or --workflow flag. Replace workflow with either the workflow name, workflow ID, or workflow file name. For example, "Link Checker", 1234567, or "link-check-test.yml".

gh run list --workflow WORKFLOW

Viewing details for a specific workflow run ₽

To display details for a specific workflow run, use the run view subcommand. Replace run-id with the ID of the run that you want to view. If you don't specify a run-id, GitHub CLI returns an interactive menu for you to choose a recent run.

gh run view RUN_ID

To include job steps in the output, use the -v or --verbose flag.

```
gh run view RUN\_ID --verbose
```

To view details for a specific job in the run, use the -j or --job flag. Replace job-id with the ID of the job that you want to view.

```
gh run view --job JOB_ID
```

To view the full log for a job, use the --log flag.

```
gh run view --job JOB_ID --log
```

Use the --exit-status flag to exit with a non-zero status if the run failed. For example:

```
gh run view 0451 --exit-status && echo "run pending or passed"
```

Legal

© 2023 GitHub, Inc. <u>Terms</u> <u>Privacy</u> <u>Status</u> <u>Pricing</u> <u>Expert services</u> <u>Blog</u>