

The REST API is now versioned. For more information, see "About API versioning."

# Security Managers

Use the REST API to manage security managers in an organization.

## About security managers [↗](#)

**Note:** The security manager role is in public beta and subject to change.

Security manager is an organization-level role that organization owners can assign to any team in an organization. When applied, it gives every member of the team permissions to manage security alerts and settings across your organization, as well as read permissions for all repositories in the organization.

## List security manager teams [↗](#)

✔ Works with [GitHub Apps](#) [↗](#)

Lists teams that are security managers for an organization. For more information, see "[Managing security managers in your organization](#)."

To use this endpoint, you must be an administrator or security manager for the organization, and you must use an access token with the `read:org` scope.

GitHub Apps must have the `administration` organization read permission to use this endpoint.

### Parameters for "List security manager teams"

#### Headers

`accept` string  
Setting to `application/vnd.github+json` is recommended.

#### Path parameters

`org` string **Required**  
The organization name. The name is not case sensitive.

### HTTP response status codes for "List security manager teams"

Status code	Description
200	OK

## Code samples for "List security manager teams"

GET

/orgs/{org}/security-managers

cURL

JavaScript

GitHub CLI

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ https://api.github.com/orgs/ORG/security-managers
```

## Response

Example response

Response schema

Status: 200

```
[ { "id": 1, "node_id": "MDQ6VG9hbTE=", "url": "https://api.github.com/teams/1", "html_url": "https://github.com/orgs/github/teams/justice-league", "name": "Justice League", "slug": "justice-league", "description": "A great team.", "privacy": "closed", "notification_setting": "notifications_enabled", "permission": "admin", "members_url": "https://api.github.com/teams/1/members{member}", "repositories_url": "https://api.github.com/teams/1/repos", "parent": null } ]
```

## Add a security manager team [↗](#)

✔ Works with [GitHub Apps](#)

Adds a team as a security manager for an organization. For more information, see "[Managing security for an organization](#)" for an organization."

To use this endpoint, you must be an administrator for the organization, and you must use an access token with the `write:org` scope.

GitHub Apps must have the `administration` organization read-write permission to use this endpoint.

## Parameters for "Add a security manager team"

### Headers

`accept` string

Setting to `application/vnd.github+json` is recommended.

### Path parameters

`org` string **Required**

The organization name. The name is not case sensitive.

`team_slug` string **Required**

The slug of the team name.

## HTTP response status codes for "Add a security manager team"

Status code	Description
204	No Content
409	The organization has reached the maximum number of security manager teams.

## Code samples for "Add a security manager team"

PUT

/orgs/{org}/security-managers/teams/{team\_slug}

cURL

JavaScript

GitHub CLI

```
curl -L \
-X PUT \
-H "Accept: application/vnd.github+json" \
-H "Authorization: Bearer <YOUR-TOKEN>" \
-H "X-GitHub-API-Version: 2022-11-28" \
https://api.github.com/orgs/ORG/security-managers/teams/TEAM_SLUG
```

## Response

Status: 204

## Remove a security manager team

✔ Works with [GitHub Apps](#)

Removes the security manager role from a team for an organization. For more information, see "[Managing security managers in your organization](#)" team from an organization."

To use this endpoint, you must be an administrator for the organization, and you must use an access token with the `admin:org` scope.

GitHub Apps must have the `administration` organization read-write permission to use this endpoint.

## Parameters for "Remove a security manager team"

### Headers

`accept` string  
Setting to `application/vnd.github+json` is recommended.

### Path parameters

`org` string **Required**  
The organization name. The name is not case sensitive.

`team_slug` string **Required**  
The slug of the team name.

The slug of the team name.

## HTTP response status codes for "Remove a security manager team"

Status code	Description
204	No Content

## Code samples for "Remove a security manager team"


DELETE

/orgs/{org}/security-managers/teams/{team\_slug}

cURL

JavaScript

GitHub CLI



```
curl -L \ -X DELETE \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ https://api.github.com/orgs/ORG/security-managers/teams/TEAM_SLUG
```

## Response

Status: 204
-------------

## Legal